

Executive Order: A-003-0785

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP II	NFOR	MATION					
MOD YEA	I TI	TEST GROUP VEHICLE CLASS(ES)				S)		FUEL CATEGORY			FUEL TYPE		
202	3 PM	BXJ02.0U3A	LDT2, PC					DEDICATED SINGLE FUEL VEHICLE			GASOLINE		
USEFUL LIFE (miles) VEHICLE EM					IICLE EMISS	ION C	CATE	GORY	INTERIM / IN	TERMEDIATE IN-USE STD			
EXH/ORVR EVAP					FTP SF			TP	FTP		SFTP		
150000 150000			LEV3	ULEV50	0 LEV 3 COMPOS		MPOSITE	*		PM			
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS						L		OBD STATUS			ENGINE DISPLACEMENT (L)		
1	1 DFI, TC, CAC, WR-HO2S, HO2S, TWC							FULL	*				
*	*						Р	ARTIAL	*	* 2.0			
*	* *							TIAL WITH FINES	TITE MODELS				
1	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION												
EV	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR					GORY	,	EVAP EMISSION STD VEHICLE CLASS		SP	SPECIAL FEATURES		
PMBXR0155LNC LEV 3 OPTION2				ON2 WITH	FEL	EL PC			*				
				I	EMISSION CI	REDIT	INFO	RMATION					
CREDIT FOR EXTENDED					EDIT FOR NON-PZEV NMOG			NMOG C	MOG CREDIT FOR DOR		OPTIONAL EXH. STD FOR WORK TRUCKS		
N N				N			N			N			
NMOG AND FLEET AVERAGE INFORMATION													
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO	HCHO/NMHC RATIO NMOG+NOX FL PC+LDT (0-375 (g/mi)			0-375	_)			
*	*	1.10		*	0.044				0.047		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



Executive Order: A-003-0785

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicles has been determined to have eight (8) deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of one hundred fifty dollars (\$150) per vehicle for the third through eighth deficiencies in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2023 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$42,450 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this ___/3th_ day of October 2022.

Robin U. Lang, Chief

Emissions Certification and Compliance Division

Jolin U. Lang

Executive Order: A-003-0785 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F) CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP **FUEL TYPE** NMOG+NOx CO NOx **HCHO** PΜ (g/mi) (g/mi) (mg/mi) (g/mi) (g/mi) **CERT STD CERT STD CERT STD CERT** STD **CERT STD** FTP@50K * GASOLINE-FTP@UL TIER3 E10 0.040 0.050 0.3 1.7 4 0.0005 0.003 PREM 50°F @4K NMOG+NOx (q/mi) CO (q/mi) **FUEL TYPE CERT STD CERT STD** HWFET @ 50K * * * 0.018 0.050 HWFET@UL GASOLINE-TIER3 E10 PREM 20°F @ 50K COLD CO E10 PREMIUM GASOLINE (TIER3) 0.6 10.0 SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS **US06 SC03** COMPOSITE **FUEL TYPE** NMOG+NOx CO ΡМ NMOG+NOx CO NMOG+NOx CO PΜ (g/mi) (q/mi) (mg/mi) (g/mi) (g/mi) (g/mi) (g/mi) (mg/mi) * **CERT** @ 4K STD * **CERT** 0.5 0.029 0.7 GASOLINE-STD 6 0.063 @ UL TIER3 E10 4.2 PREM 0.060 BIN WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS WHOLE VEHICLE EVAPORATIVE TESTING RL (g/mi) @ UL **EVAPORATIVE FUEL TYPE** 3DHS (g/test) @ UL 2DHS (g/test) @ UL **FAMILY CERT** STD **FEL CERT** STD FEL **CERT** STD GASOLINE-PMBXR0155LNC TIER3 E10 0.274 0.300 0.275 0.133 0.300 0.275 0.00 0.05 PREM ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

FUEL ONLY EVAP & CANISTER BLEED

				TOLL ONL! LVAL & SAMOTER BLLLD							
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE	3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K		
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD	
PMBXR0155LNC	GASOLINE- TIER3 E10 PREM	0.03	0.20	GASOLINE- TIER3 E10 PREM	*	*	*	*	0.014	0.020	



Executive Order: A-003-0785

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)								
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD					
PMBXR0155LNC	PMBXR0155LNC-LNC	*	0.02					

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV; medium-duty vehicle; MDV4; MDV 8501-10000#GVWR; MDV5; MDV 10001-14000#GVWR; MDPV; mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2023 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
MERCEDES BENZ	C 300 (CONVERTIBLE)	PC	2.0	A9	PMBXR0155LNC	1	\$
MERCEDES BENZ	C 300 (COUPE)	PC	2.0	A9	PMBXR0155LNC	1	\$
MERCEDES BENZ	C 300 4MATIC (CONVERTIBLE)	PC	2.0	A9	PMBXR0155LNC	1	\$
MERCEDES BENZ	C 300 4MATIC (COUPE)	PC	2.0	A9	PMBXR0155LNC	1	\$
MERCEDES BENZ	E 350	PC	2.0	A9	PMBXR0155LNC	1	\$
MERCEDES BENZ	E 350 4MATIC	PC	2.0	A9	PMBXR0155LNC	1	\$
MERCEDES BENZ	GLC 300 4MATIC (COUPE)	LDT2	2.0	A9	PMBXR0155LNC	1	\$