

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

						TEST GRO	UP IN	FOR	MATION					
MODE YEAF		TES	T GROUP		VEHICLE CLASS(ES)					ATEGORY		FUEL TYPE		
2023	3 в	PMBXJ04.0U2A PC							DEDICATED VE	GASOLINE				
USEFUL LIFE (miles) VEHICLE EMISSIC								ATE	GORY	IEDIATE IN-USE STD				
EXH/ORVR EVAP					I	FTP		SF	ТР	FTP	SFTP			
15	50000		150000		LEV3	ULEV70	LEV	3 CC	MPOSITE	*		PM		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS							L		OBD S	TATUS	EN	IGINE DISPLACEMENT		
1	DFI, 2TC, 2CAC, 2WR-HO2S, 2HO2S, 2TWC(2)								FULL	*				
*	*							Р	ARTIAL	*	4.0			
*	* *								RTIAL WITH FINES ALL MODELS]		
	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION													
EVA	AP / OR	RVR F	AMILY	EVAF	ORATIVE	E STD CATE	GORY	,	EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES		
1	PMBXR	0155	LNA	LE	V 3 ОРТІ	ON2 WITH I	FEL	EL PC			*			
					E	EMISSION CI	REDIT	INFC	ORMATION					
	NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY						ON-P	ZEV	EV NMOG CREDIT FOR DOR			OPTIONAL EXH. STD FOR WORK TRUCKS		
		N				N			N N					
					NMOG	AND FLEET	AVE	RAG		TION				
NMOG RAF	CH4 RAF		FTP MOG/NMHC RATIO	HCHO/NMHC RATIO										
*	*		1.10		*	0.044 0.047						*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicles have been determined to have eight (8) deficiencies. The listed vehicle model(s) are approved subject to the manufacturer paying a fine of one hundred fifty dollars (\$150) per vehicle for the third through eighth deficiencies in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2023 model year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$42,450 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this 24th day of January 2023.

lin U. Lan

Robin U. Lang, Chief *O* Emissions Certification and Compliance Division



FUEL TYPE

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

				6+NOx mi)		O mi)		NOx HCH g/mi) (mg/		-		PM /mi)	
			CERT	STD	CERT STD C		CERT	STD	CERT	STD	CERT	STD	
FTP@50K	*		*	*	*	*	*	*	*	*	*	*	
FTP@UL	GASOLINE- TIER3 E10 PREM		0.064	0.070	0.8	1.7	*	*	*	4	0.001	0.003	
50°F @4K		*	*	*	*	*	*	*	*	*			
								IOG+N	Ox (g/mi)		CO (g/mi)		
				FUEL TYP	E		CE	RT	STD	CER	Т	STD	
HWFET @ 50K			*	*	*								
HWFET @ UL			GASOLIN	E-TIER3	E10 PREM	1	0.0	30	0.070				
20°F @	50K	COLD (CO E10 PF	REMIUM G	ASOLINE	(TIER3)				1.1		10.0	
			SFTP EXH	IAUST EM	ISSION S	TANDAR	DS AND CE	RTIFIC	ATION LEVE	LS			

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

			эг	P E	лпаu		122101	STANDA	ARDS	AND	CERTIFIC	ATION LE	VEL	3			
				US06 SC03							COMPOSITE						
	FUEL TY	PE			DG+N g/mi)	Ox	CO (g/mi)	Pl (mg			DG+NOx g/mi)	CO (g/mi)		OG+NO g/mi)		CO g/mi)	PM (mg/mi)
@ 4K	*	•	CERT				*				*	*					
_			STD				*				*	*					
		(CERT		*		*	1	1		*	*	0.059		1.0		*
@ UL	@ UL GASOLINE- TIER3 E10 PREM		STD	*			* (5		*	*	0.063			4.2	*
			BIN										0.080				
		WHC	DLE VE	IICL	E EV/	APORA	TIVE E	MISSION	STAN	IDAR	DS AND C	ERTIFICA	TIO	N LEVE	LS		
WHOLE VEH							EHICLE	EVAP	ORA	FIVE TEST	ING						
	EVAPORATIVE FAMILY		FUEL TYPE		PE 3DHS (g		(g/test) @ UL			2DHS (g/test) @ UL				RL (g/mi) @ UL			
					CER	RT STD		FEL	CEF	RT	STD	FEL		CERT			STD
PMBXF	PMBXR0155LNA		ASOLINE IER3 E1 PREM	E10 0.304		04 0	. 300	0.375	0.1	0.167 0.		0.37	375 0.		.00		0.05
0	ORVR / FUE	EL O	NLY / C	ANIS	TER	BLEED	EVAP	ORATIVE	EEMIS	SION	I STANDA	RDS AND	CER	RTIFICA	TION	LEVE	LS
									FU	JEL C	ONLY EVA	P & CANIS	STEF	R BLEE	D		
	ORATIVE AMILY	0	ORVR (g/gal		allon) @ UL		FUE	FUEL TYPE		3DHS RIG TI (g/test) @ I		2DHS RIG (g/test) @				ED CANISTER ſ (g/test) @ 4K	
		FUE	EL TYPE	C	ERT	STD			CE	RT	STD	CERT	;	STD	CE	RT	STD
PMBXR0155LNA		TIE	SOLINE- CR3 E10 PREM		. 02	0.20	TIE	OLINE- R3 E10 PREM	ł	r	*	*	* *		0.014		0.020

CALIFORNIA

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)									
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD						
PMBXR0155LNA	PMBXR0155LNA-LNA	*	0.02						

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: _DT<6000#GVWR.3751-5750#LVW; LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG; compressed/liquefied natural gas; LPG; liquefied petroleum gas; E85; "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
MERCEDES-BENZ	AMG C 63 S (CONVERTIBLE)	PC	4.0	А9	PMBXR0155LNA	1	\$
MERCEDES-BENZ	AMG C 63 S (COUPE)	PC	4.0	А9	PMBXR0155LNA	1	\$
MERCEDES-BENZ	AMG E 63 S 4MATIC +	PC	4.0	А9	PMBXR0155LNA	1	\$
MERCEDES-BENZ	AMG E 63 S 4MATIC + (STATION WAGON)	PC	4.0	А9	PMBXR0155LNA	1	\$
MERCEDES-BENZ	AMG GT 63 4MATIC+	PC	4.0	A9	PMBXR0155LNA	1	\$
MERCEDES-BENZ	AMG GT 63 S 4MATIC+	PC	4.0	А9	PMBXR0155LNA	1	\$