

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

TEST GROUP INFORMATION														
MODI YEA		TE	ST GROUP		VEHIC	LE CLASS(E		FUEL CATEGORY			FUEL TYPE			
202	3	PMB	XV06.0U3A		PC				DEDICATED SINGLE FUEL VEHICLE			GASOLINE		
USEFUL LIFE (miles) VEHICLE EMISSION								CATEGORY INTERIM / INTERMEDIATE IN-US						
EX	H/OR	VR	EVAP			FTP		SF	FTP FTP			SFTP		
1	5000	0	15000)	LEV3	ULEV125	LEV	3 C	OMPOSITE	*		PM		
SPI	SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS								OBD S	TATUS	EN	GINE DISPLACEMENT (L)		
1	1 SFI, 2TC, 2CAC, AIR, 2WR-HO2S, 2HO2S, 2TWC								FULL	*				
*	*								PARTIAL *			6.0		
*				*				PAR	FINES ALL MODELS					
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION														
EV	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR							(EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES		
	PMBX	R017	OLND	LI	EV 3 OPTI	ON2 WITH	FEL		PC			HCT		
					E	EMISSION CI	REDI	T INFO	ORMATION					
	NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY							ZEV				OPTIONAL EXH. STD FOR WORK TRUCKS		
		1	N			N				N				
					NMOG	AND FLEET		RAG		TION				
NMOG RAF		CH4 RAF RATIO FTP HCHO/NMHC RATIO NMOG+NOX FL PC+LDT (0-37 (g/mi)					0-375							
*	*	k -	1.10		*	0	.044			0.047		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicles have been determined to have seven (7) deficiencies. The listed vehicle model(s) are approved subject to the manufacturer paying a fine of one hundred twenty-five dollars (\$125) per vehicle for the third through seventh deficiencies in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2023 model year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$42,450 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this 24 th day of January 2023.

Jolin U. Lan

Robin U. Lang, Chief *O* Emissions Certification and Compliance Division



FUEL TYPE

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

				6+NOx mi)				Ox mi)	HC (mg		PM (g/mi)	
			CERT	STD	CERT STD C		CERT	STD	CERT	STD	CERT	STD
FTP@50K	*		*	*	*	*	*	*	*	*	*	*
FTP@UL	GASOLINE- TIER3 E10 PREM		0.065	0.125	0.6	2.1	*	*	*	4	0.000	0.003
50°F @4K	*		*	*	*	*	*	*	*	*		
							NN	NMOG+NOx (g/mi) C)
	FUEL TYPE							RT	STD	CER	Т	STD
HWFET @ 50K				*			*	*				
HWFET @ UL			GASOLIN	E-TIER3	E10 PREM	1	0.0)29	0.125			
20°F @ 50K		COLD (CO E10 PF	REMIUM GA	ASOLINE	(TIER3)				1.4	L	10.0
			SFTP EXH	AUST EM	ISSION ST		S AND CE	ERTIFIC	ATION LEVE	LS		

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

			Эг	IPE	:XHAU		122101	ISTANDA	ARDS /	AND	CERTIFIC	ATION LE	VELS					
						ι	JS06				SC03			CC	MPOSI	ΓE		
	FUEL TY	FUEL TYPE		NMOG+NOx (g/mi)			CO PM (g/mi) (mg/mi				DG+NOx g/mi)	CO (g/mi)	NMOG (g/	G+NO> ′mi)	x CC (g/m		PM (mg/mi)	
@ 4K	@4K *		CERT	*			*				*	*						
-		STD	*			*			*		*							
			CERT		*		* 1		-	*		*	0.046		0.6		*	
@ UL	@ UL GASOLINE- TIER3 E10 PREM				*		* 6		;		*	*	0.0	0.063		2	*	
			BIN										0.080					
	WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS																	
						W	VHOLE VEHICLE EVAPORATIVE TESTING											
	ORATIVE AMILY	FUEL TYPE		PE 3DHS (g			(g/test) @ UL			2DHS (g/test) @ UL				RL (g/mi) @ UL				
					CER	CERT STI		FEL	CEF	RT	STD	FEL		CER	RT	STD		
PMBXF	PMBXR0170LND		ASOLIN IER3 E PREM	3 E10 0.309			. 300	0.350	0.2	285 0.300 0.35		D	0.00		0.05			
C	ORVR / FUB	EL C	ONLY / C	ANI	STER	BLEED	EVAP	ORATIVE	EMIS	SION	STANDA	RDS AND	CERT	IFICA	TION LE	VEI	LS	
								FUEL ONLY EVAP & CANISTER BLEED										
	EVAPORATIVE FAMILY		ORVR (g/ga		gallon) @ UL		FUE	FUEL TYPE		3DHS RIG TEST (g/test) @ UL		2DHS F (g/tes	RIG TE t) @ U	-			CANISTER test) @ 4K	
		FU	EL TYPI	EC	ERT	STD			CE	RT	STD	CERT	ST	٦D	CERT		STD	
PMBXR0170LND		TI	SOLINE ER3 E1 PREM		0.02	0.20	TIE	OLINE- R3 E10 PREM	*	r	*	*	*	÷	0.008		0.020	

CALIFORNIA AIR RESOURCES BOARD

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)									
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD						
PMBXR0170LND	PMBXR0170LND-LND	*	0.02						

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR.3751-5750#LVW; LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2023 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
MERCEDES-BENZ	MAYBACH S 680 4MATIC	PC	6.0	А9	PMBXR0170LND	1	\$