

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP IN	NFOR	MATION					
MODE YEAR		EST GROUP		VEHICLE CLASS(ES)				FUEL CATEGORY			FUEL TYPE		
2023	PC	RXT02.05P2		LDT2				DEDICATED SINGLE FUEL VEHICLE			GASOLINE		
l	USEFUL	. LIFE (miles)		VEF	ICLE EMISS	ION C	CATE	GORY INTERIM / INT			ERMEDIATE IN-USE STD		
EXH	/ORVR	EVAP			FTP		SF	SFTP FTP			SFTP		
15	0000	150000		LEV3	ULEV70	LEV	3 CC	MPOSITE	*		PM		
SPE	CIAL FE		HAUS TEMS	T EMISSION CONTROL				OBD STATUS			ENGINE DISPLACEMENT		
1 C	AC, DE	I, EGRC, HO	2S, T	C, TWC,	WR-HO2S, H	EGR		FULL	ALL MODELS				
*			*				Р	ARTIAL	RTIAL *		2.0		
*	* PARTIAL WITH * FINES												
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION													
EVA	P / ORV	R FAMILY	PORATIVE	E STD CATE	GORY	<i>,</i>	EVAP EMISSION STD VEHICLE CLASS SPECIAL FEATURES						
P	CRXR01	36PP0	LE	V 3 OPTION2 WITH FEL				LDT2			*		
P	CRXR01	72PP0	LE	V 3 OPTION2 WITH FEL				LDT2			*		
		I			EMISSION CI	REDIT		RMATION					
	EDIT FO	X FLEET AVE. OR EXTENDED RRANTY	I		EDIT FOR N ZERO-EVAP	ON-P	ZEV	EV NMOG CREDIT FOR DOP			R OPTIONAL EXH. STD FOR WORK TRUCKS		
		N			N				N		N		
				NMOG	AND FLEET	AVE	RAGE	INFORMA	TION				
NMOG RAF				O/NMHC RATIO	NMOG+NOX FLEET S PC+LDT (0-3750 LV (g/mi)						NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
*	*	1.10		*	0	.044			0.047 *				
Soo th	Attack	mont for Vahi			norotivo Eo	mily	Engin	o Dianlago	mont Emissio		ontrol Systems Phase-		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this 12th day of August 2022.

Jolin U. Lang

Robin U. Lang, Chief *U* Emissions Certification and Compliance Division



FUEL TYPE

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

		NMOG+NOx (g/mi)			CO (g/mi)			NOx (g/mi)		HO /mi)		PM J/mi)
			CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K			*	*	*	*	*	*	*	*	*	*
FTP@UL	GASOLINE- LEV3 E10		0.0568	0.070	0.49	1.7	*	*	*	4	0.0005	0.003
50°F @4K	*		*	*	*	*	*	*	*	*		
					-		NN	/IOG+N	Ox (g/mi)	CO (g/mi)		
				FUEL TYP	E		CE	RT	STD	CER	T	STD
HWFET @) 50K		*						*			
HWFET @ UL			GASO	LINE-LEV	'3 E10		0.0	030	0.070			
20°F @ 50K		COLD	CO E10 RE	EGULAR G	ASOLINE	(TIER3)				1.4	2	12.5

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

			Sr		ANAUSI	ENIISSION	ISTAND	ARDS A	AND CERT	IFICA			3				
						US06			SC03				COMPOSITE				
	FUEL TYPE				OG+NOx (g/mi)	CO (g/mi)		PM g/mi)	NMOG+N (g/mi)	Эх	CO (g/mi)		OG+NOx g/mi)	CO (g/mi)	PM (mg/mi)		
@ 4K	(*		CERT		*	*			*		*						
•			STD		*	*			*		*						
		CERT		*		*	1	. 6	*		*	0.0378		1.57	*		
@ UL	JL GASOLINE- LEV3 E10		STD	*		* *		6	*		* (0.063	4.2	*		
			BIN									0	.060				
		WH	OLE VE	HICL	E EVAPO	ORATIVE E	MISSION	N STAN	DARDS AN	ND CE	ERTIFIC	ΑΤΙΟΙ	N LEVELS	i			
						WHOLE	/EHICLE	EVAPO	ORATIVE T	ESTI	NG						
EVAPORATIVE FAMILY		FUEL TYP		UEL TYPE		PE 3DHS		S (g/test) () UL		2DHS (g/test) @ UL				RL (g/mi) @ UL		
					CERT	STD	FEL	CER	T ST	D	FEL	EL CERT			STD		
PCRXR0136PP0		-	GASOLINE- LEV3 E10		0.3012	0.400	0.375	0.22	76 0.4	00	0.37	75 0.000			0.05		
PCRXR0172PP0		_	GASOLINE- LEV3 E10		0.3012	0.400	0.375	0.22	76 0.4	00	0.37	75 0.000		0.05			



FCA US LLC.

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS														
		FUEL ONLY EVAP & CANISTER BLEED												
EVAPORATIVE FAMILY	ORVR (g/g	FUEL TYPE			IG TEST) @ UL		IG TEST) @ UL	BLEED CANISTER TEST (g/test) @ 4K						
	FUEL TYPE CERT ST		STD			CERT	STD	CERT	STD	CERT	STD			
PCRXR0136PP0	GASOLINE- LEV3 E10	0.038	0.20	GASOLINE- LEV3 E10		*	*	*	*	0.0150	0.020			
PCRXR0172PP0	GASOLINE- LEV3 E10	0.038	0.20	GASOLINE- LEV3 E10		*	*	*	*	0.0150	0.020			
l	EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)													
EVAPORATIVE	FAMILY	Y CERT					STD							
PCRXR0136	PP0	PCRXR0	-LF1 *					0.02						
PCRXR0172	PP0	PCRXR0	-LF1		*	r		0.02						
* • • • • •										0.0750////				

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia: NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxvgen sensor: WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor: NOXS: NOx sensor: PMS: PM sensor: RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2023 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
JEEP	WRANGLER 2DR 4X4	LDT2	2.0	A8	PCRXR0136PP0	1	F
JEEP	WRANGLER 4DR 4X4	LDT2	2.0	A8	PCRXR0172PP0	1	F