

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	DUP II	NFOR	MATION					
MODE YEAR		EST GROUP		VEHICLE CLASS(ES)				FUEL CATEGORY			FUEL TYPE		
2023	PC	RXT02.05P1		LDT2				DEDICATED SINGLE FUEL VEHICLE			GASOLINE		
I	USEFUL	. LIFE (miles)		VEHICLE EMISSION CATEG				GORY INTERIM / INT			ERMEDIATE IN-USE STD		
EXH	/ORVR	EVAP		FTP S				FTP FTP			SFTP		
15	0000	150000		LEV3	SULEV30	LEV	3 CC	MPOSITE	*		PM		
SPE	CIAL FE	ATURES & EXI SYS	IAUS TEMS		ON CONTRO	L	OBD STATUS				ENGINE DISPLACEMENT (L)		
1 W	IR-HO2S	, CAC, DFI,	EGRC	, но2s,	TC, TWC, H	EGR		FULL	ALL MODELS				
*			*				Р	ARTIAL	*		2.0		
*	* PARTIAL WITH FINES								*	1			
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION													
EVA	P / ORV	R FAMILY	EVAF	PORATIVE	E STD CATE	GOR	(SSION STD E CLASS		SPECIAL FEATURES		
P	CRXR01	10PP3	LE.	V 3 OPTION2 WITH FEL				LI	от2		*		
P	CRXR01	15PP3	LE.	V 3 OPTION2 WITH FEL			LDT2			*			
					EMISSION CI	REDI		RMATION	L				
	EDIT FC	X FLEET AVE. OR EXTENDED RRANTY		REDIT FOR N ZERO-EVAP	ON-P	ZEV				R OPTIONAL EXH. STD FOR WORK TRUCKS			
		N			N				N		N		
				NMOG	AND FLEET		RAGE	INFORMA	TION				
NMOG RAF	NIM()(=)/NIM(H())				NMOG+NOX FLEET S PC+LDT (0-3750 LVV (g/mi)								
*	*	1.10		*	0	.044		0.047 *					
Soo th	Attack	mont for Vahia			norotivo Eo	mily	Engir	no Dianlago	mont Emissio		ontrol Systems Phase-		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this <u>3rd</u> day of November 2022.

John Schi for

Robin U. Lang, Chief Emissions Certification and Compliance Division



FUEL TYPE

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

			NMOG+NOx (g/mi)			CO (g/mi)		NOx (g/mi)		HO /mi)	PM (g/mi)	
			CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	*		*	*	*	*	*	*	*	*	*	*
FTP@UL	GASOLINE- LEV3 E10		0.0221	0.030	0.21	1.0	*	*	*	4	0.000	6 0.003
50°F @4K	GASOLINE- LEV3 E10		0.0254	0.060	0.14	1.0	*	*	*	16		
								10G+N	Ox (g/mi)		CO (g/n	ni)
			1	FUEL TYP	E		CE	RT	STD	CER	Т	STD
HWFET @) 50K	*						•	*			
HWFET @ UL		GASOLINE-LEV3 E10						020	0.030			
20°F @	20°F @ 50K		CO E10 RE	GULAR GA	ASOLINE	(TIER3)				1.4	5	12.5

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

						US06			SC03			COMPOSITE			
	FUEL TY	PE			OG+NOx				NMOG+NOx			OG+NOx	CO	PM	
				((g/mi)	(g/mi)	(mg	g/mi)	(g/mi)	(g/mi)		(g/mi)	(g/mi)	(mg/mi)	
@ 4K	*		CERT	*		*			*	*					
			STD			*			*	*					
			CERT		*	*	0	.3	3 *		0.0173		0.30	*	
@ UL	@ UL GASOLINE- LEV3 E10		STD	*		*		6	*	*	* 0.063		4.2	*	
			BIN								0.030				
		wн	OLE VE	HICL	E EVAP	ORATIVE E	MISSION	N STANE	DARDS AND	CERTIFIC	ΑΤΙΟ	N LEVELS			
						WHOLE \	/EHICLE	EVAPO	RATIVE TES	TING					
	EVAPORATIVE FAMILY		FUEL TYPE		3DH	S (g/test) (2) UL		2DHS (g/test) @ UL				RL (g/mi) @ UL		
					CERT	STD	FEL	CER	T STD	FE	L	CERT		STD	
PCRXR0110PP3				SOLINE- EV3 E10		0.400	0.400	0.230	0.400	0.4	00 0.001			0.05	
PCRXF	R0115PP3		ASOLIN LEV3 E		0.2138	0.400	0.400	0.230	0.400	0.4	0.001			0.05	



FCA US LLC.

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS														
		FUEL ONLY EVAP & CANISTER BLEED												
EVAPORATIVE FAMILY	ORVR (g/	gallon) @) UL	FUEL TYPE			IG TEST) @ UL	2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4				
	FUEL TYPE	UEL TYPE CERT STD				CERT	STD	CERT	STD	CERT	STD			
PCRXR0110PP3	GASOLINE- LEV3 E10 0.023 0.20		0.20	GASOLINE- LEV3 E10		*	*	*	*	0.0064	0.020			
PCRXR0115PP3	GASOLINE- LEV3 E10	0.023	0.20	GASOLINE- LEV3 E10		*	*	*	*	0.0064	0.020			
E	EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)													
EVAPORATIVE	FAMILY	Y CERT					STD							
PCRXR0110	PP3	PCRXR0110PP3-LF1			LF1 *					0.02				
PCRXR0115	PP3	PCRXR0115PP3-LF1				*	r		0.02					
PCRXR0115	PP3	PCRXR0115PP3-LF1				*	r		0.02					

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia: NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxvgen sensor: WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor: NOXS: NOx sensor: PMS: PM sensor: RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2023 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
ALFA ROMEO	TONALE AWD	LDT2	2.0	A9	PCRXR0115PP3	1	F
DODGE	HORNET AWD	LDT2	2.0	A9	PCRXR0115PP3	1	F
JEEP	COMPASS 4X4	LDT2	2.0	A8	PCRXR0110PP3	1	F