

NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0925-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	OUP IN	IFOR	MATION					
MOD YEA				VEHICLE CLASS(ES)			FUEL CATEGORY			FUEL TYPE			
202	3 P	NSXD05.6W9A		MDV4				SINGLE FUEL HICLE		GASOLINE			
	USEFU	L LIFE (miles)		VEHICLE EMISSION CATEGORY				GORY	INTERIM / IN	ΓERM	RMEDIATE IN-USE STD		
EXH/ORVR EVAP				FTP SI				TP	FTP		SFTP		
150000 150000)	LEV3	SULEV170	LEV3 SULEV US06, SCO TEST CY			*		*		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS								OBD S	TATUS	EN	ENGINE DISPLACEMENT (L)		
1		2TWC(2), 2H	2WR-H02	S, DFI			FULL	*					
*						Р	ARTIAL	ALL MODELS	5.6				
*							TIAL WITH FINES	*					
	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION												
EV	AP / OR	VR FAMILY	PORATIVI	E STD CATE	GORY	,	EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES			
	PNSXF0201PHA LEV 3 OPTION						MDV4			*			
		•		ı	EMISSION C	REDIT	INFO	ORMATION					
	NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY NMOG CREDIT FOR NON-I ZERO-EVAP							NMOG CREDIT FOR DOR			OPTIONAL EXH. STD FOR WORK TRUCKS		
		N		N				N		N			
	NMOG AND FLEET AVERAGE INFORMATION												
						VW-85	500 G		+NOX FLEET STD NMOG+NOX FLEET 501-10000 GVWR) MDV (10,001-14,00 (g/mi) GVWR) (g/mi)				
*	* * 1.10 * 0.047								* *				

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0925-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

This Executive Order hereby cancels and supersedes Executive Order A-015-0925 dated June 24, 2022.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this <u>23rd</u> day of January 2023.

Robin U. Lang, Chief

Emissions Certification and Compliance Division

Holin U. Lang



ATTACHMENT

	ATTAVIMENT																		
EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS																			
	EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)																		
	FL	FUEL TYPE		mo adj OR 100	CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP														
						NMOG+NOx (g/mi)			CO (g/mi)			NOx (g/mi)			HCH mg/n	-	PM (g/mi)		-
					ERT	,	STD	CER	г ѕт	D	CERT	STD	CER	Т	STD	CE	RT	STD	
FTP@5	0K	*			*		*	*	*		*	*	*		*	4	*		
FTP@L	FTP@UL GASOLINE- LEV3 E10			1 ()	.059	0	.170	0.3	4.:	2	*	*	*		6	6 0.0		0.008	
50°F @4	4K	*			*		*	*	*		*	*	*		*				
						FUEL TYPE					NMOG+NO							(g/mi)	
											CI	CERT STD		-	CERT		STD		
HWFE	HWFET @ 50K					*					* *								
HWFET @ UL					GASC	OLIN	IE-LEV	EV3 E10			0.	0.031 0		170					
20°F @ 50K						*								* *				*	
	SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS																		
				_	US06						SC03				COMPO				
	FUEL TY		TPE		NMOG+NOx (g/mi)		Ox	CO (g/mi)		PM (mg/mi)		G+NOx /mi)	CO (g/mi)	NMOG+NOx (g/mi)		l l	CO /mi)	PM (mg/mi)	
@ 4K	@ 4K *		CERT		RT *			*				*	*						
		ST		STD	*			*				*	*						
		ASOLINE- LEV3 E10		CERT	XT *			*		*		*		0.055		5	5.2	2	
@ UL				STD		*		*	,	*		*	*	0.450		1	2.0	10	
		BIN			<u> </u>		1000	TI\ /= =	Mocros		10455	0.41:5		A T: 6	*				
		V	VHO	LE VÉI	HICLE	EV/							CERTIFIC	AHO	N LEVEL	.ა			
	ORATIV	/E	FUEL TYPE			TYPE 3DHS (g/test) @ UL						S (g/test		RL (g/mi) @ UL					
FA	FAMILY					,,,		STD FEL		CEI	CERT STD		FEL		CERT		STD		
PNSXF0201PHA		AH		SOLINI	INE- 0 273			. 600	0.600 0.3			0.600	0.600		0.001		0.05		
C	ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS													LS					
											UEL ONLY EVAP & CANISTE				R BLEED				
EVAPORATIVE FAMILY		/E	E ORVR (g		R (g/gallon) @ UL			FUEL TYPE		-	BDHS RIG TEST (g/test) @ UL			2DHS RIG TES (g/test) @ UL		TEST (g/test			
		I	FUE	L TYPE	CE	RT	STD			CE				STD		CEF	₹T	STD	
PNSXE	PNSXF0201PHA			OLINE- R3 E10	1 0 07 1 0 2		0.20	GASOLINE- LEV3 E10		,	k	*	*		*		12	0.030	



NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0925-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 4 of 4

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)									
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD						
PNSXF0201PHA	PNSXF0201PHA-001	*	0.02						

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV; medium-duty vehicle; MDV4; MDV 8501-10000#GVWR; MDV5; MDV 10001-14000#GVWR; MDPV; mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2023 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MAKE MODEL		ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
NISSAN	TITAN XD 4WD	MDV4	5.6	SA9	PNSXF0201PHA	1	P