

Executive Order: A-019-0324

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

TEST GROUP INFORMATION														
MODE		EST GROUP		VEHICLE CLASS(ES)			FUEL C	ATEGORY		FUEL TYPE				
2023	B PP	PPRXV03.0C92 PC						DEDICATED SINGLE FUEL VEHICLE			GASOLINE			
	USEFUL	LIFE (miles)		VEH	IICLE EMISS	E EMISSION CATEGORY INTERIM / IN					TERMEDIATE IN-USE STD			
EXI	H/ORVR	EVAP			FTP SFTF			TP	FTP		SFTP			
1!	50000	150000		LEV3	ULEV70	ULEV70 LEV 3 COMPO			*		PM			
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS								OBD S	TATUS	EN	ENGINE DISPLACEMENT (L)			
1	1 2TWC,MAP,DFI,2WR-HO2S,2HO2S,2TC,CAC							FULL	*					
*	* *							ARTIAL	*		3.0			
* *								TIAL WITH FINES	ALL MODELS					
	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION													
EVA	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR						,		AP EMISSION STD SPECIAL FEATURE SPECIAL FEATURE					
PPRXR0170R92 LEV 3 OPTION2 WITH						FEL		I	PC		*			
				ı	EMISSION CI	REDIT	r info	ORMATION						
NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY NMOG CREDIT FOR NO ZERO-EVAP						ON-P	NMOG CREDIT FOR DOR				OPTIONAL EXH. STD FOR WORK TRUCKS			
	N N							n n						
NMOG AND FLEET AVERAGE INFORMATION														
NMOG RAF	RAF RAF NMOG/NMHC RATIO PC+LDT							VW) LDT (3751 LVW-8500 MDV (10,001			MOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)			
*	*	1.10	1.10 * 0.044						0.047	*				

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



Executive Order: A-019-0324

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of all the vehicle models have been determined to have four (4) deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of fifty dollars (\$50) per vehicle for the third and fourth deficiencies in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the California Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2023 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$42,450 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this 20th day of October 2022.

Robin U. Lang, Chief

Emissions Certification and Compliance Division

Jolin U. Lang



Executive Order: A-019-0324 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT

	ATTACHMENT																		
	EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS																		
	EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)																		
	FUEL TYPE		r a (CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP															
						OG+NOx (g/mi)			CO (g/mi)		NOx (g/mi)		HCH (mg/r		_		PM (g/mi)		
					CERT	STI)	CERT STD		D	CERT	CERT STD		CERT		CE	RT	STD	
FTP@50K *				*	*		*	*		*	*	*		*	* *		*		
GASOLINE- FTP@UL TIER3 E10 PREM			0.033	0.0	70	0.2	1.	7	*	*	0		4	0.000		0.003			
50°F @	4K	*	t		*	*		*	*		*	*	*		*				
				FIIEL TYPE					NMOG+NOx (g/mi)				CO		(g/mi)				
					FUEL TYPE						CE	CERT STD			CERT		STD		
HWFE	Г @ 50	K				*					*		*	*					
HWFE	HWFET @ UL GAS			GASOLINE-TIER3 E10 PREM					0.	800	0.070								
20°F	@ 50K				GASOL	INE-TIE	R3	E10 PREM						0.5		10.0			
				5	FTP E	XHAUST	EM	ISSION	STAND	ARDS	AND C	ERTIFIC	ATION LI	EVEL	_S				
					US06							SC03	1		COMPOSITE				
	FUEL TYPE			NMOG+NOx			CO		PM		S+NOx	CO	NMOG+NOx			CO	PM		
					(g/mi)		(g/mi)	(mg	J/mi)	(g/	mi)	(g/mi)	(g/mi)		(5	g/mi)	(mg/mi)		
@ 4K		*			CERT		*		*				*						
				STD		* *					*					-			
	CERT			* *		1		*		*	0.022			0.2	*				
@ UL	@ UL GASOLINE- TIER3 E10 PREM			STD		* *			6		*		*			4.2	*		
		BII		BIN											0.080				
		1	WH	OLE V	EHICL	E EVAPO	DRA	TIVE E	MISSION	STAI	NDARD	S AND (CERTIFIC	ATIC	N LEVE	LS			
							W	HOLE \	/EHICLE	EVAP	ORATI	VE TEST	ΓING						
	EVAPORATI\ FAMILY				TYPE 3DHS		S (g	(g/test) @ UL			2DHS	(g/test)	@ UL		R	RL (g/mi) @		UL	
						CERT	CERT S		FEL	CE	RT	STD	FEL		CEF	RT	;	STD	
PPRXR0170R9		R92	GASOLINE- 2 TIER3 E10 PREM		0.242	.242 0.300 0		0.300	0.2	230	0.300	0.300		0.00		0.05			
	RVR /	FUE	L C	NLY	CANIS	STER BL	EED	EVAP	ORATIV	E EMIS	SSION S	STANDA	RDS AND	CE	RTIFICA	TION	LEVE	LS	
EVAP	EVAPORATIVE ORVI					R (g/gallon) @ UL					FUEL ONLY EVAP & CANISTER BLEED 3DHS RIG TEST 2DHS RIG TEST BLEED					D CA	NISTER		
FA	FAMILY							FUEL TYPE			g/test) @ UL		(g/te	(g/test) @ UL		TEST (g/test) @ 4K			

GASOLINE-

TIER3 E10

PREM

CERT

*

STD

*

CERT

*

STD

*

CERT

0.004

STD

0.020

FUEL TYPE

GASOLINE-

TIER3 E10

PREM

PPRXR0170R92

CERT

0.01

STD

0.20



Executive Order: A-019-0324

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)										
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD							
PPRXR0170R92	PPRXR0170R92-001	*	0.02							

': not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV; medium-duty vehicle; MDV4; MDV 8501-10000#GVWR; MDV5; MDV 10001-14000#GVWR; MDPV; mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2023 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
PORSCHE	911 CARRERA	PC	3.0	AMS8	PPRXR0170R92	1	\$
PORSCHE	911 CARRERA 4	PC	3.0	AMS8	PPRXR0170R92	1	\$
PORSCHE	911 CARRERA 4 CABRIOLET	PC	3.0	AMS8	PPRXR0170R92	1	\$
PORSCHE	911 CARRERA 4 GTS	PC	3.0	AMS8,M7	PPRXR0170R92	1	\$
PORSCHE	911 CARRERA 4 GTS CABRIOLET	PC	3.0	AMS8,M7	PPRXR0170R92	1	\$
PORSCHE	911 CARRERA 4S	PC	3.0	AMS8,M7	PPRXR0170R92	1	\$
PORSCHE	911 CARRERA 4S CABRIOLET	PC	3.0	AMS8,M7	PPRXR0170R92	1	\$
PORSCHE	911 CARRERA CABRIOLET	PC	3.0	AMS8	PPRXR0170R92	1	\$
PORSCHE	911 CARRERA GTS	PC	3.0	AMS8,M7	PPRXR0170R92	1	\$
PORSCHE	911 CARRERA GTS CABRIOLET	PC	3.0	AMS8,M7	PPRXR0170R92	1	\$
PORSCHE	911 CARRERA S	PC	3.0	AMS8,M7	PPRXR0170R92	1	\$
PORSCHE	911 CARRERA S CABRIOLET	PC	3.0	AMS8,M7	PPRXR0170R92	1	\$
PORSCHE	911 CARRERA T	PC	3.0	AMS8,M7	PPRXR0170R92	1	\$
PORSCHE	911 CARRERA TARGA 4	PC	3.0	AMS8	PPRXR0170R92	1	\$
PORSCHE	ORSCHE 911 CARRERA TARGA		3.0	AMS8,M7	PPRXR0170R92	1	\$
PORSCHE	911 TARGA 4 GTS	PC	3.0	AMS8,M7	PPRXR0170R92	1	\$