

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP IN	IFORI	MATION					
MOD YEA		EST GROUP		VEHIC	LE CLASS(E	S)		FUEL C	CATEGORY		FUEL TYPE		
202	3 P	JLXT02.0RTV			LDT2		1	DEDICATED SINGLE FUEL VEHICLE			GASOLINE		
	USEFU	L LIFE (miles)	VEF	IICLE EMISS	ION C	ATEC	GORY	INTERIM / IN	TERM	ERMEDIATE IN-USE STD			
EXH/ORVR EVAP					FTP		SF	TP	FTP		SFTP		
1	150000 150000 LEV3 SUI				SULEV30		-	SULEV *			РМ		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS						L		OBD STATUS			ENGINE DISPLACEMENT (L)		
1 WR-HO2S, TWC, HO2S(2), DFI, TC								FULL	*				
*								ARTIAL	ALL MODELS	2.0			
*		* PARTIAL WITH * FINES											
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION													
EV	AP / OR	R FAMILY	EVA	PORATIVE	E STD CATE	GORY	,	EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES		
	PJLXR0	140P1Z		LEV 3	OPTION2		LDT2				*		
				I	EMISSION CI	REDIT		RMATION					
NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY						ON-P	ZEV				OPTIONAL EXH. STD FOR WORK TRUCKS		
		N			N				N		N		
				NMOG	AND FLEET	AVE	RAGE		TION				
NMOG/NMHC:				HO/NMHC RATIO	NMOG+NO PC+LDT ((g			/) LDT	+NOX FLEET S (3751 LVW-8500 R) + MDPV (g/m)	D NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
*	*	1.10		0.02	0	.044			0.047		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models have been certified on the condition that the manufacturer provide all the on-board diagnostic data required by 13 CCR Section 1968.2(h)(1). Failure to submit the required demonstration data by May 25, 2022 (120 days from the date of the OBD approval letter E-22-016), or failure of the submitted demonstration data to show compliance with the test procedures, shall be cause for the Air Resources Board to revoke this Executive Order and vehicles sold under the revoked conditional certification shall be deemed uncertified and subject to a civil penalty of up to \$42,450 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this <u>26th</u> day of April 2022.

Allen Lyons, Chief Emissions Certification and Compliance Division



FUEL TYPE

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

			NMOG (g/	6+NOx mi)	-	O mi)		Ox mi)	HC (mg	-		PM (g/mi)	
		CERT		STD	CERT	STD	CERT	STD	CERT	STD	CER	T STD	
FTP@50K	*		*	*	*	*	*	*	*	*	*	*	
FTP@UL	GASOLINE- LEV3 E10		0.017	0.030	0.24	1.0	*	*	0	4	0.00	2 0.003	
50°F @4K		SOLINE- V3 E10	0.015	0.060	0.33	1.0	*	*	0	8			
				FUEL TYP	F		NN	NMOG+NOx (g/mi)			CO (g/mi)		
				FUELITP	E		CE	RT	STD	CER	Т	STD	
HWFET @ 50K			*						*				
HWFET @ UL		GASOLINE-LEV3 E10						006	0.030				
20°F @ 50K			GASO	LINE-LEV	3 E10					0.6	;	12.5	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

			SF	TP E	XHAU	JST EM	ISSION	I STANDA	ARDS A	AND	CERTIFIC	ATION LE	VELS			
						l	JS06			SC03			C	OMPOSIT	E	
	FUEL TY	PE	-		OG+N (g/mi)		CO (g/mi)	Pl (mg/			DG+NOx g/mi)	CO (g/mi)	NMOG+NO (g/mi)	x CO (g/m	PM) (mg/mi)	
@ 4K	*		CERT	*		*					*	*				
_			STD		*	*				*		*				
			CERT	(0.016	;	4.6	5.	4	0	.007	0.4	*	*	*	
@ UL	GASOLIN LEV3 E1		STD	(0.050		9.6	6	5	0	.020	3.2	*	*	*	
			BIN										*			
	WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS															
					WHOLE VEHICLE EVAPORATIVE TESTING											
	ORATIVE	F	UEL TY	PE	3	DHS (g	/test) @	0) UL		2DH	IS (g/test)	@ UL	F	RL (g/mi)	@ UL	
					CER	RT S	STD	FEL	CER	Т	STD	FEL	CE	RT	STD	
PJLXF	ULXR0140P1Z		ASOLIN LEV3 E1	_	0.22	27 0	. 400	*	*		0.400	*	0.	0.00 0.0		
(ORVR / FUI	EL O	ONLY / C	ANI	STER	BLEED	EVAP	ORATIVE	EMISS	SION	STANDA	RDS AND	CERTIFICA	TION LE	/ELS	
									FU	EL O	NLY EVA	P & CANIS	TER BLEE	D		
	ORATIVE AMILY	0	ORVR (g	g/gal	lon) @	0 UL	FUE	L TYPE			G TEST @ UL		tig test () @ UL		CANISTER test) @ 4K	
		FUI	EL TYP	EC	ERT	STD			CEF	RL	STD	CERT	STD	CERT	STD	
PJLXF	R0140P1Z		SOLINE V3 E10	0	.01	0.20		OLINE- 73 E10	*		*	*	*	0.018	0.020	



JAGUAR LAND ROVER LIMITED

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)									
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD						
PJLXR0140P1Z	PJLXR0140P1Z-001	*	0.02						

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR.3751-5750#LVW; LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2023 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MAKE MODEL		ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
JAGUAR	E-PACE	LDT2	2.0	SA9	PJLXR0140P1Z	1	P
LAND ROVER	DISCOVERY SPORT	LDT2	2.0	SA9	PJLXR0140P1Z	1	P
LAND ROVER	RANGE ROVER EVOQUE	LDT2	2.0	SA9	PJLXR0140P1Z	1	P