

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: The following vehicles produced by the manufacturer are certified as plug-in hybrid electric vehicles pursuant to Title 13, California Code of Regulations (13 CCR) Sections 1961 or 1961.2, 1962.2, 1976, 1978 and the incorporated test procedures. Production vehicles shall be in all material respects the same as those for which certification is granted.

YEAR PLUG-IN HYBRID GA 2023 PJLXT03.0PTC LDT4 PLUG-IN HYBRID GA USEFUL LIFE (miles) VEHICLE EMISSION CATEGORY INTERIM / INTERMEDIAT EXH/ORVR EVAP FTP SFTP FTP 150000 150000 LEV3 SULEV30 LEV 3 SULEV *							
2023 PJLXT03.0PTC LDT4 ELECTRIC VEHICLE GA USEFUL LIFE (miles) VEHICLE EMISSION CATEGORY INTERIM / INTERMEDIAT EXH/ORVR EVAP FTP SFTP FTP 150000 150000 LEV3 SULEV30 LEV 3 SULEV STAND-ALONE * * SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS OBD STATUS ENGINE I 1 WR-H02S, TWC, H02S(2), DFI, TC, CAC FULL ALL MODELS * * * PARTIAL *	EL TYPE						
EXH/ORVR EVAP FTP SFTP FTP 150000 150000 LEV3 SULEV30 LEV 3 SULEV STAND-ALONE * * SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS OBD STATUS ENGINE I 1 WR-H02S, TWC, H02S(2), DFI, TC, CAC FULL ALL MODELS * * PARTIAL *	GASOLINE						
150000 150000 LEV3 SULEV30 LEV 3 SULEV STAND-ALONE * 150000 150000 LEV3 SULEV30 LEV 3 SULEV STAND-ALONE * 1 WR-H02S, TWC, H02S(2), DFI, TC, CAC FULL ALL MODELS * * * PARTIAL *	TERMEDIATE IN-USE STD						
150000 150000 LEV3 SULEV30 STAND-ALONE * SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS OBD STATUS 1 WR-H02S, TWC, H02S(2), DFI, TC, CAC FULL ALL MODELS * * PARTIAL *	SFTP						
SYSTEMS OBD STATUS 1 WR-H02S, TWC, H02S(2), DFI, TC, CAC FULL * * * * PARTIAL *	PM						
* * PARTIAL * * * PARTIAL WITH *	DISPLACEMENT (L)						
A PARTIAL WITH							
	3.0						
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION							
EVAP / ORVR FAMILY EVAPORATIVE STD CATEGORY EVAP EMISSION STD VEHICLE CLASS SPECIAL FEATURE							
PJLXR0175M1C LEV 3 OPTION2 LDT4	*						
EMISSION CREDIT INFORMATION							
	FOR OPTIONAL EXH. STD FOR WORK TRUCKS						
ALL MODELS N N N	N						
NMOG AND FLEET AVERAGE INFORMATION							
NMOG CH4 NMOG/NMHC HCHO/NMHC PC+LDT (0-3750 LVW) LDT (3751 LVW-8500 MDV (NOX FLEET STD 10,001-14,000 WR) (g/mi)						
* * 1.10 * 0.044 0.047	*						

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

This Executive Order hereby cancels and supersedes Executive Order A-409-0106 dated September 30, 2022.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this _____ day of December 2022.

Johns Schi for

Robin U. Lang, Chief Emissions Certification and Compliance Division



FUEL TYPE

GASOLINE-

LEV3 E10

0.021

0.20

*

PJLXR0175M1C

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

			NMOG (g/I		-	O mi)		Ox mi)	HCI (mg/	-	(PM (g/mi)
			CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	· STD
FTP@50K	*		*	*	*	*	*	*	*	*	*	*
FTP@UL	GASOLINE- LEV3 E10		0.020	0.030	0.63	1.0	*	*	*	4	0.001	L 0.003
50°F @4K		SOLINE- V3 E10	0.019	0.060	0.19	1.0	*	*	*	8		
						NMOG+NOx (g/mi) CO (g/m				ni)		
FUEL I				FUEL TYP	E		CE	RT	STD	CER	т	STD
HWFET @	ET @ 50K			*			*	* *				
HWFET @ UL			GASO	LINE-LEV	3 E10		0.0	053	0.030			
20°F @ 50K			GASO	LINE-LEV	3 E10					0.4	4	12.5

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

	SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS															
							US06				SC03		C	OMPOSIT	E	
	FUEL TYPE				OG+N (g/mi)	-	CO (g/mi)	Pl (mg/			DG+NOx g/mi)	CO (g/mi)	NMOG+NO (g/mi)	x CO (g/m		
@ 4K	4K *		CERT		*		*	*		*		*				
-			STD		*		*			*		*				
	@ UL GASOLINE- LEV3 E10		CERT	C	0.009)	0.46	0.	8	0	. 0047	0.36	*	*	*	
@ UL			STD	C	0.050		9.6	6	5	0	.020	3.2	*	*	*	
			BIN										*			
WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS																
	WHOLE VEHICLE EVAPORATIVE TESTING															
	EVAPORATIVE FAMILY				3DHS (g/te			S (g/test) @ UL			2DHS (g/test) @ UL		RL (g/ı		mi) @ UL	
					CER	RT :	STD	FEL	CEF	RT	STD	FEL	CE	RT	STD	
P.TT.XR0175M1C		ASOLIN LEV3 E1		0.20	07 0	.500	*	*		0.500	*	0.0	01	0.05		
(ORVR / FUE	EL C	ONLY / C	ANIS	STER	BLEED) EVAP	ORATIVE	EMIS	SION	STANDA	RDS AND	CERTIFICA	TION LE	VELS	
									FL	JEL C	NLY EVA	P & CANIS	TER BLEE	D		
	EVAPORATIVE FAMILY		ORVR (g	g/gall	/gallon) @ UL		FUE		-	-	IG TEST) @ UL	-	tig test () @ UL		CANISTER /test) @ 4K	
		FU	EL TYP	EC	ERT	STD			CE	RT	STD	CERT	STD	CERT	STD	
							1					1				

*

*

*

*



JAGUAR LAND ROVER LIMITED

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)									
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD						
PJLXR0175M1C	PJLXR0175M1C-001	*	0.02						

': not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR.3751-5750#LVW; LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2023 MODEL YEAR: VEHICLE MODELS INFORMATION

MODEL NUMBER	MAKE	E MODEL		ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
1	LAND ROVER	RANGE ROVER P440 PHEV	LDT4	3.0	SA8	PJLXR0175M1C	1	F
2	LAND ROVER	RANGE ROVER SPORT P440 PHEV	LDT4	3.0	SA8	PJLXR0175M1C	1	н

ELECTRIC RANGE AND ZEV ALLOWANCE INFORMATION

MODEL	PHEV TYPE	UDDS AER UDDS EAER		US06 AER	HIGHW	ZEV	
NUMBER	FREVIIFE	(MILES)	(MILES)	(MILES)	AER	EAER	ALLOWANCE
1	TZEV	47.98	40.82	*	54.02	54.02	0.71
2	TZEV	47.98	40.82	*	54.02	54.02	0.71