

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRC	UP IN	FOR	MATION					
MODE YEAR		EST GROUP		VEHICLE CLASS(ES)				FUEL CATEGORY			FUEL TYPE		
2023	PJ	LXT03.0HTR		LDT4				HYBRID ELECTRIC VEHICLE			GASOLINE		
	USEFUL	. LIFE (miles)		VEF	ICLE EMISS	ION C	ATEC	GORY	INTERIM / IN	TERM	ERMEDIATE IN-USE STD		
EXH	/ORVR	EVAP			FTP		SF	ТР	FTP		SFTP		
15	0000	150000	,	LEV3	SULEV30		-	SULEV ALONE	*		PM		
SPE	CIAL FE	ATURES & EX	HAUS STEMS		ON CONTRO	L		OBD S	TATUS	EN	IGINE DISPLACEMENT (L)		
1	WR-HO	2S, TWC, HO2	s(2),	DFI, T	C, SCE, CA	c		FULL	*				
*	*							ARTIAL	ALL MODELS		3.0		
*	* *							TIAL WITH FINES	*				
		E	/APOF	RATIVE &	REFUELING	(EVA	P/OR	VR) FAMIL	Y INFORMATIO	N			
EVA	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR								SSION STD E CLASS	SI	SPECIAL FEATURES		
E	JLXR01	75P1B		LEV 3 OPTION2				LDT4			*		
PJLXR0175P1Z				LEV 3 OPTION2				LDT4			*		
					EMISSION CI	REDIT		RMATION					
	EDIT FC	X FLEET AVE. OR EXTENDED RRANTY	I		EDIT FOR N ZERO-EVAP	ON-P	ZEV	ZEV NMOG CREDIT FOR DOR			OPTIONAL EXH. STD FOR WORK TRUCKS		
		N			N			N			N		
				NMOG	AND FLEET	AVE	RAGE	E INFORMA	TION				
NMOG RAF					0-375								
*	*	1.10		0.02	0	.044			0.047		*		
Soo th	o Attoch	ment for Vehi			porativa Ea	milv	Engin	no Displace	mont Emissio		trol Systems Phase-		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

#### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

This Executive Order hereby supersedes Executive Order A-409-0095 dated March 9, 2022.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this  $2|s^{\dagger}$  day of June 2022.

Michael J. Rogf

Allen Lyons, Chief Emissions Certification and Compliance Division



FUEL TYPE

# ATTACHMENT

### EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

#### EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

		NMOG+NOx (g/mi)		CO (g/mi)			NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)	
			CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K		*	*	*	*	*	*	*	*	*	*	*
FTP@UL		SOLINE- V3 E10	0.015	0.030	0.85	1.0	*	*	0.1	4	0.000	0.003
50°F @4K		SOLINE- V3 E10	0.0245	0.060	0.5	1.0	*	*	0.3	8		
					F		NN	/IOG+NC	Dx (g/mi)		CO (g/m	i)
		FUEL TYPE						RT	STD	CER	Т	STD
HWFET @ 50K		*						r	*			
HWFET @ UL		GASOLINE-LEV3 E10						07	0.030			
20°F @	50K		GASO	LINE-LEV	3 E10					1.3	2	12.5

#### SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

			51		ATTAUS I	ENIISSION	STAND						5		
						US06			SC03				CON	IPOSITE	
	FUEL TYP	PE		NM	OG+NOx	CO	F	PM	NMOG+	NOx	со	NMC	OG+NOx	СО	РМ
				(	(g/mi)	(g/mi)	(m	g/mi)	(g/mi	)	(g/mi)	(	g/mi)	(g/mi)	(mg/mi)
@ 4K	*		CERT		*	*			*		*				
-			STD		*	*			*		*				
			CERT		0.007	0.9	0.9 2		0.00	4	0.31	*		*	*
@ UL	GASOLINI LEV3 E1		STD	(	0.050	9.6		6	0.02	0	3.2		*	*	*
			BIN										*		
		WH	OLE VE	HICL	E EVAPO	ORATIVE E	MISSIO	N STAN	DARDS A	AND C	ERTIFIC		N LEVELS	;	
						WHOLE \	/EHICLE	EVAPO	ORATIVE	TEST	ING				
	ORATIVE	F	UEL TY	ΈΕ	3DH	S (g/test) @	DUL		2DHS (g	g/test)	@ UL		RL	(g/mi) @	UL
					CERT	STD	FEL	CER	T S	STD	FEL	-	CERT		STD
PJLXF	R0175P1B	-	ASOLIN LEV3 E		0.3095	0.500	*	*	0	. 500	*		0.001		0.05
PJLXF	R0175P1Z	-	ASOLIN LEV3 E		0.244	0.500	*	*	0	. 500	*		0.00		0.05



JAGUAR LAND ROVER LIMITED

ORVR / FUI	EL ONLY / CA	NISTER	BLEED	EVAPOR	RATIVE	EMISSION	I STANDA	RDS AND	CERTIFICA	ATION LEV	ELS	
		FUEL ONLY EVAP & CANISTER BLEED										
EVAPORATIVE FAMILY	ORVR (g/	FUEL TYPE		3DHS R (g/test	IG TEST ) @ UL	-	RIG TEST t) @ UL	BLEED CANISTER TEST (g/test) @ 4K				
	FUEL TYPE	CERT	STD			CERT	STD	CERT	STD	CERT	STD	
PJLXR0175P1B	GASOLINE- LEV3 E10	0.038	0.20	GASOLINE- LEV3 E10		*	*	*	*	0.0109	0.020	
PJLXR0175P1Z	GASOLINE- LEV3 E10	0.008	0.20	GASOLINE- LEV3 E10		*	*	*	*	0.010	0.020	
E	EFFECTIVE	LEAK D	IAMET	ER STA	NDARI	D AND CE	RTIFICA	FION LE	/EL (INCH	ES)		
EVAPORATIVE	APORATIVE FAMILY LEAK FAMILY CERT STD											
PJLXR0175	P1Z	PJLXR0175P1Z-001				*	r		0.02			
PJLXR0175	P1B	PJLXR0	175P1B	-001		*	r			0.02		

\*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: \_DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia: NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxvgen sensor: WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor: NOXS: NOx sensor: PMS: PM sensor: RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; SCE: SC (electric driven); CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

## 2023 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
LAND ROVER	DEFENDER 110 P400	LDT4	3.0	SA8	PJLXR0175P1B	1	P
LAND ROVER	DEFENDER 130 P300	LDT4	3.0	SA8	PJLXR0175P1B	1	P
LAND ROVER	DEFENDER 130 P400	LDT4	3.0	SA8	PJLXR0175P1B	1	P
LAND ROVER	DEFENDER 90 P400	LDT4	3.0	SA8	PJLXR0175P1B	1	P
LAND ROVER	DISCOVERY P360	LDT4	3.0	SA8	PJLXR0175P1Z	1	Р
LAND ROVER	RANGE ROVER LWB SV	LDT4	3.0	SA8	PJLXR0175P1B	1	P
LAND ROVER	RANGE ROVER P360	LDT4	3.0	SA8	PJLXR0175P1B	1	P
LAND ROVER	RANGE ROVER P360 LWB	LDT4	3.0	SA8	PJLXR0175P1B	1	Р
LAND ROVER	RANGE ROVER P400	LDT4	3.0	SA8	PJLXR0175P1B	1	P
LAND ROVER	RANGE ROVER P400 LWB	LDT4	3.0	SA8	PJLXR0175P1B	1	Р
LAND ROVER	RANGE ROVER SPORT P360	LDT4	3.0	SA8	PJLXR0175P1B	1	Р
LAND ROVER	RANGE ROVER SPORT P400	LDT4	3.0	SA8	PJLXR0175P1B	1	Р



Page 5 of 5

## 2023 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
LAND ROVER	RANGE ROVER SV	LDT4	3.0	SA8	PJLXR0175P1B	1	P