

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP IN	IFORI	MATION					
MODE YEAR		EST GROUP		VEHICLE CLASS(ES)				FUEL C	ATEGORY		FUEL TYPE		
2023	PV	GAJ02.0A7E		L	LDT2, PC HY				ELECTRIC		GASOLINE		
l	USEFUL	. LIFE (miles)	VEF	IICLE EMISS	ION C	ATEC	GORY	INTERIM / IN	ITER	RMEDIATE IN-USE STD			
EXH	/ORVR	EVAP			FTP		SF	TP	FTP		SFTP		
15	0000	150000		LEV3	ULEV70	LEV	3 CC	MPOSITE	*		PM		
SPE	TEMISSIC	ON CONTRO	L		OBD S	D STATUS		ENGINE DISPLACEMENT (L)					
1	D	FI, TC, CAC,	TWC ,	WR-HO2	S, HO2S			FULL	*				
*			*				P.	PARTIAL ALL MODELS			2.0		
*			*					TIAL WITH FINES	*				
	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION												
EVA	P / ORV	R FAMILY	EVAF	PORATIVE	E STD CATE	GORY	,	EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES		
P	VGAR01	55ACN	LE.	V 3 OPTION2 WITH FEL				LDT2			*		
P	VGAR01	55ACR	LE.	LEV 3 OPTION2 WITH FEL PC			PC			*			
		I		1	EMISSION CI	REDIT	INFC	RMATION					
	EDIT FC	X FLEET AVE. OR EXTENDED RRANTY	I		EDIT FOR N ZERO-EVAP	ON-P	PZEV NMOG CREDIT FOR DOI			R	COPTIONAL EXH. STD FOR WORK TRUCKS		
		N			N				N		N		
				NMOG	AND FLEET	AVE	RAGE		TION				
NMOG RAF					0-375								
*	*	1.10		0.03	0	.044			0.047		*		
See the				alala Eur		na il v		a Diamlana	mant Emissia		ntrol Systems Phase		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this <u>27th</u> day of April 2022.

llen Lyons, Chief

Emissions Certification and Compliance Division



FUEL TYPE

PREM

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

		NMOG+NOx (g/mi)		CO (g/mi)		NC (g/I		HC (mg	HO /mi)	PM (g/mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	*	*	*	*	*	*	*	*	*	*	*
FTP@UL	GASOLINE- TIER3 E10 PREM	0.032	0.070	0.2	1.7	*	*	*	4	0.001	0.003
50°F @4K	GASOLINE- TIER3 E10 PREM	0.031	0.140	0.2	1.7	*	*	*	16		
						NM	IOG+NOx	(a/mi)		CO (a/mi)	

	FUEL TYPE	NMOG+N	Ox (g/mi)	CO (g/mi)		
	FOELTIFE	CERT	STD	CERT	STD	
HWFET @ 50K	*	*	*			
HWFET @ UL	GASOLINE-TIER3 E10 PREM	0.008	0.070			
20°F @ 50K	GASOLINE-TIER3 E10 PREM			0.2	10.0	

-----.....

			SF	TP E	XHAUST	EMISSION	N STAND	ARDS A	AND C	ERTIFIC	ATION LE	EVEL	S			
						US06	SC03				COMPOSITE					
	FUEL TYI	PE			OG+NOx g/mi)	CO (g/mi)		°M J/mi)		G+NOx ′mi)	CO (g/mi)		DG+NOx g/mi)	CO (g/mi)	PM (mg/mi)	
@ 4K	*		CERT		*	*				* *						
•		STD	*		*		*		*	*						
	GASOLINE- UL TIER3 E10 PREM		CERT		*			2		*	*	0	.025	0.5	*	
@ UL			STD	*		*		6	*		* (.063	4.2	*	
			BIN									0	.090			
		WН	OLE VE	HICL	E EVAPO	ORATIVE E	MISSION	I STANI	DARD	S AND C	ERTIFIC	ATIO	N LEVELS	;		
						WHOLE Y	VEHICLE	EVAPC	RATI	VE TEST	ING					
	EVAPORATIVE FAMILY					3DHS (g/test) @ UL				2DHS (g/test) @ UL				RL (g/mi) @ UL		
					CERT	STD	FEL	CER	Т	STD	FEL	-	CERT		STD	
PVGAF	R0155ACN	-	ASOLIN IER3 E PREM	:10	0.308	0.400	0.400	0.29	94	0.400	0.40	00			0.05	
PVGAF	R0155ACR	-	ASOLIN IER3 E		0.232	0.300	0.275	0.21	.1	0.300	0.27	75	0.00		0.05	



VOLKSWAGEN GROUP OF AMERICA, INC.

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS														
		FUEL ONLY EVAP & CANISTER BLEED												
EVAPORATIVE FAMILY	ORVR (g/	FUEL TYPE		3DHS R (g/test			G TEST @ UL	BLEED CANISTER TEST (g/test) @ 4K						
	FUEL TYPE	L TYPE CERT STD				CERT	STD	CERT		STD	CERT	STD		
PVGAR0155ACN	GASOLINE- TIER3 E10 PREM	0.05	0.20	GASOLINE- TIER3 E10 PREM		*	*	*		*	0.016	0.020		
PVGAR0155ACR	GASOLINE- TIER3 E10 PREM	0.08	0.20	GASOLINE- TIER3 E10 PREM		*	*	*		*	0.008	0.020		
I	EFFECTIVE	LEAK D	IAMET	ER STA	NDAR	D AND CE	RTIFICA	TION L	EV	EL (INCH	ES)			
EVAPORATIVE	FAMILY	Y CERT					STD							
PVGAR0155	-001 *					0.02								
PVGAR0155ACR PVGAR0155ACR					-001 *					0.02				

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%' ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission: AMS: automated manual-selectable transmission: OT: other transmission: AER: all-electric range: EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2023 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
AUDI	A4 QUATTRO	PC	2.0	AMS7	PVGAR0155ACR	1	Р
AUDI	A5 SPORTBACK QUATTRO	PC	2.0	AMS7	PVGAR0155ACR	1	P
AUDI	Q5 QUATTRO	LDT2	2.0	AMS7	PVGAR0155ACN	1	Р