

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRC	OUP IN	NFOR	MATION					
MODE YEAR		TEST GROUP			VEHICLE CLASS(ES)			FUEL CATEGORY			FUEL TYPE		
2023	PV	GAJ02.0A3T		L	DT2, PC		-	SINGLE FUEL HICLE		GASOLINE			
l	USEFUL	. LIFE (miles)		VEH	IICLE EMISS	ION C	ATE	GORY INTERIM / INTE			ERMEDIATE IN-USE STD		
EXH	/ORVR	EVAP			FTP		SF	SFTP FTP			SFTP		
15	0000	150000)	LEV3	SULEV30 LEV 3 COMPOSI			MPOSITE	*		PM		
SPE	CIAL FE	ATURES & EX		ON CONTRO	L		OBD S	STATUS		NGINE DISPLACEMENT (L)			
1	DFI,	FC, CAC, AI	R, TWO	C(2), WR	-HO2S, HO2	s		FULL	*				
*	*							ARTIAL	ALL MODELS		2.0		
*	*							TIAL WITH	*				
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION													
EVA	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR								P EMISSION STD HICLE CLASS SPECIAL FEATURES				
F	VGAR01	10ACA	LE	V 3 OPTION2 WITH FEL				PC			*		
F	VGAR01	57ACT	LE	LEV 3 OPTION2 WITH FEL				LDT2			*		
				I	EMISSION CI	REDIT	INFC	ORMATION					
	EDIT FO	X FLEET AVE. OR EXTENDED RRANTY			EDIT FOR N ZERO-EVAP	ON-P	ZEV	NMOG CREDIT FOR DOR			OPTIONAL EXH. STD FOR WORK TRUCKS		
		N			N				N				
				NMOG	AND FLEET		RAG	E INFORMA	TION				
NMOG RAF	CH4 RAF RATIO FTP HCHO/NMHC RATIO NMOG+NOX FLI PC+LDT (0-375 (g/mi)				0-375					IMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)			
*	*	1.10		0.03	0	.044			0.047		*		
Soo th	a Attack	ne o net for V/o hi			norotive Co	milu	Enair	na Dianlaga	mont Emissio		ntrol Systems Phase		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this 24^{th} day of June 2022.

Johns Schi for

Allen Lyons, Chief Emissions Certification and Compliance Division



FUEL TYPE

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

		NMOG+NOx (g/mi)			CO (g/mi)			NOx (g/mi)		HO 'mi)		PM (g/mi)	
			CERT	STD	CERT	STD	CERT	STD	CERT	STD	CER	T STD	
FTP@50K	< *		*	*	*	*	*	*	*	*	*	*	
FTP@UL	GASOLINE- TIER3 E10		0.012	0.030	0.3	1.0	*	*	*	4	0.00	1 0.003	
50°F @4K	GASOLINE- TIER3 E10		0.014	0.060	0.3	1.0	*	*	*	8			
					F		NN	IOG+NC	Dx (g/mi)	CO (g/mi)			
				FUEL TYP	E		CE	RT	STD	CER	Т	STD	
HWFET @ 50K			*						*				
HWFET @ UL			GASOI	LINE-TIEF	R3 E10		0.0	001	0.030				
20°F @ 50K			GASOI	INE-TIEF	R3 E10					0.4		10.0	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

			US06					SC03				COMPOSITE			
	FUEL TYPE			NMC)G+NOx	СО	P	PM	NMO	G+NOx	со	NMO	OG+NOx	со	PM
				(g/mi)	(g/mi)	(mg	g/mi)	(g/	/mi)	(g/mi)	(g/mi)	(g/mi)	(mg/mi)
@ 4K	*		CERT		*	*				*	*				
•			STD		*	*				*	*				
		C			*	*		2		*	*	C	0.009	0.3	*
@ UL	@ UL GASOLINE- TIER3 E10		STD	*		*		6	*		* (0.063	4.2	*
			BIN									0.040			
		WH	OLE VE	HICL	E EVAPO	ORATIVE E	MISSION		DARD	S AND C	CERTIFIC	ATIO	N LEVELS	;	
						WHOLE	/EHICLE	EVAPO	ORATI	VE TEST	ING				
	EVAPORATIVE FAMILY		FUEL TYPE		3DH	S (g/test) ((g/test) @ UL			2DHS (g/test) @ UL			RL (g/mi) @ UL		
					CERT	STD	FEL	CER	T	STD	FE	FEL			STD
PVGAR0110ACA		-	ASOLIN IER3 E		0.256	0.300	0.300	0.21	L9	0.300	0.3	00 0.00			0.05
PVGAF	R0157ACT	-	ASOLIN IER3 E		0.297	0.400	0.350	0.31	11	0.400	0.3	50 0.00		0.00	



VOLKSWAGEN GROUP OF AMERICA, INC.

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS														
		FUEL ONLY EVAP & CANISTER BLEED												
EVAPORATIVE FAMILY	ORVR (g/	FUEL TYPE		3DHS R (g/test		-	RIG TEST t) @ UL	BLEED CANISTER TEST (g/test) @ 4K						
	FUEL TYPE CERT STD			CERT	STD	CERT	STD	CERT	STD					
PVGAR0110ACA	GASOLINE- TIER3 E10	0.03	0.20	GASOLINE- TIER3 E10		*	*	*	*	0.003	0.020			
PVGAR0157ACT	GASOLINE- TIER3 E10	0.02	0.20	GASOLINE- TIER3 E10		*	*	*	*	0.006	0.020			
E	EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)													
EVAPORATIVE	Y CERT					STD								
PVGAR0110ACA PVGAR0110ACA			110ACA	-001 *					0.02					
PVGAR0157	ACT	PVGAR0	157ACT	-001		*	*		0.02					

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: _DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia: NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxvgen sensor: WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor: NOXS: NOx sensor: PMS: PM sensor: RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2023 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
AUDI	Q3 S-LINE	LDT2	2.0	SA8	PVGAR0157ACT	1	P
AUDI	TT COUPE	PC	2.0	AMS7	PVGAR0110ACA	1	P
AUDI	TT ROADSTER	PC	2.0	AMS7	PVGAR0110ACA	1	P