

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	OUP IN	IFOR	MATION					
MODE YEA		EST GROUP		VEHICLE CLASS(ES) F				FUEL C	ATEGORY		FUEL TYPE		
202	4 RI	1BXD02.0HD3		MDV5 DEDI				-	SINGLE FUEL HICLE		DIESEL		
USEFUL LIFE (miles) VEHICLE EMISSIC								GORY	INTERIM / IN	TERM	ERMEDIATE IN-USE STD		
EXI	H/ORVR	EVAF)		FTP			ТР	FTP		SFTP		
150000 *				LEV3	SULEV230 SULEV230 LEV3 SULE (HOT1435 C (LA92), SCC FTP TEST CYC		135 UC , SC03,	*		*			
SPI	ECIAL F	EATURES & E		ON CONTRO	L		OBD S	TATUS	EN	ENGINE DISPLACEMENT (L)			
1 1		FC(2), CAC, -EGR, HP-EG PM	RC, I					FULL	*				
*	*							ARTIAL	*		2.0		
*			*				PAR	TIAL WITH	ALL MODELS				
		E	VAPC	RATIVE &	REFUELING	G (EVA	P/OR	VR) FAMIL					
EVA	\P / OR\	R FAMILY	EVA	PORATIVI	E STD CATE	GORY	,		SSION STD E CLASS	SF	PECIAL FEATURES		
	*				*			*			*		
					EMISSION C	REDIT	INFC	ORMATION					
	REDIT FO	DX FLEET AVE DR EXTENDED RRANTY			REDIT FOR N ZERO-EVAP	-	NMOG CREDIT FOR DOF			OPTIONAL EXH. STD FOR WORK TRUCKS			
		N			N				N		N		
				NMOG	AND FLEE	T AVE	RAGE	INFORMA	TION				
NMOG RAF						VW-85	500 G	ET STD NMOG+NOX FLEET STD I 500 GVW) MDV (8501-10000 GVWR) mi) (g/mi)					
*	*	*		*		*		*			*		
See th		ment for Veh	iclo M	lodels Eva	anorative Fa	mily	Engir	na Displaca	ment Emission	Con	trol Systems Phase-		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicles has been determined to have three (3) deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of twenty five dollars (\$25) per vehicle for the third deficiency in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2024 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$45,563 per violation per vehicle pursuant to HSC Section 43154.

BE IT FURTHER RESOLVED:

The fuel-fired heater incorporated in the listed vehicle models must not operate at ambient temperature above 40 °F (13 CCR Section 1961.2(a)(13) [Emission Standard for a Fuel-Fired Heater]).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this $\underline{30th}$ day of June 2023.

Tolin U. Lang

Robin U. Lang, Chief *O* Emissions Certification and Compliance Division



FUEL TYPE

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

				≎+NOx mi)	CO (g/mi)			NOx (g/mi)		HO /mi)	PM (g/mi)		
			CERT	STD	CERT	STD	CERT	STD	CERT	STD	CEI	RT	STD
FTP@50K		*	*	*	*	*	*	*	*	*	*		*
FTP@UL	L DIESEL-EPA		0.098	0.230	0.4	4.2	*	*	*	6	0.0	01	0.010
50°F @4K	*		*	*	*	*	*	*	*	*			
							NN	/HC+NC		CO (g/mi)			
			I	FUEL TYP	E		CE	CERT STD		CERT			STD
HWFET @ 50K		*						;	*				
HWFET @ UL		DIESEL-EPA						57	0.230				
20°F @ 50K				*						*			*

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

				US06		SC03	3	COMPOSITE					
	FUEL TYPE		NMHC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMHC+NOx (g/mi)	CO (g/mi)	NMHC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)			
@ 4K	*	CERT	*	*		*	*						
		STD	*	*		*	*						
		CERT	*	*	*	*	*	0.071	0.5	1			
@ UL	DIESEL-EPA	STD	*	*	*	*	*	0.350	4.0	7			
		BIN						*					

		DIR													
		WHOLE V	EHICL	E EVA	POR	ATIVE E	MISSION	STAND	ARDS AND	CERTIF	CATIO	N LEVE	LS		
					WHOLE VEHICLE EVAPORATIVE TESTING										
EVAPORATIVE FAMILY		FUEL TYPE		3	DHS (g/test) @	DL	JL 2DHS (g/test) @ UL			. RL (g/mi) @			@ UL	
				CER	CERT STD		FEL	CERT	STD	F	FEL		RT	STD	
	*	*		*		*	*	*	*		*	*		*	
0	ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS														
				FUEL ONLY EVAP & CANISTER BLEED											
	Porative Amily	ORVR	ORVR (g/gallon) @ UL			FUE	FUEL TYPE		RIG TEST st) @ UL		S RIG [·] test) @			ED CANISTER ſ (g/test) @ 4K	
		FUEL TY	PE C	ERT	STD			CERT	STD	CER	T	STD	CERT	STD	
	*	*		*	*		*	*	*	*		*	*	*	
	E	EFFECTIV	E LE	AK D	IAME	TER ST	ANDAR	D AND	CERTIFIC	ATION I	EVEL	(INCH	ES)		
EVAPORATIVE FAMILY			LEAP	(FAN	IILY		CERT				STD				
	*				*				*				*		

CALIFORNIA

MERCEDES-BENZ AG

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: .DT<6000#GVWR;3751-5750#LVW; LDT3: LDT 6001-8500#GVWR;3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR;5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission: AMS: automated manual-selectable transmission: OT: other transmission: AER: all-electric range: EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2024 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
MERCEDES-BENZ	SPRINTER 3500 XD	MDV5	2.0	A9	*	1	\$
MERCEDES-BENZ	SPRINTER 3500 XD AWD	MDV5	2.0	А9	*	1	\$
MERCEDES-BENZ	SPRINTER 4500	MDV5	2.0	A9	*	1	\$