

NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0966

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

TEST GROUP INFORMATION													
MODE YEAR	TEST GROUP VEHICLE CLASSIE					FUEL CATEGORY				FUEL TYPE			
2024	2024 RNSXV03.0NHA PC						DEDICATED SINGLE FUEL VEHICLE				GASOLINE		
	USEFUL	. LIFE (miles)		VEH	VEHICLE EMISSION CATEGORY				INTERIM / IN	TERM	IEDIATE IN-USE STD		
EXH	I/ORVR	EVAP			FTP		SF	TP	FTP		SFTP		
15	0000	150000		LEV3	ULEV125	LEV	3 C	MPOSITE	*		*		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS						L		OBD S	TATUS	EN	ENGINE DISPLACEMENT (L)		
1	2TWC (2	2), 2HO2S, 2	WR-H	D2S, DFI	, 2CAC, 2T	'C		FULL *					
*			*				P	PARTIAL ALL MODELS		3.0			
*	* *							ARTIAL WITH *					
		E\	/APOI	RATIVE &	REFUELING	(EVA	P/OR	VR) FAMILY	/ INFORMATIO	N			
EVA	P / ORV	R FAMILY	EVA	PORATIVE	STD CATE	GORY	,	EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES		
I	RNSXR01	59мсв	LE	V 3 OPTI	ON2 WITH	FEL		PC			*		
				ı	EMISSION CI	REDI	ΓINFO	RMATION					
	NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY NMOG CREDIT FOR NON- ZERO-EVAP					ON-P	ZEV	NMOG CREDIT FOR DOR			OPTIONAL EXH. STD FOR WORK TRUCKS		
	n n								N		N		
				NMOG	AND FLEET	AVE	RAGI	INFORMA	TION				
NMOG RAF	2 1 2 1 1 NMOG/NMHC 1 2 1 2 1 1 1 DC 1 DT /0-37				0-375					NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)			
*	* * 1.10 * 0.03					. 037		0.038 *					

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0966

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this 22nd day of August 2023.

Robin U. Lang Robin U. Lang, Chief

Emissions Certification and Compliance Division

GASOLINE-

LEV3 E10 PREM

0.233

0.300

RNSXR0159MCB

NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0966 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

	EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS																		
	EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)																		
	CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RA adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: millig 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental										AF: re runr igran	eactivi ning lo n; mi: ı	ty ss;						
						MOG+NOx (g/mi)		CO (g/mi)			NOx (g/mi)		HCI (mg/		_	PM (g/m		-	
					CERT	ST	D (CERT	ST	D	CERT	STD	CER	Т	STD	CERT		STD	
FTP@5	0K		*		*	*		*	*		*	*	*		*	*		*	
FTP@L	GASOLINE-			0.046	0.1	25	0.5	2.	1	*	*	*	*		0.0	01	0.003		
50°F @4	4K		*		*	*		*	*		*	*	*		*				
F						FUEL	TYPF				N	IMOG+N	Ox (g/mi)	CO (g/mi)					
						CERT				STD	CERT		'		STD				
HWFE	HWFET @ 50K					* * *													
HWFE	HWFET @ UL				GASOL	GASOLINE-LEV3 E10 PREM 0.018 0.125													
20°F	20°F @ 50K COLD			LD CC	E10	PREMIU	M GAS	OLINE	E (TIE	R3)					0.6	1	0.0		
		ų.		S	FTP E	XHAUST	EMIS	SION	STAND	ARDS	AND (CERTIFIC	ATION L	EVEL	/ELS				
							US	606				SC03			COMPOSITE				
	FUEL TYPE					OG+NOx g/mi)		CO g/mi)	_	M J/mi)		G+NOx g/mi)	CO (g/mi)		MOG+NOx (g/mi)		CO /mi)	PM (mg/mi)	
@ 4K	@ 4K *			CERT	RT *			*			*		*						
		ST		STD		*		*			*		*						
		ASOLINE-		CERT	RT *			*		4		*		0.061		0	. 6	*	
@ UL				STD	*			*		6		*		0.057		4	. 2	*	
BIN											0.110								
			WH	OLE V	EHICL	E EVAP	ORATI	VE EN	MISSION	STAN	IDAR	S AND	ERTIFIC	ATIO	N LEVEL	S			
							WHO	DLE VI	EHICLE	EVAP	ORAT	IVE TES	ING						
	EVAPORATIVE FAMILY		F	UEL T	YPE	3DH	S (g/te	est) @	UL		2DHS (g/test) @ UL				RL (g/mi) @ UL			UL	
				CERT	STI	D	FEL	CEI	RT	STD	FEI		CERT		;	STD			

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

0.211

0.300

0.300

0.000

0.05

0.300

				FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE		IG TEST) @ UL		IG TEST) @ UL	BLEED CANISTER TEST (g/test) @ 4K			
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD		
RNSXR0159MCB	GASOLINE- TIER3 E10 PREM	0.01	0.20	GASOLINE- LEV3 E10 PREM	*	*	*	*	0.014	0.020		



NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0966

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)									
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD						
RNSXR0159MCB	RNSXR0159MCB-001	*	0.02						

t: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV; medium-duty vehicle; MDV4; MDV 8501-10000#GVWR; MDV5; MDV 10001-14000#GVWR; MDPV; mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; cGPF (coated gasoline particulate filter); HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIŔ/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2024 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
INFINITI	Q50	PC	3.0	SA7	RNSXR0159MCB	1	P
INFINITI	Q50 AWD	PC	3.0	SA7	RNSXR0159MCB	1	P
INFINITI	Q50 AWD RED SPORT	PC	3.0	SA7	RNSXR0159MCB	1	P
INFINITI	Q50 RED SPORT	PC	3.0	SA7	RNSXR0159MCB	1	P