



FORD MOTOR COMPANY

Executive Order: A-010-2509  
 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles  
 Page 1 of 6

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

TEST GROUP INFORMATION						
MODEL YEAR	TEST GROUP	VEHICLE CLASS(ES)		FUEL CATEGORY	FUEL TYPE	
2024	RFMXD03.56BG	MDV4		FLEX-FUEL VEHICLE (FFV)	85% ETHANOL, GASOLINE	
USEFUL LIFE (miles)		VEHICLE EMISSION CATEGORY		INTERIM / INTERMEDIATE IN-USE STD		
EXH/ORVR	EVAP	FTP	SFTP	FTP	SFTP	
150000	150000	LEV3 SULEV150	LEV3 ULEV (FULL US06, SC03, FTP TEST CYCLE)	*	*	
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS			OBD STATUS		ENGINE DISPLACEMENT (L)	
1	2TWC, DFI, SFI, 2WR-HO2S, 2HO2S, EGR		FULL	*	3.5	
*	*		PARTIAL	ALL MODELS		
*	*		PARTIAL WITH FINES	*		
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION						
EVAP / ORVR FAMILY		EVAPORATIVE STD CATEGORY		EVAP EMISSION STD VEHICLE CLASS		SPECIAL FEATURES
RFMXF0185NDJ		LEV 3 OPTION2 WITH FEL		MDV4		HCT
RFMXF0215GDJ		LEV 3 OPTION2 WITH FEL		MDV4		HCT
RFMXR0185NDJ		LEV 3 OPTION2 WITH FEL		MDV4		HCT
RFMXR0215GDJ		LEV 3 OPTION2 WITH FEL		MDV4		HCT
EMISSION CREDIT INFORMATION						
NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY		NMOG CREDIT FOR NON-PZEV ZERO-EVAP		NMOG CREDIT FOR DOR		OPTIONAL EXH. STD FOR WORK TRUCKS
N		N		N		N
NMOG AND FLEET AVERAGE INFORMATION						
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO (GASOLINE)	HCHO/NMHC RATIO (GASOLINE)	NMOG+NOX FLEET STD LDT (3751 LVW-8500 GVW) + MDPV (g/mi)	NMOG+NOX FLEET STD MDV (8501-10000 GVWR) (g/mi)	NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)
*	*	1.10	*	*	*	*

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



FORD MOTOR  
COMPANY

Executive Order: A-010-2509  
New Passenger Cars, Light-Duty Trucks and  
Medium-Duty Vehicles  
Page 2 of 6

**BE IT FURTHER RESOLVED:**

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

**BE IT FURTHER RESOLVED:**

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this 20th day of November 2023.

A handwritten signature in blue ink that reads "Robin U. Lang".

Robin U. Lang, Chief  
Emissions Certification and Compliance Division

## ATTACHMENT

### EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

#### EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

	FUEL TYPE	CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP									
		NMOG+NOx (g/mi)		CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	*	*	*	*	*	*	*	*	*	*	*
FTP@UL	E85-EPA (GASOLINE-TIER3 E10)	0.128 (0.085)	0.150 (0.150)	3.0 (2.7)	3.2 (3.2)	*	*	2.0 (1)	6 (6)	0.001 (0.001)	0.008 (0.008)
50°F @4K	E85-EPA	0.072	0.375	0.9	3.2	*	*	1.3	16		

	FUEL TYPE	NMOG+NOx (g/mi)		CO (g/mi)	
		CERT	STD	CERT	STD
HWFET @ 50K	*	*	*		
HWFET @ UL	E85-EPA (GASOLINE-TIER3 E10)	0.106 (0.060)	0.150 (0.150)		
20°F @ 50K	*			*	*

#### SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

	FUEL TYPE		US06			SC03		COMPOSITE		
			NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	*	CERT	*	*		*	*			
		STD	*	*		*	*			
@ UL	E85-EPA	CERT	*	*	*	*	*	0.124	4.00	1
		STD	*	*	*	*	*	0.450	12.0	10
		BIN						*		
@ UL	GASOLINE-TIER3 E10	CERT	*	*	*	*	*	0.087	8.2	4
		STD	*	*	*	*	*	0.450	12.0	10
		BIN						*		

#### WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EVAPORATIVE FAMILY	FUEL TYPE	WHOLE VEHICLE EVAPORATIVE TESTING						RL (g/mi) @ UL	
		3DHS (g/test) @ UL			2DHS (g/test) @ UL			CERT	STD
		CERT	STD	FEL	CERT	STD	FEL		
RFMXF0185NDJ	GASOLINE-TIER3 E10	0.202	0.600	0.600	*	0.600	0.600	0.00	0.05
RFMXF0215GDJ	GASOLINE-TIER3 E10	0.202	0.600	0.600	*	0.600	0.600	0.00	0.05
RFMXR0185NDJ	GASOLINE-TIER3 E10	0.202	0.600	0.600	*	0.600	0.600	0.00	0.05
RFMXR0215GDJ	GASOLINE-TIER3 E10	0.202	0.600	0.600	*	0.600	0.600	0.00	0.05



FORD MOTOR COMPANY

Executive Order: A-010-2509  
 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles  
 Page 4 of 6

**ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS**

EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL ONLY EVAP & CANISTER BLEED						
	FUEL TYPE	CERT	STD	FUEL TYPE	3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K	
					CERT	STD	CERT	STD	CERT	STD
RFMXF0185NDJ	GASOLINE-TIER3 E10 PREM	*	*	GASOLINE-TIER3 E10	*	*	*	*	0.003	0.030
RFMXF0215GDJ	GASOLINE-TIER3 E10 PREM	*	*	GASOLINE-TIER3 E10	*	*	*	*	0.004	0.030
RFMXR0185NDJ	GASOLINE-TIER3 E10 PREM	0.01	0.20	GASOLINE-TIER3 E10	*	*	*	*	0.003	0.030
RFMXR0215GDJ	GASOLINE-TIER3 E10 PREM	0.01	0.20	GASOLINE-TIER3 E10	*	*	*	*	0.004	0.030

**EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)**

EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD
RFMXR0185NDJ	RFMXR0185NDJ-001	*	0.02
RFMXF0185NDJ	RFMXF0185NDJ-001	*	0.02
RFMXR0215GDJ	RFMXR0215GDJ-001	*	0.02
RFMXF0215GDJ	RFMXF0215GDJ-001	*	0.02

\*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: medium-duty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZE: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; cGPF (coated gasoline particulate filter); HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%" gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

**2024 MODEL YEAR: VEHICLE MODELS INFORMATION**

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
FORD	TRANSIT T150 VAN FFV 2WD	MDV4	3.5	SA10	RFMXR0185NDJ	1	P
FORD	TRANSIT T150 VAN FFV 2WD	MDV4	3.5	SA10	RFMXR0215GDJ	1	P
FORD	TRANSIT T150 VAN FFV 4WD	MDV4	3.5	SA10	RFMXR0185NDJ	1	P

**2024 MODEL YEAR: VEHICLE MODELS INFORMATION**

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
FORD	TRANSIT T150 VAN FFV 4WD	MDV4	3.5	SA10	RFMXR0215GDJ	1	P
FORD	TRANSIT T250 CHASSIS CAB 2WD FFV	MDV4	3.5	SA10	RFMXF0185NDJ	1	P
FORD	TRANSIT T250 CHASSIS CAB 2WD FFV	MDV4	3.5	SA10	RFMXF0215GDJ	1	P
FORD	TRANSIT T250 CHASSIS CAB 4WD FFV	MDV4	3.5	SA10	RFMXF0185NDJ	1	P
FORD	TRANSIT T250 CHASSIS CAB 4WD FFV	MDV4	3.5	SA10	RFMXF0215GDJ	1	P
FORD	TRANSIT T250 CUTAWAY 2WD FFV	MDV4	3.5	SA10	RFMXF0185NDJ	1	P
FORD	TRANSIT T250 CUTAWAY 2WD FFV	MDV4	3.5	SA10	RFMXF0215GDJ	1	P
FORD	TRANSIT T250 CUTAWAY 4WD FFV	MDV4	3.5	SA10	RFMXF0185NDJ	1	P
FORD	TRANSIT T250 CUTAWAY 4WD FFV	MDV4	3.5	SA10	RFMXF0215GDJ	1	P
FORD	TRANSIT T250 VAN 2WD FFV	MDV4	3.5	SA10	RFMXR0185NDJ	1	P
FORD	TRANSIT T250 VAN 2WD FFV	MDV4	3.5	SA10	RFMXR0215GDJ	1	P
FORD	TRANSIT T250 VAN 4WD FFV	MDV4	3.5	SA10	RFMXR0185NDJ	1	P
FORD	TRANSIT T250 VAN 4WD FFV	MDV4	3.5	SA10	RFMXR0215GDJ	1	P
FORD	TRANSIT T350 CHASSIS CAB 2WD FFV	MDV4	3.5	SA10	RFMXF0185NDJ	1	P
FORD	TRANSIT T350 CHASSIS CAB 2WD FFV	MDV4	3.5	SA10	RFMXF0215GDJ	1	P
FORD	TRANSIT T350 CHASSIS CAB 4WD FFV	MDV4	3.5	SA10	RFMXF0185NDJ	1	P
FORD	TRANSIT T350 CHASSIS CAB 4WD FFV	MDV4	3.5	SA10	RFMXF0215GDJ	1	P
FORD	TRANSIT T350 CUTAWAY 2WD FFV	MDV4	3.5	SA10	RFMXF0185NDJ	1	P
FORD	TRANSIT T350 CUTAWAY 2WD FFV	MDV4	3.5	SA10	RFMXF0215GDJ	1	P
FORD	TRANSIT T350 CUTAWAY 4WD FFV	MDV4	3.5	SA10	RFMXF0185NDJ	1	P
FORD	TRANSIT T350 CUTAWAY 4WD FFV	MDV4	3.5	SA10	RFMXF0215GDJ	1	P
FORD	TRANSIT T350 VAN 2WD FFV	MDV4	3.5	SA10	RFMXR0185NDJ	1	P
FORD	TRANSIT T350 VAN 2WD FFV	MDV4	3.5	SA10	RFMXR0215GDJ	1	P



FORD MOTOR  
COMPANY

Executive Order: A-010-2509  
New Passenger Cars, Light-Duty Trucks and  
Medium-Duty Vehicles  
Page 6 of 6

### 2024 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
FORD	TRANSIT T350 VAN 4WD FFV	MDV4	3.5	SA10	RFMXR0185NDJ	1	P
FORD	TRANSIT T350 VAN 4WD FFV	MDV4	3.5	SA10	RFMXR0215GDJ	1	P
FORD	TRANSIT T350 WAGON 2WD FFV	MDV4	3.5	SA10	RFMXR0185NDJ	1	P
FORD	TRANSIT T350 WAGON 2WD FFV	MDV4	3.5	SA10	RFMXR0215GDJ	1	P
FORD	TRANSIT T350 WAGON 4WD FFV	MDV4	3.5	SA10	RFMXR0185NDJ	1	P
FORD	TRANSIT T350 WAGON 4WD FFV	MDV4	3.5	SA10	RFMXR0215GDJ	1	P