

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP IN	IFORI	MATION					
MODE YEAR		EST GROUP	VEHICLE CLASS(ES)				FUEL C	ATEGORY		FUEL TYPE			
2024	RV	GAJ02.0A7E		LDT2, PC					ELECTRIC HICLE		GASOLINE		
l	USEFUL	LIFE (miles)		VEF	VEHICLE EMISSION CATEGORY				INTERIM / IN	RMEDIATE IN-USE STD			
EXH	/ORVR	EVAP			FTP		SF	TP	FTP		SFTP		
15	0000	150000		LEV3	ULEV70	LEV	3 CC	MPOSITE	*		*		
SPECIAL FEATURES & EXHAUST EMISSION CONTR SYSTEMS								OBD S	TATUS		ENGINE DISPLACEMENT (L)		
1	D	FI, TC, CAC,	TWC	, WR-HO2	S, HO2S			FULL	*				
*			*				P	ARTIAL	ALL MODELS		2.0		
*			*						*				
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION													
EVA	P / ORV	R FAMILY	EVA	PORATIVE	E STD CATE	GORY	,	EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES		
R	VGAR01	55ACN	V 3 OPTI	7 3 OPTION2 WITH FEL			LDT2			*			
R	VGAR01	55ACR	LE	LEV 3 OPTION2 WITH FEL PC			PC			*			
		I		I	EMISSION CI	REDIT		RMATION					
	EDIT FC	X FLEET AVE. OR EXTENDED RRANTY			EDIT FOR N ZERO-EVAP	ON-P	ZEV NMOG CREDIT FOR DOP			R	R OPTIONAL EXH. STD FOR WORK TRUCKS		
		N			N				N		N		
				NMOG	AND FLEET	AVE	RAGE	INFORMA	TION				
NMOG RAF	G CH4 FTP RAF NMOG/NMHC RATIO RATIO (g/mi)				0-375								
*	*	1.10		*	0	.037			0.038		*		
See the	o Attook	mant far \/abi		adala Eve	norativa Fa	milu	- - - - - - - - - - - - - -	o Dianlago	mont Emissia	~ C	Control Systems Phase		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models have been certified on the condition that the manufacturer correct the nonconformance as described in VWGoA's letter dated June 22, 2023 (the Letter). Failure to fulfill any of the conditions as outlined within the Letter, to the satisfaction of the Executive Officer or his delegate, shall be cause for the California Air Resources Board to revoke this Executive Order and vehicles sold under the revoked conditional certification shall be deemed uncertified and subject to a civil penalty of up to \$45,563 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this $\underline{29th}$ day of June 2023.

Robin U. Lang

Robin U. Lang, Chief *O* Emissions Certification and Compliance Division



FUEL TYPE

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

		NMOG+NOx (g/mi)		CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	*	*	*	*	*	*	*	*	*	*	*
FTP@UL	GASOLINE- TIER3 E10 PREM	0.028	0.070	0.2	1.7	*	*	*	4	0.000	0.003
50°F @4K	GASOLINE- TIER3 E10 PREM	0.031	0.140	0.2	1.7	*	*	*	16		
							IOG+NOx	(a/mi)		CO (a/mi)	

	FUEL TYPE	NMOG+N	Ox (g/mi)	CO (g/mi)		
	FOELTIFE	CERT	STD	CERT	STD	
HWFET @ 50K	*	*	*			
HWFET @ UL	GASOLINE-TIER3 E10 PREM	0.008	0.070			
20°F @ 50K	GASOLINE-TIER3 E10 PREM			0.3	10.0	

			SF	TP E	XHAUST	EMISSION	STAND	ARDS A	AND	CERTIFIC	ATION LI	EVEL	S			
				US06					SC03				COMPOSITE			
	FUEL TYI	PE			OG+NOx (g/mi)	CO (g/mi)	-	°M J/mi)		DG+NOx g/mi)	CO (g/mi)		OG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	
@ 4K	¢4K *		CERT		*	* *				* *						
-			STD	*		*			*		*					
	GASOLINE- @ UL TIER3 E10 PREM		CERT		*	*		0	*		*	0.020		0.3	*	
@ UL			STD		*	*	* 6		*		*	0.057		4.2	*	
			BIN									0.090				
		WH	OLE VE	HICL	E EVAPO	ORATIVE E	MISSION	I STAN	DAR	DS AND C	ERTIFIC	ATIO	N LEVELS	;		
						WHOLE \	/EHICLE	EVAPO	ORAT	IVE TEST	ING					
	ORATIVE AMILY	FUEL TYPE		ΈE	3DH	3DHS (g/test) @ UL			2DHS (g/test) @ UL				RL	(g/mi) @	@ UL	
					CERT	STD	FEL	CER	RL	STD	FEI	L	CERT		STD	
RVGAF	RVGAR0155ACN		ASOLIN IER3 E PREM	:10	0.308	0.400	0.400	0.29	94	0.400	0.40	.400 0.00			0.05	
RVGAR0155ACR		-	ASOLIN IER3 E PREM	:10	0.232	0.300	0.275	0.21	11	0.300	0.27	75	0.00		0.05	



VOLKSWAGEN GROUP OF AMERICA, INC.

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS												
		FUEL ONLY EVAP & CANISTER BLEED										
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE		3DHS R (g/test			G TEST @ UL	BLEED CANISTER TEST (g/test) @ 4K		
	FUEL TYPE CERT STI		STD			CERT	STD	CERT		STD	CERT	STD
RVGAR0155ACN	GASOLINE- TIER3 E10 PREM	0.05	0.20	GASOL TIER3 PRE	E10	*	*	*		*	0.016	0.020
RVGAR0155ACR	GASOLINE- TIER3 E10 PREM	0.08	0.20	GASOLINE- TIER3 E10 PREM		*	*	*		*	0.008	0.020
E	EFFECTIVE	LEAK D	IAMET	ER STA	NDARI	D AND CE	RTIFICA	TION L	EVE	EL (INCH	ES)	
EVAPORATIVE	FAMILY	Y CERT					STD					
RVGAR0155	-001 *					0.02						
RVGAR0155ACR RVGAR0155ACR				-001 *					0.02			

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%' ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission: AMS: automated manual-selectable transmission: OT: other transmission: AER: all-electric range: EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2024 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
AUDI	A4 QUATTRO	PC	2.0	AMS7	RVGAR0155ACR	1	Р
AUDI	A5 SPORTBACK QUATTRO	PC	2.0	AMS7	RVGAR0155ACR	1	Р
AUDI	Q5 QUATTRO	LDT2	2.0	AMS7	RVGAR0155ACN	1	P