

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

						TEST GRO	UP II	FOR	MATION					
MODE YEAI		TEST GROUP VEHICLE CLASS(ES)							FUEL C	ATEGORY		FUEL TYPE		
2025	5 SMBXJ02.0HY1 LDT2, PC									ELECTRIC HICLE		GASOLINE		
USEFUL LIFE (miles) VEHICLE EMISSION							ION (CATE	GORY	IEDIATE IN-USE STD				
EXH/ORVR EVAP						FTP		SF	TP FTP			SFTP		
1	50000		150000		LEV3	SULEV30	LEV	3 CC	MPOSITE	PM		*		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS						L		OBD S	TATUS	EN	ENGINE DISPLACEMENT (L)			
1	DI	FI, TC	C, CAC, W	R-HO2	2S, HO2S	5, TWC(2)			FULL	*				
*	*							Р	ARTIAL	*		2.0		
*	* *								FINES ALL MODELS					
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION														
EVA	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR						GORY	,	EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES		
:	SMBXR	0140LN	NB	LEV	V 3 ОРТІ	ON2 WITH 1	FEL		I	°C		*		
					E	EMISSION CI	REDIT	r info	RMATION					
	NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY							ZEV	NMOG CREDIT FOR DOR			OPTIONAL EXH. STD FOR WORK TRUCKS		
		N				N			N N					
					NMOG	AND FLEET	AVE	RAGE		TION				
NMOG RAF	CH4 RAF		FTP OG/NMHC RATIO		RATIO NMOG+NOX FL PC+LDT (0-37 (g/mi)							D NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
*	*		1.10		*	0	.030			0.030		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II system of the listed vehicle models has been determined to have five deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of seventy-five dollars (\$75) per vehicle for the third through fifth deficiencies in the listed test group that are produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the California Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2025 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$47,363 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this 10th day of May 2024.

Adin U. Lang

Robin U. Lang, Chief Emissions Certification and Compliance Division



FUEL TYPE

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

				i+NOx mi)		O mi)		Ox mi)	HC (mg	-		PM g/mi)	
			CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD	
FTP@50K	*		*	*	*	*	*	*	*	*	*	*	
FTP@UL	TIE	OLINE- R3 E10 PREM	0.018	0.030	0.4	1.0	*	*	*	4	0.000	0 0.001	
50°F @4K		*	*	*	*	*	*	*	*	*			
								IOG+NO	x (g/mi)		CO (g/m	ni)	
				FUEL TYP	E		CE	CERT S		CER	Т	STD	
HWFET @ 50K			*					•	*				
HWFET @ UL		GASOLINE-TIER3 E10 PREM					0.0	008	0.030				
20°F @	50K	COLD (CO E10 PF	REMIUM GA	ASOLINE	(TIER3)					5	10.0	
			SETP EXH	AUST EM	ISSION ST					IS			

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

			561	PEXHA	J21 EM	ISSION	STANDA	ARDS	AND	CERTIFIC	ATION LE	VELS			
					I	JS06				SC03		C	COMP	OSITE	
	FUEL TY	PE	I	NMOG+N (g/mi)		CO (g/mi)	Pl (mg			DG+NOx g/mi)	CO (g/mi)	NMOG+N (g/mi)		CO (g/mi)	PM (mg/mi)
@ 4K	*		CERT	*	*					*	*				
-			STD	*		*				*	*				
		C	CERT	*		*	1	L		*	*	0.016	0.8		*
@ UL	GASOLIN TIER3 E PREM		STD	*		*	e	5		*	*	0.050		4.2	*
			BIN									0.030			
		wно	DLE VEH	ICLE EV	APORA	TIVE E	MISSION	STAN	DAR	DS AND C	ERTIFICA	TION LEV	ELS		
					W	HOLE V	E VEHICLE EVAPORATIVE TESTING								
	ORATIVE	FU	IEL TYPI	= 3	BDHS (g	/test) @) UL		2Dł	IS (g/test)	@ UL		RL (g	/mi) @	UL
				CEF	रा ९	STD	FEL	CEF	RL	STD	FEL	CI	ERT	CO g/mi) 0.8 4.2 mi)@U ED CAI T (g/tes RT	STD
SMBXF	R0140LNB	-	SOLINE ER3 E10 PREM		79 0	. 300	0.300	0.24	47	0.300	0.30	0 0	.00		0.05
C	ORVR / FU	EL ON	NLY / CA	NISTER	BLEED	EVAP	ORATIVE	EMIS	SION	STANDA	RDS AND	CERTIFIC	ATION	N LEVE	ELS
								FU	EL C	ONLY EVA	P & CANIS	STER BLE	ED		
	APORATIVE ORVR (g/gallon) @ U FAMILY			DUL	FUE	L TYPE			IG TEST) @ UL		RIG TEST t) @ UL			ANISTER est) @ 4K	
		FUE	L TYPE	CERT	STD			CEI	RT	STD	CERT	STD	CE	RT	STD
SMBXF	R0140LNB	TIE	OLINE- R3 E10 PREM	0.02	0.20	LEV	OLINE- 3 E10 REM	*		*	*	*	0.	011	0.020

CALIFORNIA

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)									
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD						
SMBXR0140LNB	SMBXR0140LNB-LNB	*	0.02						

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR.3751-5750#LVW; LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; cGPF (coated gasoline particulate filter); HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2025 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
MERCEDES-BENZ	GLC 300	PC	2.0	A9	SMBXR0140LNB	1	\$
MERCEDES-BENZ	GLC 300 4MATIC	LDT2	2.0	A9	SMBXR0140LNB	1	\$
MERCEDES-BENZ	GLC 300 4MATIC (COUPE)	LDT2	2.0	А9	SMBXR0140LNB	1	\$