

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

						TEST GRO	UP II	NFOR	MATION					
MODI YEA		TEST GROUP			VEHICLE CLASS(ES)			FUEL C	ATEGORY		FUEL TYPE			
202	5 \$	SMBX	BXV02.0HY1 PC						HYBRID ELECTRIC VEHICLE			GASOLINE		
USEFUL LIFE (miles) VEHICLE EMISSION							ION (CATEGORY INTERIM / INTERMEDIATE IN-USE						
EX	H/ORVI	R	EVAP			FTP		SF	ТР	FTP		SFTP		
1	50000		150000		LEV3	SULEV20	LEV	3 C	MPOSITE	PM		*		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS						L		OBD S	TATUS	E	NGINE DISPLACEMENT (L)			
1	DFI, TC, CAC, WR-HO2S, HO2S, TWC(2)								FULL	*				
*	*							P	PARTIAL *			2.0		
*	*							PAR	RTIAL WITH FINES ALL MODELS					
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION														
EV	AP / OF	RVR F	AMILY	EVAF	PORATIVE	E STD CATE	GOR	Y EVAP EMISSION STD VEHICLE CLASS			ę	SPECIAL FEATURES		
	SMBXR	0140	LNC	LE	V 3 OPTI	ION2 WITH FEL			I	2C		*		
					E	EMISSION CI	REDI	T INFO	ORMATION					
	REDIT I		FLEET AVE. EXTENDED ANTY	I		EDIT FOR N ZERO-EVAP	ON-P	PZEV NMOG CREDIT FOR DOR			२	OPTIONAL EXH. STD FOR WORK TRUCKS		
		N				N				N		N		
				·	NMOG	AND FLEET	AVE	RAG		TION				
NMOG RAF	CH4 RAF		FTP MOG/NMHC RATIO		O/NMHC ATIO	00.1101/0.376								
*	*		1.10		*	0	.030			0.030		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicles has been determined to have 5 deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of \$75 per vehicle for the third through fifth deficiency in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2025 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$47,363 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this ______ day of May 2024.

Robin U. Lang

Robin U. Lang, Chief *O* Emissions Certification and Compliance Division



FUEL TYPE

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

				i+NOx mi)	CO (g/mi)			NOx (g/mi)		HCHO (mg/mi)		PM J/mi)
			CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K		*	*	*	*	*	*	*	*	*	*	*
FTP@UL	GASOLINE- TIER3 E10 PREM		0.012	0.020	0.3	1.0	*	*	*	4	0.000	0.001
50°F @4K		*	*	*	*	*	*	*	*	*		
							NN	NMOG+NOx (g/mi)			CO (g/m	i)
				FUEL TYP	E		CE	CERT		CER	Т	STD
HWFET @) 50K			*			*	*				
HWFET @ UL			GASOLIN	E-TIER3	E10 PREM	1	0.0	006	0.020			
20°F @	50K	COLD (CO E10 PF	REMIUM GA	ASOLINE	(TIER3)				0.4	L	10.0
		•	SFTP EXH	AUST EM	ISSION ST	TANDARD	DS AND CE		TION LEVE	LS		

	SFIF EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS															
						US06			SC03	3		COMPOSITE				
	FUEL TYP	Έ			OG+NOx (g/mi)	CO (g/mi)	Pl (mg/		NMOG+NOx (g/mi)	CO (g/mi)	NMOG+N (g/mi)	_	CO (g/mi)	PM (mg/mi)		
@ 4K	۲ *		CERT	*		*			*	*						
•			STD		*	*	* * *		*							
	GASOLINE- UL TIER3 E10 PREM		CERT		*	*	1		*	*	0.013	3	0.7	*		
@ UL			TIER3 E10		STD		*	*	6	5	*	*	0.050	D	4.2	*
			BIN								0.030	0.030				
	WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS															
						WHOLE \	/EHICLE	EVAPO	RATIVE TES	TING						
	ORATIVE	FUEL TYPE		ΈE	3DHS (g/test) @ UL				2DHS (g/test) @ UL				RL (g/mi) @ UL			
					CERT	STD	FEL	CER	T STD	FEL	L CERT		STD			
SMBXF	R0140LNC	-	ASOLIN IER3 E PREM	510	0.240	0.300	0.275	0.26	52 0.300	0.27	/5 (0.00	0	.05		
C	DRVR / FUE	L O	NLY/	CANIS	STER BLE	ED EVAP	ORATIVE	EEMISS	SION STANDA	ARDS AND	CERTIFI	CATIC	ON LEVEI	LS		
								FUE	EL ONLY EVA	P & CANI	STER BLE	EED				
EVAP	ORATIVE	C	ORVR (g/gall	lon) @ UL			3DH	DHS RIG TEST 2DHS F		RIG TEST	G TEST BLEED CANISTER				

EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE	3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K	
	FUEL TYPE CERT STD		CERT	STD	CERT	STD	CERT	STD		
SMBXR0140LNC	GASOLINE- TIER3 E10 PREM	0.03	0.20	GASOLINE- LEV3 E10 PREM	*	*	*	*	0.011	0.020

CALIFORNIA

MERCEDES-BENZ AG

Executive Order: A-003-0870 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 4 of 4

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)									
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD						
SMBXR0140LNC	SMBXR0140LNC-LNC	*	0.02						

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR.3751-5750#LVW; LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; cGPF (coated gasoline particulate filter); HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2025 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
MERCEDES-BENZ	C 300	PC	2.0	A9	SMBXR0140LNC	1	\$
MERCEDES-BENZ	C 300 4MATIC	PC	2.0	A9	SMBXR0140LNC	1	\$
MERCEDES-BENZ	CLE 300 4MATIC (CONVERTIBLE)	PC	2.0	А9	SMBXR0140LNC	1	\$
MERCEDES-BENZ	CLE 300 4MATIC (COUPE)	PC	2.0	А9	SMBXR0140LNC	1	\$