

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	DUP II	FOR	MATION					
MODE YEA		TEST GROUP		VEHICLE CLASS(ES)					ATEGORY		FUEL TYPE		
2025	5 S	BMXJ02.0B4P		LDT2, PC					ELECTRIC HICLE		GASOLINE		
	USEFU	L LIFE (miles)		VEHICLE EMISSION CATEGORY				GORY	INTERIM / IN	TER	RMEDIATE IN-USE STD		
EXI	I/ORVR	EVAP		FTP S				TP	FTP		SFTP		
1!	50000	15000)	LEV4	SULEV20		LEV	′ 4	PM		NMOG+NOX AND PM		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS								OBD S	TATUS	E	ENGINE DISPLACEMENT		
1	TWC, 0	GPF, WR-HO2S	но2	S, DFI,	MFI, TC, C	AC		FULL *					
*			*				Р	PARTIAL *			2.0		
*							TIAL WITH FINES	ALL MODELS					
		E	VAPO	RATIVE &	REFUELING	(EVA	P/OR	VR) FAMIL	(INFORMATIO	1			
EVA	AP / OR	VR FAMILY	EVA	PORATIVE	E STD CATE	GORY	, EVAP EMISSION STD VEHICLE CLASS			S	SPECIAL FEATURES		
	SBMXR0	150G60	LE	V 3 OPTI	ION2 WITH 1	FEL		I	PC		*		
					EMISSION CI	REDI	r info	RMATION					
	NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY						ZEV	EV NMOG CREDIT FOR DOR			OPTIONAL EXH. STD FOR WORK TRUCKS		
		N			N			N N					
				NMOG	AND FLEET		RAGE		TION				
NMOG RAF	CH4 FTP RAF NMOG/NMHC RATIO HCHO/NMHC RATIO (g/mi)					0-375					NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
*	*	1.10		*	0	.030			0.030		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), 1961.2(c) (3), or 1961.4(d)(1), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with the applicable standard in Title 13, California Code of Regulations, (13 CCR) Section 1961.4(d)(2)(B) [partial soak standards].

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has submitted materials to demonstrate certification compliance with the applicable standards in Title 13, California Code of Regulations, (13 CCR) Section 1961.4(d)(2)(C) [quick driveaway standards].

BE IT FURTHER RESOLVED:

The listed SFTP Interim In-Use Compliance Standard is applicable for the US06 test cycle only, in accordance with Title 13 CCR Section 1961.4(d)(3)(A)5.a and Title 13 CCR Section 1961.4(d)(3)(A)5.b.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with the applicable standards in Title 13 CCR Section 1961.4(d)(4) [SC03 standards].

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicle models 330i Sedan, 330i xDrive Sedan, 430i Gran Coupe, 430i xDrive Gran Coupe, and X3 xDrive30i have been determined to have two (2) deficiencies and the vehicle models 430i Convertible, 430i Coupe, 430i xDrive Coupe have been determined to have three (3) deficiencies. The listed vehicle models with two (2) deficiencies are approved subject to the manufacturer paying a fine of fifty dollars (\$50) per vehicle for the first and second deficiency in the listed test group that is produced and delivered for sale in California. The listed vehicle models with three (3) deficiencies are approved subject to the manufacturer paying a fine of fifty dollars (\$50) per vehicle for the couple for the second and third deficiency in the listed test group that is produced and delivered for sale in California. The listed vehicle for the second and third deficiency in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the California Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2025 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$47,363 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

This Executive Order hereby supersedes Executive Order A-008-0611 dated May 6, 2024.



The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this $\underline{/\mathcal{BH}}$ day of June 2024.

Robin U. Lang

Robin U. Lang, Chief *O* Emissions Certification and Compliance Division



FUEL TYPE

TIER3 E10

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

		NMOG+NOx (g/mi)			C (g/i	O mi)		Ox mi)		HCHO mg/mi			PM (g/mi)	
			CERT	STD	CERT STD C		CERT	STD	CER	Г	STD	CER	RL	STD
FTP@50K	50K *		*	*	*	*	*	*	*		*	*		*
FTP@UL	GASOLINE- TIER3 E10		0.012	0.020	0.4	1.0	*	*	*		4	0.00	00	0.001
50°F @4K		SOLINE- R3 E10	0.008	0.040	0.2	1.0	*	*	*		8			
				NN	NMOG+NOx (g/mi)			CO (g/mi)						
			l	FUEL TYP	CE	RT	STD		CER	Г		STD		
HWFET @ 50K				*			*		*	*				
HWFET @ UL		L GASOLINE-TIER3 E10						07	0.020					
20°F @ 50K		COLD	CO E10 R					0.5		1	L0.0			

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

			SF	ΓΡΕΧΙ	HAUST	EMI	SSION	I STANDA	ARDS	AND	CERTIFIC	ATION LE	VELS			
						ι	JS06				SC03		C	OMPOSITI		
	FUEL TY	PE			G+NOx /mi)	K	CO (g/mi)	Pl (mg/			DG+NOx g/mi)	CO (g/mi)	NMOG+NO (g/mi)	x CO (g/mi)	PM (mg/mi)	
- <i>w</i>	@4K *		CERT	*			*		,	*		*	(9,)	(9,)	(
@ 4K			STD	*			*				*	*				
		C	CERT		0.015		0.4 1		•	0.010		0.8	*	* *		
@ UL	DUL GASOLINE- TIER3 E10		STD	0.030			9.6 3		5	0.020		1.0	*	*	*	
			BIN										*			
		ωно	DLE VEH	HICLE	EVAP	ORA	TIVE E	MISSION	STAN	IDAR	DS AND C	ERTIFICA	TION LEVE	LS		
						WF	IOLE V	/EHICLE	EVAP	ORA	IVE TEST	ING				
	ORATIVE AMILY	···· FUEL TY		PE 3DHS (IS (g/test) @ UL				2DF	IS (g/test)	@ UL	F	RL (g/mi) @ UL		
				CERT		S	STD FEL		CEF	RT	STD	FEL	CE	RT	STD	
SBMXI	SBMXR0150G60		SOLINE ER3 E1		0.230 0		300	0.300	0.1	75	0.300	0.30	0 0.0	00	0.05	
(ORVR / FU	EL ON	NLY / C	ANIST	ER BL	EED.	EVAP	ORATIVE	EMIS	SION	STANDA	RDS AND	CERTIFICA	TION LEV	ELS	
FUEL ONLY EVAP & CANISTER BLEED																
	EVAPORATIVE FAMILY		RVR (g/gallon) @ UL			L				DHS RIG TEST (g/test) @ UL			RIG TEST t) @ UL		CANISTER /test) @ 4K	
		FUE		CEF	RT S	TD			CE	RT	STD	CERT	STD	CERT	STD	
SBMX	R0150G60		OLINE-	0 0	03 0	. 20		OLINE- B3 F10	*	,	*	* * 0.010		0.010	0.020	

TIER3 E10



EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)									
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD						
SBMXR0150G60	SBMXR0150G60-001	0.00	0.02						

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR.3751-5750#LVW; LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; cGPF (coated gasoline particulate filter); HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2025 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
BMW	3301 SEDAN	PC	2.0	SA8	SBMXR0150G60	1	\$
BMW	3301 XDRIVE SEDAN	PC	2.0	SA8	SBMXR0150G60	1	\$
BMW	4301 CONVERTIBLE	PC	2.0	SA8	SBMXR0150G60	1	\$
BMW	4301 COUPE	PC	2.0	SA8	SBMXR0150G60	1	\$
BMW	4301 GRAN COUPE	PC	2.0	SA8	SBMXR0150G60	1	\$
BMW	4301 XDRIVE CONVERTIBLE	PC	2.0	SA8	SBMXR0150G60	1	\$
BMW	4301 XDRIVE COUPE	PC	2.0	SA8	SBMXR0150G60	1	\$
BMW	4301 XDRIVE GRAN COUPE	PC	2.0	SA8	SBMXR0150G60	1	\$
BMW	X3 XDRIVE301	LDT2	2.0	SA8	SBMXR0150G60	1	\$