

GENERAL MOTORS LLC.

Executive Order: A-006-2451

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 6

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP IN	IFORI	MATION					
MODE		EST GROUP		VEHIC	LE CLASS(E	S)		FUEL C	ATEGORY		FUEL TYPE		
2025	SG	MXD06.6230			MDV5		DEDICATED SINGLE FUEL VEHICLE				GASOLINE		
	USEFUL	. LIFE (miles)		VEH	IICLE EMISS	ION C	ATEC	ORY	INTERIM / IN	ΓERM	IEDIATE IN-USE STD		
EXH	/ORVR	EVAP			FTP SF			TP FTP			SFTP		
15	150000 150000)	LEV3	SULEV230 LEV3 SUI (HOT1435 (LA92), S FTP TEST C		35 UC SC03,	*		*			
SPE	CIAL FE	ATURES & EX	HAUS		ON CONTRO	L		OBD S	TATUS	EN	GINE DISPLACEMENT (L)		
1		DFI, 2TW	С, 2Н	O2S(2),	TWC			FULL	ALL MODELS				
*			*				P	ARTIAL	*		6.6		
*	*						I	TIAL WITH FINES	*				
•		E	VAPO	RATIVE &	REFUELING	(EVA	P/OR	VR) FAMIL	/ INFORMATION				
EVA	P / ORV	R FAMILY	EVA	PORATIVI	STD CATE	GORY	,	EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES		
ú	GMXF01	6360D	L	V 3 OPTION2 WITH FEL				MDV5		HCT			
92	GMXF01	9060C	L	EV 3 OPT	ON2 WITH	FEL	EL MDV5			HCT			
S	GMXF02	176BB	L	EV 3 OPT	ON2 WITH	FEL		MI	V5		HCT		
S	GMXR02	1360в	L	EV 3 OPT	ON2 WITH	FEL		MI)V5		HCT		
					EMISSION C	REDIT	INFC	RMATION					
	EDIT FO	X FLEET AVE. OR EXTENDED RRANTY			REDIT FOR N ZERO-EVAP	ON-P	ZEV	NMOG C	REDIT FOR DOF	, ,	OPTIONAL EXH. STD FOR WORK TRUCKS		
		N			N				N		N		
				NMOG	AND FLEET	AVE	RAGE	INFORMA	TION				
NMOG RAF	CH4 RAF	FTP NMOG/NMHO RATIO	: I	HO/NMHC RATIO	LDT (3751 L			MDV (8501-10000 GVWR)		MOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)			
*	*	1.10		*		*		0.178			0.247		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



GENERAL MOTORS LLC. Executive Order: A-006-2451

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 6

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this /st day of July 2024.

Robin U. Lang, Chief

Emissions Certification and Compliance Division

Rolin U. Lang

GENERAL MOTORS LLC.

Executive Order: A-006-2451

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 6

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

		NMOG+NOx (g/mi)		CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	*	*	*	*	*	*	*	*	*	*	*
FTP@UL	GASOLINE- TIER3 E10	0.120	0.230	0.8	4.2	*	*	*	6	0.004	0.010
50°F @4K	*	*	*	*	*	*	*	*	*		

	FUEL TYPE	NMOG+N	Ox (g/mi)	CO (g/mi)		
	FUELTIPE	CERT	STD	CERT	STD	
HWFET @ 50K	*	*	*			
HWFET @ UL	GASOLINE-TIER3 E10	0.007	0.230			
20°F @ 50K	*			*	*	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

				US06		SC0	3	COM	IPOSITE	
	FUEL TYPE		NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	1K *	CERT	*	*		*	*			
		STD	*	*		*	*			
		CERT	*	*	*	*	*	0.063	0.9	2
@ UL	GASOLINE- TIER3 E10	STD	*	*	*	*	*	0.350	4.0	7
		BIN						*		

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

	FUEL TYPE		WHOLE \						
EVAPORATIVE FAMILY		3DHS (g/test) @ UL			2DI	HS (g/test) (RL (g/mi) @ UL		
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
SGMXF016360D	GASOLINE- TIER3 E10	0.448	0.600	0.600	0.325	0.600	0.600	0.00	0.05
SGMXF019060C	GASOLINE- TIER3 E10	0.448	0.600	0.600	0.304	0.600	0.600	0.00	0.05
SGMXF02176BB	GASOLINE- TIER3 E10	0.386	0.600	0.600	0.339	0.600	0.600	0.00	0.05
SGMXR021360B	GASOLINE- TIER3 E10	0.348	0.600	0.600	0.286	0.600	0.600	0.00	0.05

GENERAL MOTORS

Executive Order: A-006-2451

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 6

ORVR / FUI	ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS												
					FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE	3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K				
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD			
SGMXF016360D	GASOLINE- TIER3 E10	*	*	GASOLINE- TIER3 E10	*	*	*	*	0.019	0.030			
SGMXF019060C	GASOLINE- TIER3 E10	*	*	GASOLINE- TIER3 E10	*	*	*	*	0.004	0.030			
SGMXF02176BB	GASOLINE- TIER3 E10	*	*	GASOLINE- TIER3 E10	*	*	*	*	0.018	0.030			
SGMXR021360B	GASOLINE- TIER3 E10	0.01	0.20	GASOLINE- TIER3 E10	*	*	*	*	0.005	0.030			

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)

			,
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD
SGMXF02176BB	SGMXF02176BB-LK1	*	0.02
SGMXF016360D	SGMXF016360D-LK1	*	0.02
SGMXF019060C	SGMXF019060C-LK1	*	0.02
SGMXR021360B	SGMXR021360B-LK1	*	0.02

': not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV: SULEV: super ULEV: ZEV: zero-emission vehicle: TZEV: transitional ZEV: TWC/OC: 3-way/oxidizing catalyst: ADSTWC: adsorbing TWC: HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; cGPF (coated gasoline particulate filter); HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2025 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
CHEVROLET	G3500 EXPRESS 2WD CUTAWAY CH	MDV5	6.6	A8	SGMXF019060C	1	F
CHEVROLET	G4500 EXPRESS 2WD CUTAWAY CH	MDV5	6.6	A8	SGMXF019060C	1	F
CHEVROLET	SILERAVDO 3500 HD 4WD MT	MDV5	6.6	A10	SGMXR021360B	1	F
CHEVROLET	SILVERADO 2500 HD 2WD	MDV5	6.6	A10	SGMXR021360B	1	F
CHEVROLET	SILVERADO 2500 HD 2WD CAB CHAS	MDV5	6.6	A10	SGMXF02176BB	1	F



2025 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
CHEVROLET	SILVERADO 2500 HD 4WD	MDV5	6.6	A10	SGMXR021360B	1	F
CHEVROLET	SILVERADO 2500 HD 4WD CAB CHAS	MDV5	6.6	A10	SGMXF02176BB	1	F
CHEVROLET	SILVERADO 2500 HD 4WD MT	MDV5	6.6	A10	SGMXR021360B	1	F
CHEVROLET	SILVERADO 2500 HD 4WD ZR2	MDV5	6.6	A10	SGMXR021360B	1	F
CHEVROLET	SILVERADO 3500 HD 2WD	MDV5	6.6	A10	SGMXR021360B	1	F
CHEVROLET	SILVERADO 3500 HD 2WD CAB CHAS	MDV5	6.6	A10	SGMXF016360D	1	F
CHEVROLET	SILVERADO 3500 HD 2WD CAB CHAS	MDV5	6.6	A10	SGMXF02176BB	1	F
CHEVROLET	SILVERADO 3500 HD 2WD DRW	MDV5	6.6	A10	SGMXR021360B	1	F
CHEVROLET	SILVERADO 3500 HD 4WD	MDV5	6.6	A10	SGMXR021360B	1	F
CHEVROLET	SILVERADO 3500 HD 4WD CAB CHAS	MDV5	6.6	A10	SGMXF016360D	1	F
CHEVROLET	SILVERADO 3500 HD 4WD CAB CHAS	MDV5	6.6	A10	SGMXF02176BB	1	F
CHEVROLET	SILVERADO 3500 HD 4WD DRW	MDV5	6.6	A10	SGMXR021360B	1	F
GMC	G3500 SAVANA 2WD CUTAWAY CH	MDV5	6.6	A8	SGMXF019060C	1	F
GMC	G4500 SAVANA 2WD CUTAWAY CH	MDV5	6.6	A 8	SGMXF019060C	1	F
GMC	SIERRA 2500 HD 2WD	MDV5	6.6	A10	SGMXR021360B	1	F
GMC	SIERRA 2500 HD 2WD CAB CHAS	MDV5	6.6	A10	SGMXF02176BB	1	F
GMC	SIERRA 2500 HD 4WD	MDV5	6.6	A10	SGMXR021360B	1	F
GMC	SIERRA 2500 HD 4WD AT4X	MDV5	6.6	A10	SGMXR021360B	1	F
GMC	SIERRA 2500 HD 4WD CAB CHAS	MDV5	6.6	A10	SGMXF02176BB	1	F
GMC	SIERRA 2500 HD 4WD MT	MDV5	6.6	A10	SGMXR021360B	1	F
GMC	SIERRA 3500 HD 2WD	MDV5	6.6	A10	SGMXR021360B	1	F
GMC	SIERRA 3500 HD 2WD CAB CHAS	MDV5	6.6	A10	SGMXF016360D	1	F
GMC	SIERRA 3500 HD 2WD CAB CHAS	MDV5	6.6	A10	SGMXF02176BB	1	F
GMC	SIERRA 3500 HD 2WD DRW	MDV5	6.6	A10	SGMXR021360B	1	F
GMC	SIERRA 3500 HD 4WD	MDV5	6.6	A10	SGMXR021360B	1	F
GMC	SIERRA 3500 HD 4WD CAB CHAS	MDV5	6.6	A10	SGMXF016360D	1	F
GMC	SIERRA 3500 HD 4WD CAB CHAS	MDV5	6.6	A10	SGMXF02176BB	1	F

GENERAL MOTORS LLC.

Executive Order: A-006-2451

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 6 of 6

2025 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
GMC	SIERRA 3500 HD 4WD DRW	MDV5	6.6	A10	SGMXR021360B	1	F
GMC	SIERRA 3500 HD 4WD MT	MDV5	6.6	A10	SGMXR021360B	1	F