

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP II	NFOR	MATION					
MODE YEAF		EST GROUP		VEHIC	VEHICLE CLASS(ES)			FUEL CATEGORY			FUEL TYPE		
2025	5 SI	LALT03.0001			LDT4		DEDICATED SINGLE FUEL VEHICLE			GASOLINE			
	USEFU	L LIFE (miles)		VEF	VEHICLE EMISSION CATEGORY INTERIM / INTERMEDIATE IN-USE S								
EXH	i/orvr	EVAP			FTP		SF	ТР	FTP		SFTP		
15	50000	150000)	LEV3	ULEV50	LEV	73 CO	MPOSITE	*		*		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS						L		OBD S	TATUS	E	ENGINE DISPLACEMENT (L)		
1	TWC, WR-HO2S, HO2S, DFI, TC, CAC							FULL	ALL MODELS				
*	*						P	ARTIAL	*	3.0			
*	* *						PAR	TIAL WITH	H *				
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION													
EVA	\P / OR\	R FAMILY	EVA	PORATIVE	E STD CATE	GORY	,	EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES		
:	SIALR0	180001		LEV 3	OPTION2	LDT4			от4	*			
				I	EMISSION CI	REDIT	FINFO	ORMATION					
	REDIT FO	DX FLEET AVE. DR EXTENDED RRANTY			EDIT FOR N ZERO-EVAP	ON-P	ZEV	EV NMOG CREDIT FOR DOP			OPTIONAL EXH. STD FOR WORK TRUCKS		
		N			N				N				
				NMOG	AND FLEET	AVE	RAG		TION				
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO		IO/NMHC RATIO	NMOG+NO PC+LDT (((g			V) LDT			IMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
*	*	1.10		*	0	.051			0.051		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this 2/st day of June 2024.

Jolin U. Lang

Robin U. Lang, Chief *U* Emissions Certification and Compliance Division



FUEL TYPE

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

		NMOG+NOx (g/mi)		CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	*	*	*	*	*	*	*	*	*	*	*
FTP@UL	GASOLINE- TIER3 E10 PREM	0.032	0.050	0.6	1.7	*	*	2	4	0.001	0.003
50°F @4K	GASOLINE- TIER3 E10 PREM	0.030	0.100	0.5	1.7	*	*	2.8	16		

	FUEL TYPE	NMOG+N	Ox (g/mi)	CO (g/mi)		
	FOELTIFE	CERT	STD	CERT	STD	
HWFET @ 50K	*	*	*			
HWFET @ UL	GASOLINE-TIER3 E10 PREM	0.016	0.050			
20°F @ 50K	GASOLINE-TIER3 E10 PREM			1.5	12.5	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

		S	FTP EXHAUS	T EMISSION	N STAND	ARDS AN	ND CERTIFIC	ATION L	EVELS		
				US06			SC03	5	CO	MPOSITE	
	FUEL TYP	ΡE	NMOG+NO	x CO	P	M N	IMOG+NOx	со	NMOG+NOx	СО	PM
			(g/mi)	(g/mi)) (mg	g/mi)	(g/mi)	(g/mi)	(g/mi)	(g/mi)	(mg/mi)
@ 4K	*	CERT	*	* *			*	*			
-		STD	*	*			*	*			
		CERT	*	*	1	. 9	*	*	0.027	1.2	*
@ UL	GASOLINE TIER3 E1 PREM		*	*		6	*	*	0.050	4.2	*
		BIN							0.050		
		WHOLE V	EHICLE EVAP	ORATIVE E	MISSION		ARDS AND O	CERTIFIC	ATION LEVEL	S	
				WHOLE	VEHICLE	EVAPOF	RATIVE TEST	ΓING			
	ORATIVE MILY	FUEL T	PE 3DI	HS (g/test) (@ UL	2	2DHS (g/test)) @ UL	RL	RL (g/mi) @ UL	
			CERT	STD	FEL	CERT	STD	FEI	L CER	CERT	
SIALR0180001		GASOLI LEV3 E PREM	10 0.292	0.500	*	0.358	0.500	*	0.00)	0.05



INEOS AUTOMOTIVE LIMITED

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS													
			FUEL ONLY EVAP & CANISTER BLEED										
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE			IG TEST) @ UL	2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K			
	FUEL TYPE	CERT	STD			CERT	STD	CERT	STD	CERT	STD		
SIALR0180001	GASOLINE- LEV3 E10 PREM	0.13	0.20	GASOLINE- LEV3 E10 PREM		LEV3 E10		*	*	*	*	0.006	0.020
EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)													
EVAPORATIVE FAMILY LEAK FAMIL			Y		CERT			STD					
SIALR0180001 SIAI			180001	-001		0.0	02		0.02				

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: _DT<6000#GVWR.3751-5750#LVW; LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; cGPF (coated gasoline particulate filter); HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission: AM: automated manual transmission: AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2025 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
INEOS	GRENADIER BELSTAFF EDITION	LDT4	3.0	SA8	SIALR0180001	1	F
INEOS	GRENADIER DETOUR	LDT4	3.0	SA8	SIALR0180001	1	F
INEOS	GRENADIER FIELDMASTER	LDT4	3.0	SA8	SIALR0180001	1	F
INEOS	GRENADIER STATION WAGON	LDT4	3.0	SA8	SIALR0180001	1	F
INEOS	GRENADIER TRIALMASTER	LDT4	3.0	SA8	SIALR0180001	1	F
INEOS	QUARTERMASTER	LDT4	3.0	SA8	SIALR0180001	1	F
INEOS	QUARTERMASTER FIELDMASTER EDITION	LDT4	3.0	SA8	SIALR0180001	1	F
INEOS	QUARTERMASTER TRIALMASTER EDITION	LDT4	3.0	SA8	SIALR0180001	1	F