



Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43013, 43018, 43101, 43102 and 43104; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following new spark-ignition marine engine and emission control systems (ECS) produced by the manufacturer are certified as described below. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	FUEL TYPE	DISPLACEMENT (cc)	LEVEL OF CLEANLINESS
2004	4M9XM05.0GME	Gasoline	5000	Ultra Low Emission ("Three Stars")
EQUIPMENT APPLICATION		ECS & SPECIAL FEATURES		ENGINE TYPE
Inboard & Sterndrive		Multiport Fuel Injection		4-Stroke
ENGINE MODELS (rated power in kilowatts, kW)	See Attachment			

BE IT ORDERED AND RESOLVED: That the listed engines are certified to a hydrocarbon plus oxides of nitrogen (HC+NOx) family emission limit (FEL) in accordance with a plan submitted by the manufacturer to, and approved by, the Executive Officer for compliance with the exhaust emission standard on a corporate average basis pursuant to Title 13, California Code of Regulations, (13 CCR) Section 2442(b). The FEL shall be the applicable emission standard for this engine family for determining compliance of any engine within this engine family pursuant to 13 CCR Sections 2444.1 (in-use compliance). The FEL and certification emission level in grams per kilowatt-hour (g/kW-hr) for this engine family are as follows. Engines in this engine family shall have closed crankcases in conformance with Part I, Section 18.(h) of the "California Exhaust Emission Standards and Test Procedures for 2001 Model-Year and Later Spark-Ignition Marine Engines."

	FAMILY EMISSION LIMIT (g/kW-hr)	CERTIFICATION LEVEL (g/kW-hr)
HC+NOx	16.0	11.7

Compliance with the emission standard on a corporate average basis shall be determined pursuant to 13 CCR Section 2442(b) based on the sales-weighted average of all engines produced for sale in California that are included in the approved corporate average compliance plan for the model-year.

BE IT FURTHER RESOLVED: That for the listed engines, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Sections 2443.1, 2443.2 and 2443.3 (emission control, consumer, and environmental labels), and Sections 2445.1 and 2445.2 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this 10TH day of December 2003.

Allen Lyons, Chief
Mobile Source Operations Division

Model Year: 2004
 Manufacturer Name: Mercury MerCruiser
 Engine Family: 4M9XM05.0GME
 SI MARINE ENGINE SUPPLEMENTAL INFORMATION.

Page: _____
 Issued: 12/10/03
 Revised: 12/19/04
 E.O.#: U-W-001-0074

S11. MODEL SUMMARY (Use asterisk to identify worst-case engine model used for certification testing)

S12 Model Designation	S13 Engine Code	S14 Sales Codes (Check all appropriate codes)			S15 Eng. Disp. (cc)	S16 Rated Power (kW)	S17 Rated Speed (RPM)	S18 Peak Torque (N-m)	S19 Peak Torque Speed
		Calif. Only	49 State	50-State					
44M4122RRS				X	5000	193.8	5000	397.3	3700
44M4122LRS				X	5000	193.8	5000	397.3	3700
44M4122MRS				X	5000	193.8	5000	397.3	3700
44M4122NRS				X	5000	193.8	5000	397.3	3700
44M4122PRS				X	5000	193.8	5000	397.3	3700
44M4123LRS				X	5000	193.8	5000	397.3	3700
44M4123MRS				X	5000	193.8	5000	397.3	3700
44M4123NRS				X	5000	193.8	5000	397.3	3700
44M4123PRS				X	5000	193.8	5000	397.3	3700
44M42227RS				X	5000	193.8	5000	397.3	3700
44M42229RS				X	5000	193.8	5000	397.3	3700
44M4222RRS				X	5000	193.8	5000	397.3	3700
44M4222LRS				X	5000	193.8	5000	397.3	3700
44M4222MRS				X	5000	193.8	5000	397.3	3700
44M4222NRS				X	5000	193.8	5000	397.3	3700
44M4222PRS				X	5000	193.8	5000	397.3	3700
44M42237RS				X	5000	193.8	5000	397.3	3700
44M42239RS				X	5000	193.8	5000	397.3	3700
44M4223LRS				X	5000	193.8	5000	397.3	3700
44M4223MRS				X	5000	193.8	5000	397.3	3700
44M4223NRS				X	5000	193.8	5000	397.3	3700
44M4223PRS				X	5000	193.8	5000	397.3	3700
*44M42257RS				X	5000	193.8	5000	397.3	3700
44M4225LRS				X	5000	193.8	5000	397.3	3700
440500001S				X	5000	193.8	5000	397.3	3700
44M4123RRS				X	5000	193.8	5000	397.3	3700
44M4103LRS				X	5000	193.8	5000	397.3	3700
44M4125LRS				X	5000	193.8	5000	397.3	3700
44M4125NRS				X	5000	193.8	5000	397.3	3700
44M42227RS				X	5000	193.8	5000	397.3	3700
44M42229RS				X	5000	193.8	5000	397.3	3700
44M42237RS				X	5000	193.8	5000	397.3	3700
44M42259RS				X	5000	193.8	5000	397.3	3700
44M4225MRS				X	5000	193.8	5000	397.3	3700

