

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code Sections 43013, 43018, 43101, 43102 and 43104; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following new spark-ignition marine engine and emission control systems (ECS) produced by the manufacturer are certified as described below. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	FUEL TYPE	DISPLACEMENT (cc)	LEVEL OF CLEANLINESS
2019	KM9XM3.42GW	Gasoline	3432	Ultra Low Emission ("Three Stars")
EQUIPMENT APPLICATION		ECS & SPECIAL FEATURES		ENGINE TYPE
Outboard		Sequential Multiport Fuel Injection, Heated Oxygen Sensor		4-Stroke
ENGINE MODELS (rated power in kilowatts, kW)	See Attachment			

BE IT ORDERED AND RESOLVED: That the listed engines are certified to a hydrocarbon plus oxides of nitrogen (HC+NOx) family emission limit (FEL) and a carbon monoxide (CO) direct standard in accordance with a plan submitted by the manufacturer to, and approved by, the Executive Officer for compliance with the exhaust emission standards on a corporate average basis pursuant to Title 13, California Code of Regulations, (13 CCR) Section 2442(a). The HC+NOx FEL and the CO standard shall be the applicable emission standards for this engine family for determining compliance of any engine within this engine family pursuant to 13 CCR Sections 2444.1 (in-use compliance) and 2446 (audit testing). The standards and certification emission levels in grams per kilowatt-hour (g/kW-hr) for this engine family are as follows. Engines in this engine family shall have closed crankcases in conformance with Part I, Section 18(h) of the "California Exhaust Emission Standards and Test Procedures for 2001 Model-Year and Later Spark-Ignition Marine Engines."

*=not applicable	HC+NOx (g/kW-hr)	CO (g/kW-hr)
STANDARD	*	300.0
FAMILY EMISSION LEVEL	15.00	*
CERTIFICATION LEVEL	12.19	71.7

Compliance with the emission standards on a corporate average basis shall be determined pursuant to 13 CCR Section 2442(a) based on the sales-weighted average power of all engines produced for sale in California that are included in the approved corporate average compliance plan for the model-year.

BE IT FURTHER RESOLVED: That for the listed engines, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Sections 2443.1, 2443.2 and 2443.3 (emission control, consumer, and environmental labels), and Sections 2445.1 and 2445.2 (emission control system warranty).

BE IT FURTHER RESOLVED: That the listed engine models are conditionally certified pending confirmatory testing to be completed by February 25, 2010. Failure to adequately demonstrate compliance by the specified date shall be cause for the Air Resources Board to revoke this Executive Order. Engines introduced into commerce under the revoked Executive Order shall be deemed uncertified, and the manufacturer may be subject to enforcement action.


Engines certified under this Executive Order must conform to all applicable California emission regulations.

Quarterly reports of engines produced in this engine family for sale in California shall be submitted to the Executive Officer no later than 45 days after the end of each calendar quarter pursuant to 13 CCR Sections 2442(a)(2)(B) and 2446.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

This Executive Order hereby cancels and replaces Executive Order U-W-001-0504-1 dated December 26, 2018.

Executed at El Monte, California on this 25TH day of June 2019.



Allen Lyons, Chief
Emissions Compliance, Automotive Regulations and Science Division

Model Year	Engine Family	Fuel Type	Level of Cleanliness
2019	AMERICAN ARROW	Gasoline	Level 1
2019	AMERICAN ARROW	Gasoline	Level 2
2019	AMERICAN ARROW	Gasoline	Level 3
2019	AMERICAN ARROW	Gasoline	Level 4
2019	AMERICAN ARROW	Gasoline	Level 5
2019	AMERICAN ARROW	Gasoline	Level 6
2019	AMERICAN ARROW	Gasoline	Level 7
2019	AMERICAN ARROW	Gasoline	Level 8
2019	AMERICAN ARROW	Gasoline	Level 9
2019	AMERICAN ARROW	Gasoline	Level 10
2019	AMERICAN ARROW	Gasoline	Level 11
2019	AMERICAN ARROW	Gasoline	Level 12
2019	AMERICAN ARROW	Gasoline	Level 13
2019	AMERICAN ARROW	Gasoline	Level 14
2019	AMERICAN ARROW	Gasoline	Level 15
2019	AMERICAN ARROW	Gasoline	Level 16
2019	AMERICAN ARROW	Gasoline	Level 17
2019	AMERICAN ARROW	Gasoline	Level 18
2019	AMERICAN ARROW	Gasoline	Level 19
2019	AMERICAN ARROW	Gasoline	Level 20
2019	AMERICAN ARROW	Gasoline	Level 21
2019	AMERICAN ARROW	Gasoline	Level 22
2019	AMERICAN ARROW	Gasoline	Level 23
2019	AMERICAN ARROW	Gasoline	Level 24
2019	AMERICAN ARROW	Gasoline	Level 25
2019	AMERICAN ARROW	Gasoline	Level 26
2019	AMERICAN ARROW	Gasoline	Level 27
2019	AMERICAN ARROW	Gasoline	Level 28
2019	AMERICAN ARROW	Gasoline	Level 29
2019	AMERICAN ARROW	Gasoline	Level 30
2019	AMERICAN ARROW	Gasoline	Level 31
2019	AMERICAN ARROW	Gasoline	Level 32
2019	AMERICAN ARROW	Gasoline	Level 33
2019	AMERICAN ARROW	Gasoline	Level 34
2019	AMERICAN ARROW	Gasoline	Level 35
2019	AMERICAN ARROW	Gasoline	Level 36
2019	AMERICAN ARROW	Gasoline	Level 37
2019	AMERICAN ARROW	Gasoline	Level 38
2019	AMERICAN ARROW	Gasoline	Level 39
2019	AMERICAN ARROW	Gasoline	Level 40
2019	AMERICAN ARROW	Gasoline	Level 41
2019	AMERICAN ARROW	Gasoline	Level 42
2019	AMERICAN ARROW	Gasoline	Level 43
2019	AMERICAN ARROW	Gasoline	Level 44
2019	AMERICAN ARROW	Gasoline	Level 45
2019	AMERICAN ARROW	Gasoline	Level 46
2019	AMERICAN ARROW	Gasoline	Level 47
2019	AMERICAN ARROW	Gasoline	Level 48
2019	AMERICAN ARROW	Gasoline	Level 49
2019	AMERICAN ARROW	Gasoline	Level 50
2019	AMERICAN ARROW	Gasoline	Level 51
2019	AMERICAN ARROW	Gasoline	Level 52
2019	AMERICAN ARROW	Gasoline	Level 53
2019	AMERICAN ARROW	Gasoline	Level 54
2019	AMERICAN ARROW	Gasoline	Level 55
2019	AMERICAN ARROW	Gasoline	Level 56
2019	AMERICAN ARROW	Gasoline	Level 57
2019	AMERICAN ARROW	Gasoline	Level 58
2019	AMERICAN ARROW	Gasoline	Level 59
2019	AMERICAN ARROW	Gasoline	Level 60
2019	AMERICAN ARROW	Gasoline	Level 61
2019	AMERICAN ARROW	Gasoline	Level 62
2019	AMERICAN ARROW	Gasoline	Level 63
2019	AMERICAN ARROW	Gasoline	Level 64
2019	AMERICAN ARROW	Gasoline	Level 65
2019	AMERICAN ARROW	Gasoline	Level 66
2019	AMERICAN ARROW	Gasoline	Level 67
2019	AMERICAN ARROW	Gasoline	Level 68
2019	AMERICAN ARROW	Gasoline	Level 69
2019	AMERICAN ARROW	Gasoline	Level 70
2019	AMERICAN ARROW	Gasoline	Level 71
2019	AMERICAN ARROW	Gasoline	Level 72
2019	AMERICAN ARROW	Gasoline	Level 73
2019	AMERICAN ARROW	Gasoline	Level 74
2019	AMERICAN ARROW	Gasoline	Level 75
2019	AMERICAN ARROW	Gasoline	Level 76
2019	AMERICAN ARROW	Gasoline	Level 77
2019	AMERICAN ARROW	Gasoline	Level 78
2019	AMERICAN ARROW	Gasoline	Level 79
2019	AMERICAN ARROW	Gasoline	Level 80
2019	AMERICAN ARROW	Gasoline	Level 81
2019	AMERICAN ARROW	Gasoline	Level 82
2019	AMERICAN ARROW	Gasoline	Level 83
2019	AMERICAN ARROW	Gasoline	Level 84
2019	AMERICAN ARROW	Gasoline	Level 85
2019	AMERICAN ARROW	Gasoline	Level 86
2019	AMERICAN ARROW	Gasoline	Level 87
2019	AMERICAN ARROW	Gasoline	Level 88
2019	AMERICAN ARROW	Gasoline	Level 89
2019	AMERICAN ARROW	Gasoline	Level 90
2019	AMERICAN ARROW	Gasoline	Level 91
2019	AMERICAN ARROW	Gasoline	Level 92
2019	AMERICAN ARROW	Gasoline	Level 93
2019	AMERICAN ARROW	Gasoline	Level 94
2019	AMERICAN ARROW	Gasoline	Level 95
2019	AMERICAN ARROW	Gasoline	Level 96
2019	AMERICAN ARROW	Gasoline	Level 97
2019	AMERICAN ARROW	Gasoline	Level 98
2019	AMERICAN ARROW	Gasoline	Level 99
2019	AMERICAN ARROW	Gasoline	Level 100

Model Year: 2019
 Manufacturer Name: Mercury Marine
 Engine Family: KM9XM03.42GW
 SI MARINE ENGINE SUPPLEMENT INFORMATION

Page: 3
 Issued: 12/26/2018
 Revised: 05/03/2019
 E.O.#: U-W-001-0504 - 1

S10. MODEL SUMMARY (Use asterisk to identify worst-case engine model used for certification testing)

S11 Model Designation	S12 Engine Code	S13 Sales Codes (Check all appropriate codes)			S14 Eng. Disp. (cc)	S15 Rated Power (kW)	S16 Rated Speed (RPM)	S17 Peak Torque (N-m)	S18 Peak Torque Speed
		Calif. Only	49 State	50-State					
11750001A				X	3432	138	4250	312	4000
11750002A				X	3432	138	4250	312	4000
11750003A				X	3432	138	4250	312	4000
11750004A				X	3432	138	4250	312	4000
11750005A				X	3432	138	4250	312	4000
*11750006A				X	3432	138	4250	312	4000
12000001A				X	3432	149	4750	314	4500
12000002A				X	3432	149	4750	314	4500
12000003A				X	3432	149	4750	314	4500
12000004A				X	3432	149	4750	314	4500
12000005A				X	3432	149	4750	314	4500
12000006A				X	3432	149	4750	314	4500
12000007A				X	3432	149	4750	314	4500
12000008A				X	3432	149	4750	314	4500
12000009A				X	3432	149	4750	314	4500
12000010A				X	3432	149	4750	314	4500
12000011A				X	3432	149	4750	314	4500
12000012A				X	3432	149	4750	314	4500
12000013A				X	3432	149	4750	314	4500
12000014A				X	3432	149	4750	314	4500
12000015A				X	3432	149	4750	314	4500
12000016A				X	3432	149	4750	314	4500
12000029A				X	3432	149	4750	314	4500
12000030A				X	3432	149	4750	314	4500
12000031A				X	3432	149	4750	314	4500
12000032A				X	3432	149	4750	314	4500
12000017A				X	3432	149	4750	314	4500
12000018A				X	3432	149	4750	314	4500
12000019A				X	3432	149	4750	314	4500
12000020A				X	3432	149	4750	314	4500
12250001A				X	3432	168	6000	314	4500
12250002A				X	3432	168	6000	314	4500
12250003A				X	3432	168	6000	314	4500
12250004A				X	3432	168	6000	314	4500

Model Year: 2019
 Manufacturer Name: Mercury Marine
 Engine Family: KM9XM03.42GW
 SI MARINE ENGINE SUPPLEMENT INFORMATION

Page: 4
 Issued: 12/26/2018
 Revised: 05/03/2019
 E.O.#: U-W-001-0504 -1

12250005A				X	3432	168	6000	314	4500
12250006A				X	3432	168	6000	314	4500
12250007A				X	3432	168	6000	314	4500
12250008A				X	3432	168	6000	314	4500
12250009A				X	3432	168	6000	314	4500
12250010A				X	3432	168	6000	314	4500
12250011A				X	3432	168	6000	314	4500
12250012A				X	3432	168	6000	314	4500
12250013A				X	3432	168	6000	314	4500
12250014A				X	3432	168	6000	314	4500
12250015A				X	3432	168	6000	314	4500
12250016A				X	3432	168	6000	314	4500
12250047A				X	3432	168	6000	314	4500
12250048A				X	3432	168	6000	314	4500
12250049A				X	3432	168	6000	314	4500
12250050A				X	3432	168	6000	314	4500
12250017A				X	3432	168	6000	314	4500
12250018A				X	3432	168	6000	314	4500
12250019A				X	3432	168	6000	314	4500
12250020A				X	3432	168	6000	314	4500
12250021A				X	3432	168	6000	314	4500
12250022A				X	3432	168	6000	314	4500
12250023A				X	3432	168	6000	314	4500
12250024A				X	3432	168	6000	314	4500
12250025A				X	3432	168	6000	314	4500
12250026A				X	3432	168	6000	314	4500
12250027A				X	3432	168	6000	314	4500
12250028A				X	3432	168	6000	314	4500
12250029A				X	3432	168	6000	314	4500
12250030A				X	3432	168	6000	314	4500
12250031A				X	3432	168	6000	314	4500
12250032A				X	3432	168	6000	314	4500
12000021A				X	3432	149	4750	314	4500
12000022A				X	3432	149	4750	314	4500
12000023A				X	3432	149	4750	314	4500
12000024A				X	3432	149	4750	314	4500
12000025A				X	3432	149	4750	314	4500
12000026A				X	3432	149	4750	314	4500

* worst-case equivalent engine model used for certification testing (175 XL DTS)