Pursuant to the authority vested in California Air Resources Board by Health and Safety Code Sections 43013, 43018, 43101, 43102 and 43104; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following new spark-ignition marine engine and emission control systems (ECS) produced by the manufacturer are certified as described below. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	FUEL TYPE	DISPLACEMENT (cc)	LEVEL OF CLEANLINESS
2023	PHNXM.3502G0	Gasoline	350	Ultra Low Emission ("Three Stars")
EQUIPMENT	APPLICATION	ECS & SPEC	IAL FEATURES	ENGINE TYPE
Ou	tboard	Engine N	Modification	4-Stroke
ENGINE MODELS (rated power in kilowatts, kW)			See Attachment	

BE IT ORDERED AND RESOLVED: That the listed engines are certified to a hydrocarbon plus oxides of nitrogen (HC+NOx) family emission limit (FEL) and a carbon monoxide (CO) direct standard in accordance with a plan submitted by the manufacturer to, and approved by, the Executive Officer for compliance with the exhaust emission standards on a corporate average basis pursuant to Title 13, California Code of Regulations, (13 CCR) Section 2442(a). The HC+NOx FEL and the CO standard shall be the applicable emission standards for this engine family for determining compliance of any engine within this engine family pursuant to 13 CCR Sections 2444.1 (in-use compliance) and 2446 (audit testing). The standards and certification emission levels in grams per kilowatt-hour (g/kW-hr) for this engine family are as follows. Engines in this engine family shall have closed crankcases in conformance with Part I, Section 18(h) of the "California Exhaust Emission Standards and Test Procedures for 2001 Model-Year and Later Spark-Ignition Marine Engines."

*=not applicable	HC+NOx (g/kW-hr)	CO (g/kW-hr)
STANDARD	*	425
FAMILY EMISSION LEVEL	20.00	*
CERTIFICATION LEVEL	15.14	201

Compliance with the emission standards on a corporate average basis shall be determined pursuant to 13 CCR Section 2442(a) based on the sales-weighted average power of all engines produced for sale in California that are included in the approved corporate average compliance plan for the model-year.

**BE IT FURTHER RESOLVED:** That for the listed engines, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Sections 2443.1, 2443.2 and 2443.3 (emission control, consumer, and environmental labels), and Sections 2445.1 and 2445.2 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Quarterly reports of engines produced in this engine family for sale in California shall be submitted to the Executive Officer no later than 45 days after the end of each calendar quarter pursuant to 13 CCR Sections 2442(a)(2)(B) and 2446.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed on this  $28^{\mu}$  day of July 2022.

Robin U. Lang, Chief

John Shi for

**Emissions Certification and Compliance Division** 

For CARB Use Only

Executive Order: U-W-005-0297

Attachment <u>1</u> of <u>1</u>

Date: May 26, 2022

Engine Family: PHNXM.3502G0

**Model Summary** 

Sale   Color   Class of Discount   California   Discount   Discount   California   Discount   Discount   California   Discount   Discou						S14.				
BF15D BF15D2 X 350 11.2 5000 25.2   BFP15D BF15D2 X 350 11.2 5000 25.2   BF20D BF20D1 X 350 14.9 5500 25.8	S19. Peak Torque Speed (RP	S18. Peak Torque (N-m)		S16. Rated Power (kW)		50-State	49-State	CA Only	S13. Engine Code	
BF15D BF15D2 X 350 11.2 5000 25.2   BFP15D BF15D2 X 350 11.2 5000 25.2   BF20D BF20D1 X 350 14.9 5500 25.8	3500	25.2	5000	11.2	350	X			BF15D1	BF15D
BFP15D BF15D2 X 350 11.2 5000 25.2   BF20D BF20D1 X 350 14.9 5500 25.8	3500									
BF20D BF20D1 X 350 14.9 5500 25.8	3500									
8F-200 8F-2002 X 550 14.9 5500 25.8 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9	5000									
	5000	25.8	5500	14.9	350	Х			BF20D2	BF20D