

Fursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Fursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT S ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE I	DESCRIPTION			
	MANUFACTURER	ENGINE FAMI	LY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)	
	ECI Fuel Systems	7GNXS.21618	SA (U-U-027-0160)	216	Gasoline	
TBC = To	Be Certified	EQUIPMEN'	T DESCRIPTION	1.		
WODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE		QUIPMENT A	APPLICATION	
2007	СМ	37.8, 64.3, 68.1, 75.7, 113.5, 132.5, 136.2, 151.4 Generator Set and Refueling Pump				
EMISSIO	N CONTROL SYSTEMS (ECS)		EQUIPM	ENT MODEL		
Car	bon Canister/Metat Tank		See	Attached		
Vetal=M Tr	eated HDPE or PE=P Co-extruded=C	Selar=L Nylon=N Acetal=A	Other=O B. EVAPORATIVE	FAMILY 2-Lette	wher=O 2. <u>Tank Barrier Type and Code</u> or CODE (Venting Control Codes ≃C, S, or  Do not use abbreviations for ECS types	

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

″≕not applicable		PERFORMANCE BASED	
- not applicable		(grams HC/day)	
STANDARD	EVAPORATIVE MODEL EMISSION LIMIT (EMEL)	EVAPORATIVE FAMILY EMISSION LIMIT DIFFERENTIAL (EFELD)	CERTIFICATION LEVEL
3.3	N/A	N/A	2.6

**EE IT FURTHER RESOLVED:** That the evaporative model emission limit (EMEL), as applicable, is the diurnal emissions level declared by the manufacturer based on diurnal test results for a worst-case engine or equipment model within an evaporative family. No engine or equipment emissions within the evaporative family could be closer to its respective standard than the evaporative family emission limit differential (EFELD) calculated from the declared EMEL for the worst-case engine or equipment.

EE IT FURTHER RESOLVED: That the evaporative family emission limit differential (EFELD), as applicable, is an emission level differential between the effective standard level for a specific model representing the entire evaporative family and the EMEL declared for the specific model and it's for use in the averaging and banking program. It serves as the applicable evaporative emission standard for determining compliance on a corporate average basis of any equipment within this evaporative family under 13 CCR Sections 2754.1(e).

EE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Cifficer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_ day of July 200

Annette Hebert, Chief

Mobile Source Operations Division

4-4-60001

## ਮੈਂਸਮੇਟਮਅਨਮ 7ਵੇਂ /ਿਦੇ ਪ੍ਰਿ Small Off-Road Evaporative Certification Database Form (Ŝuppiementary information)

## MODEL SUMMARY

S14.	Carbon Canister or Other	Venting Control Executive Order		:							
S13.	Fuel Line Executive Order										
S12.	Fuel Tank Executive Order		Exempt Metal								
S11.	Exhaust Family		7GNXS.2161SA								
S10.	Fuel Line Inside Diameter	(mm)	6.35	6.35	6:35	9:35	6.35	6.35	6.35	6.35	6.35
.68	Nominal Fuel Line Length <sup>(1)</sup>	(mm)	10058.4	10058.4	10058.4	10058.4	10058.4	10058.4	10058.4	10058.4	10058.4
88.	Fuel Line Type		Multi- Layer								
57.	Fuel Tank Internal	Surface Area (m²)	.8054	1.348	2.043	1.590	1.316	2.430	1.548	1.630	2.282
Se.	Fuel Tank Vol.	(Liters)	37.84	64.33	113.53	75.68	68.11	136.23	68.11	75.68	113.53
S2.	Fuel System (FI or	CARB)	CARB								
25.	Engine Class (I or	Π	Ħ	п	п	11	п	П	П	II	=
	check ite)	State	,	>	>	>	>	^	•	١	>
S3.	ales Codes (che all appropriate)	49- State									
	Sales Codes (check all appropriate)	S of o	:								
S2.	Engine or Equipment Model		AL10GN47	AL17GN47	AMF30 GN47	AMF20 GN47	ELC18 GN47	ELC36 GN47	FLW18 GN47	FLW20 GN47	FLW30 GN47
S1.	Worst Case Check	One)						>			

(1) The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)

## ATTACHMENT PG 10+2

FR18GN47	,	n	CARB	68.11	2.023	Multi- Layer	10058.4	6.35	7GNXS.2161SA	Exempt Metal	
FR30GN47	>	П	CARB	113.53	2.067	Multi- Layer	10058.4	6.35	7GNXS.2161SA	Exempt Metal	
TH30GN47	>	II	CARB	113.53	2.567	Multi- Layer	10058.4	6.35	7GNXS.2161SA	Exempt Metal	
TH18GN47	,	п	CARB	68.11	1.477	Multi- Layer	10058.4	6.35	7GNXS.2161SA	Exempt Metal	
TH20GN47	 7	II	CARB	75.68	1.532	Multi- Layer	10058.4	6.35	7GNXS.2161SA	Exempt Metal	
WW20 GN47	>	П	CARB	75.68	1.300	Multi- Layer	10058.4	6.35	7GNXS.2161SA	Exempt Metal	
RG40GN47	>	II	CARB	151.37	2.322	Multi- Layer	10058.4	6.35	7GNXS.2161SA	Exempt Metal	
TPD18GN47	>	п	CARB	68.11	1.002	Multi- Layer	10058.4	6.35	7GNXS.2161SA	Exempt Metal	
NW35GN47	 >	II	CARB	132.45	2.515	Multi- Layer	10058.4	6.35	7GNXS.2161SA	Exempt Metal	