

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE	DESCRIPTION						
	MANUFACTURER	ENGINE FAN	MILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)				
н	ONDA MOTOR CO., LTD.	8HNXS.389/	45A (U-U-001-0367)	338, 389	Gasoline				
TBC = To E	Be Certified  EVAPORATIVE FAMILY	FUEL TANK SIZE	NT DESCRIPTION	QUIPMENT A	PPLICATION				
<b>YEAR</b> 2008	CMHNX22A	(liters)  6.1 Riding Mower, Tractor, Non-Backpack Blower, Commercia							
EMISSION	CONTROL SYSTEMS (ECS)	SEE ATTACHMENT							
	Canister, Metal								

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

(Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.

*=not applicable		PERFORMANCE BASED	
-not applicable		(grams HC/day)	
STANDARD	EVAPORATIVE MODEL EMISSION LIMIT (EMEL)	EVAPORATIVE FAMILY EMISSION LIMIT DIFFERENTIAL (EFELD)	CERTIFICATION LEVEL
1.5	1.2	0.3	1.1

**BE IT FURTHER RESOLVED:** That the evaporative model emission limit (EMEL), as applicable, is the diurnal emissions level declared by the manufacturer based on diurnal test results for a worst-case engine or equipment model within an evaporative family. No engine or equipment emissions within the evaporative family could be closer to its respective standard than the evaporative family emission limit differential (EFELD) calculated from the declared EMEL for the worst-case engine or equipment.

BE IT FURTHER RESOLVED: That the evaporative family emission limit differential (EFELD), as applicable, is an emission level differential between the effective standard level for a specific model representing the entire evaporative family and the EMEL declared for the specific model and it's for use in the averaging and banking program. It serves as the applicable evaporative emission standard for determining compliance on a corporate average basis of any equipment within this evaporative family under 13 CCR Sections 2754.1(e).

**BE IT FURTHER RESOLVED:** That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_\_ day of November 2007

Annette Hebert, Chief

Mobile Source Operations Division

Attachment 1 of 2

Issued: 10/12/07
Revised: Revised: Leurine Discontine Order: U-U-I-36/
Small Off-Road Evaporative Certification Summary Sheet

## Small Off-Road Evaporative Certification Database Form (Supplementary Information)

MODEL SUMMARY

			T									
S14.	Carister or Other	Venting Control Executive Order	NA .	N/A								
S13.	Fuel Line Executive Order	.,	V.∀.	N/A								
S12.	Fuel Tank Executive	Order	∀N									
S11.	Exhaust Family		8HNXS.389A5A	8HNXS.389A5A								
S10.	Fuel Line Inside	(mm)	4.5	4.5								
S9.	Nominal Fuel Line	(mm)	235	235								
S8.	Fuel Line Type		XX W									
S7.	Fuel Tank Internal	Area (m²)		١.								
Se.	Fuel Tank Vol.	(Liters)	 7-	6.1								
SS.	System (Flor	CARB	CARB	CARB								
S4.	Engine Class (I or II)		=	=								
53.	(check ate)	50- State	×	×								
	Sales Codes (check all appropriate)	49- State										
	Sales	Only V										
\$2.	Engine or Equipment Model		8338H01A 8338H02A 8338H02A 8338H15A 8338H15A 8338H16A 8338H20A 8338H20A 8338H20A 8338H25A 8338H25A 8338H25A 8338H25A 8338H25A 8338H27A 8338H27A 8338H27A 8338H30A 8338H30A 8338H30A 8338H30A 8338H30A 8338H30A 8338H30A 8338H30A 8338H30A 8338H30A 8338H30A 8338H30A	8338H36A (EG5000XK1)								
S1.	Worst Case (Check	Onej										

Issued: 10/12/07
Revised:
Executive Order: U-U-I-36

	S14.	Carbon	Canister	or Other	Venting	Control	Executive Order					ΑΆ				
	S13.	Fuel Line	Executive	Order								A/A				
	S12.	Fuel	Tank	Executive	Order							A/A				
	S11.	Exhaust	Family									8HNXS.389A5A				
	S10.	Fuel	Line	Inside	Diameter	(mm)						4.5				
	S9.	Nominal	Fuel	Line	Length	(mm)						235				
	S8.	Fuel	Line	Type		_						FKM				
	.YS	Fuel	Tank	Internal	Surface	Area	(m)					;				
	S6.	Fuel	Tank	No.	(Liters)							6.1				
	S5.	Fuel	System	(Flor	CARB)							CARB				
	S4.		Class	(  o  )								=				
_		(check	ate)			- 20	State					×				
Cont'd	S3.	Sales Codes (check	all appropriate)				State									
IARY (						8	Only					_,_				
MODEL SUMMARY (Cont'd)	\$2.	Engine or	Equipment	Model				8389H01A	8389H02A	8389H03A	8389H04A	8389H12A	8389H17A	8389H19A	8389H20A	8389H51A
Σ	S1.	Worst	Case	(Check	One)							×				

Note \*1: According to CARB Small Off-Road Engine Evaporative Emission Control System Certification Procedure CP-902, these models are tested by Evaporative Emission Test Procedure TP-902 (Diurnal Evaporative Emission Test).