

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below.


ENGINE DESCRIPTION			
MANUFACTURER	ENGINE FAMILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)
BRIGGS & STRATTON CORPORATION	7BSXS.4802HH (U-U-002-0395-1) 8BSXS.4792HH (U-U-002-0478)	480 479	Gasoline
YAMAHA MOTOR CO., LTD.	7YMXS.3572EA (U-U-017-0088) 8YMXS.3572EA (U-U-017-0102)	357	
TBC = To Be Certified			
EQUIPMENT DESCRIPTION			
MODEL YEAR	EQUIPMENT APPLICATION		
2008	Other Industrial Equipment (Utility Vehicle)		
EQUIPMENT MODELS	07264, 07264TC, 07277, 07277TC, 07273, 07279		

BE IT FURTHER RESOLVED: That the listed equipment is not subject to the evaporative emission standards in 13 CCR Sections 2754 for the aforementioned model-year pursuant to 13 CCR Section 2766(b) (small production volume tank exemption).

This Executive Order is only granted to the equipment models and model-year listed above. Equipment that is produced for any other model-year is not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-U-052-0026-1 dated February 22, 2008.

Executed at El Monte, California on this 12 day of June 2008.



Annette Hebert, Chief
 Mobile Source Operations Division

**Small Off-Road Evaporative Certification Database Form
(Supplementary Information)**

MODEL SUMMARY

S1. Worst Case (Check One)	S2. Engine or Equipment Model	S3. Sales Codes (check all appropriate)			S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)	S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type	S9. Nominal Fuel Line Length ⁽¹⁾ (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister or Other Venting Control Executive Order
		CA Only	49- State	50- State											
	Fuel Tank 99-7261														
	Workman 1110			vp											
	07264		X	II	Carb	26.5	NA	Multilayer	215.9	6.35	7YMXS.3572EA		G-05-018	N/A	
	07264		X	II	Carb	26.5	NA	Multilayer	533.4	6.35	7YMXS.3572EA		G-05-018	N/A	
	07264		X	II	Carb	26.5	NA	Multilayer	95.2	6.35	7YMXS.3572EA		G-05-018	N/A	
	07264		X	II	Carb	26.5	NA	Multilayer	292.1	6.35	7YMXS.3572EA		G-05-018	N/A	
	Workman 1110														
	07264TC		X	II	Carb	26.5	NA	Multilayer	215.9	6.35	7YMXS.3572EA		G-05-018	N/A	
	07264TC		X	II	Carb	26.5	NA	Multilayer	533.4	6.35	7YMXS.3572EA		G-05-018	N/A	
	07264TC		X	II	Carb	26.5	NA	Multilayer	95.2	6.35	7YMXS.3572EA		G-05-018	N/A	
	07264TC		X	II	Carb	26.5	NA	Multilayer	292.1	6.35	7YMXS.3572EA		G-05-018	N/A	
	Workman 2110														

07277			X	II	Carb	26.5	NA	Multilayer	127.0	6.35	7BSXS.4802HH	G-05-018	N/A
07277			X	II	Carb	26.5	NA	Multilayer	533.4	6.35	7BSXS.4802HH	G-05-018	N/A
07277			X	II	Carb	26.5	NA	Multilayer	135.0	6.35	7BSXS.4802HH	G-05-018	N/A
Workman 2110													
07277TC			X	II	Carb	26.5	NA	Multilayer	127.0	6.35	7BSXS.4802HH	G-05-018	N/A
07277TC			X	II	Carb	26.5	NA	Multilayer	533.40	6.35	7BSXS.4802HH	G-05-018	N/A
07277TC			X	II	Carb	26.5	NA	Multilayer	135.0	6.35	7BSXS.4802HH	G-05-018	N/A
Workman 1110													
07264			X	II	Carb	26.5	NA	Multilayer	215.9	6.35	8YMXS.3572EA	G-05-018	N/A
07264			X	II	Carb	26.5	NA	Multilayer	533.4	6.35	8YMXS.3572EA	G-05-018	N/A
07264			X	II	Carb	26.5	NA	Multilayer	95.2	6.35	8YMXS.3572EA	G-05-018	N/A
07264			X	II	Carb	26.5	NA	Multilayer	292.1	6.35	8YMXS.3572EA	G-05-018	N/A
Workman 1110													
07264TC			X	II	Carb	26.5	NA	Multilayer	215.9	6.35	8YMXS.3572EA	G-05-018	N/A
07264TC			X	II	Carb	26.5	NA	Multilayer	533.4	6.35	8YMXS.3572EA	G-05-018	N/A
07264TC			X	II	Carb	26.5	NA	Multilayer	95.2	6.35	8YMXS.3572EA	G-05-018	N/A
07264TC			X	II	Carb	26.5	NA	Multilayer	292.1	6.35	8YMXS.3572EA	G-05-018	N/A
Workman 2110													

Attachment, 3 of 3

U-1-052-0026-2

07277	X	II	Carb	26.5	NA	Multilayer	127.0	6.35	8BSXS.4792HH	G-05-018	N/A
07277	X	II	Carb	26.5	NA	Multilayer	533.4	6.35	8BSXS.4792HH	G-05-018	N/A
07277	X	II	Carb	26.5	NA	Multilayer	135.0	6.35	8BSXS.4792HH	G-05-018	N/A
Workman 2110											
07277TC	X	II	Carb	26.5	NA	Multilayer	127.0	6.35	8BSXS.4792HH	G-05-018	N/A
07277TC	X	II	Carb	26.5	NA	Multilayer	533.40	6.35	8BSXS.4792HH	G-05-018	N/A
07277TC	X	II	Carb	26.5	NA	Multilayer	135.0	6.35	8BSXS.4792HH	G-05-018	N/A
Mid Duty X Workman											
07273	X	II	Carb	26.5	NA	Multilayer	76.2	6.35	8BSXS.4792HH	G-05-018	N/A
07273	X	II	Carb	26.5	NA	Multilayer	584.2	6.35	8BSXS.4792HH	G-05-018	N/A
07273	X	II	Carb	26.5	NA	Multilayer	209.6	6.35	8BSXS.4792HH	G-05-018	N/A
Mid Duty Workman											
07279	X	II	Carb	26.5	NA	Multilayer	158.8	6.35	8YMXS.3572EA	G-05-018	N/A
07279	X	II	Carb	26.5	NA	Multilayer	584.2	6.35	8YMXS.3572EA	G-05-018	N/A
07279	X	II	Carb	26.5	NA	Multilayer	95.3	6.35	8YMXS.3572EA	G-05-018	N/A
07279	X	II	Carb	26.5	NA	Multilayer	292.1	6.35	8YMXS.3572EA	G-05-018	N/A