



Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below.

ENGINE DESCRIPTION			
MANUFACTURER	ENGINE FAMILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE <small>(CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)</small>
Kawasaki Heavy Industries, Ltd.	7KAXS.6752CA (U-U-004-0329)	675	Gasoline
EQUIPMENT DESCRIPTION			
MODEL YEAR	EQUIPMENT APPLICATION		
2008	Utility Vehicle		
EQUIPMENT MODELS	See Attachment		

BE IT FURTHER RESOLVED: That the listed equipment is not subject to the evaporative emission standards in 13 CCR Sections 2754 for the aforementioned model-year pursuant to 13 CCR Section 2766(b) (small production volume tank exemption).

This Executive Order is only granted to the equipment models and model-year listed above. Equipment that is produced for any other model-year is not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-U-076-0013 dated August 22, 2007.

Executed at El Monte, California on this 8 day of April 2008.

Annette Hebert, Chief
Mobile Source Operations Division

Small Off-Road Evaporative Certification Database Form (Supplementary Information)

MODEL SUMMARY

S1. Worst Case (Check One)	S2. Engine or Equipment Model	S3. Sales Codes (check all appropriate)			S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)	S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type	S9. Nominal Fuel Line Length ⁽¹⁾ (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister or Other Venting Control Executive Order
		CA Only	49- State	50- State											
	XRT 1550	X	X		II	CARB	24.6	0.73	Nitrile/THV with CPE or CSM cover	1450	6.35	7KAXS.6752CA	N/A	G-05-016 or G-05- 018	N/A
	XRT 1550 SE	X	X		II	CARB	24.6	0.73	Nitrile/THV with CPE or CSM cover	1450	6.35	7KAXS.6752CA	N/A	G-05-016 or G-05- 018	N/A
	CARRYALL 295	X	X		II	CARB	24.6	0.73	Nitrile/THV with CPE or CSM cover	1450	6.35	7KAXS.6752CA	N/A	G-05-016 or G-05- 018	N/A
	CARRYALL 295 SE	X	X		II	CARB	24.6	0.73	Nitrile/THV with CPE or CSM cover	1450	6.35	7KAXS.6752CA	N/A	G-05-016 or G-05- 018	N/A
	BOBCAT 2200	X	X		II	CARB	24.6	0.73	Nitrile/THV with CPE or CSM cover	1450	6.35	7KAXS.6752CA	N/A	G-05-016 or G-05- 018	N/A
	BOBCAT 2200 SE	X	X		II	CARB	24.6	0.73	Nitrile/THV with CPE or CSM cover	1450	6.35	7KAXS.6752CA	N/A	G-05-016 or G-05- 018	N/A
	HUV 4421	X	X		II	CARB	24.6	0.73	Nitrile/THV with CPE or CSM cover	1450	6.35	7KAXS.6752CA	N/A	G-05-016 or G-05- 018	N/A

	HUV4421 XP	X	X	II	CARB	24.6	0.73	Nitrile/THV with CPE or CSM cover	1450	6.35	7KAXS.6752CA	N/A	G-05-016 or G-05-018	N/A
	RX08	X	X	II	CARB	24.6	0.73	Nitrile/THV with CPE or CSM cover	1450	6.35	7KAXS.6752CA	N/A	G-05-016 G-05-018 C-U-06-030	N/A
	RT08	X	X	II	CARB	24.6	0.73	Nitrile/THV with CPE or CSM cover	1450	6.35	7KAXS.6752CA	N/A	G-05-016 G-05-018 C-U-06-030	N/A
	SX08	X	X	II	CARB	24.6	0.73	Nitrile/THV with CPE or CSM cover	1450	6.35	7KAXS.6752CA	N/A	G-05-016 G-05-018 C-U-06-030	N/A
	RN08	X	X	II	CARB	24.6	0.73	Nitrile/THV with CPE or CSM cover	1450	6.35	7KAXS.6752CA	N/A	G-05-016 G-05-018 C-U-06-030	N/A
X	RC08	X	X	II	CARB	24.6	0.73	Nitrile/THV with CPE or CSM cover	1450	6.35	7KAXS.6752CA	N/A	G-05-016 G-05-018 C-U-06-030	N/A
	SC08	X	X	II	CARB	24.6	0.73	Nitrile/THV with CPE or CSM cover	1450	6.35	7KAXS.6752CA	N/A	G-05-016 G-05-018 C-U-06-030	N/A
	RB08	X	X	II	CARB	24.6	0.73	Nitrile/THV with CPE or CSM cover	1450	6.35	7KAXS.6752CA	N/A	G-05-016 G-05-018 C-U-06-030	N/A
	SB08	X	X	II	CARB	24.6	0.73	Nitrile/THV with CPE or CSM cover	1450	6.35	7KAXS.6752CA	N/A	G-05-016 G-05-018 C-U-06-030	N/A
	RH08	X	X	II	CARB	24.6	0.73	Nitrile/THV with CPE or CSM cover	1450	6.35	7KAXS.6752CA	N/A	G-05-016 G-05-018 C-U-06-030	N/A
	RL08	X	X	II	CARB	24.6	0.73	Nitrile/THV with CPE or CSM cover	1450	6.35	7KAXS.6752CA	N/A	G-05-016 G-05-018 C-U-06-030	N/A

(1) The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)