

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

ENGINE DESCRIPTION			
MANUFACTURER	ENGINE FAMILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)
Briggs & Stratton Corporation	8BSXS.3442VA (U-U-002-0453)	344	Gasoline
	8BSXS.5002VV (U-U-002-0462)	500	
	8BSXS.5402VL (U-U-002-0463)	540	
	8BSXS.7242VA (U-U-002-0478)	724	
	8BSXS.7242VE (U-U-002-0472)	724	
	9BSXS.3442VA (U-U-002-0518)	344	
	9BSXS.5002VV (U-U-002-0515)	500	
	9BSXS.5402VL (U-U-002-0513)	742	
	9BSXS.7242VA (U-U-002-0512)	742	
	9BSXS.7242VE (U-U-002-0516)	742	
Kohler Company	8KHXS.7252GD (U-U-005-0257)	725	Gasoline
	8KHXS.5972GD (U-U-005-0261)	597	
	9KHXS.5972GB (U-U-005-0281)	597	
	9KHXS.5972GD (U-U-005-0282)	725	
	9KHXS.7252GB (U-U-005-0285)	725	
	9KHXS.7252GD (U-U-005-0286)	725	
S.A. = See Attachment TBC = To Be Certified			
EQUIPMENT DESCRIPTION			
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	EQUIPMENT APPLICATION
2009	CP	4.62, 11.03, 15.31	Riding Mower, Tractor
EMISSION CONTROL SYSTEMS (ECS)		ENGINE and/or EQUIPMENT MODEL	
Canister, Treated HDPE		See Attachment	
A. ECS TYPE (Venting Control Type/Tank Barrier Type): 1. Venting Control Type and Code - Canister=C Sealed Tank=S Other=O 2. Tank Barrier Type and Code - Metal=M Treated HDPE or PE=P Co-extruded=C Selar=L Nylon=N Acetal=A Other=O B. EVAPORATIVE FAMILY 2-Letter CODE (Venting Control Codes =C, S, O); (Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.			

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.


*not applicable		DESIGN BASED			
FUEL HOSE PERMEATION (grams ROG/m ² /day)		FUEL TANK PERMEATION (grams ROG/m ² /day)		CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/liter)	
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER
15	G-05-018	2.5	Q-07-019	1.4	C-U-06-015

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this 13 day of February 2009.


Annette Hebert, Chief
Mobile Source Operations Division

Attachment 1 of 9

S1.	S2.	S3.	S4.	S5.	S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
	LT	X	II	Carb	4.62	0.196	ML	229	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
	LT	X	II	Carb	4.62	0.196	ML	381	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
X	LT	X	II	Carb	4.62	0.196	ML	533	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
	YT	X	II	Carb	4.62	0.196	ML	729	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
	YT	X	II	Carb	4.62	0.196	ML	381	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
X	YT	X	II	Carb	4.62	0.196	ML	533	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
	LT	X	II	Carb	11.03	0.466	ML	1092	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
	LT	X	II	Carb	11.03	0.466	ML	1245	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
	LT	X	II	Carb	11.03	0.466	ML	1397	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
	LT	X	II	Carb	11.03	0.466	ML	1549	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
	YT	X	II	Carb	11.03	0.466	ML	1092	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
	YT	X	II	Carb	11.03	0.466	ML	1245	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
	YT	X	II	Carb	11.03	0.466	ML	1397	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
	YT	X	II	Carb	11.03	0.466	ML	1549	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
	LT	X	II	Carb	15.31	0.524	ML	1092	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
	LT	X	II	Carb	15.31	0.524	ML	1245	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
	LT	X	II	Carb	15.31	0.524	ML	1397	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
	LT	X	II	Carb	15.31	0.524	ML	1549	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
	YT	X	II	Carb	15.31	0.524	ML	1092	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
	YT	X	II	Carb	15.31	0.524	ML	1245	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
	YT	X	II	Carb	15.31	0.524	ML	1397	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
	YT	X	II	Carb	15.31	0.524	ML	1549	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
	GT	X	II	Carb	15.31	0.524	ML	1092	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
	GT	X	II	Carb	15.31	0.524	ML	1245	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
	GT	X	II	Carb	15.31	0.524	ML	1397	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015
	GT	X	II	Carb	15.31	0.524	ML	1549	6	9BSXS-3442VA	Q-07-019	G-05-018	C-U-06-015

Attachment 2 of 9

S1.	S2.	S3.		S4.	S5.	S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
		CA Only	49-State											
	LT	X		II	Carb	4.62	0.196	ML	229	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	4.62	0.196	ML	381	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
X	LT	X		II	Carb	4.62	0.196	ML	533	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	4.62	0.196	ML	129	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	4.62	0.196	ML	381	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
X	YT	X		II	Carb	4.62	0.196	ML	533	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	11.03	0.466	ML	1092	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	11.03	0.466	ML	1245	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	11.03	0.466	ML	1397	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	11.03	0.466	ML	1549	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	11.03	0.466	ML	1092	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	11.03	0.466	ML	1245	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	11.03	0.466	ML	1397	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	11.03	0.466	ML	1549	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	15.31	0.524	ML	1092	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	15.31	0.524	ML	1245	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	15.31	0.524	ML	1397	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	15.31	0.524	ML	1549	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	15.31	0.524	ML	1092	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	15.31	0.524	ML	1245	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	15.31	0.524	ML	1397	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	15.31	0.524	ML	1549	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	15.31	0.524	ML	1092	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	15.31	0.524	ML	1245	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	15.31	0.524	ML	1397	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	15.31	0.524	ML	1549	6	9BXSX-5002VV, 9BXSX-5002VV	Q-07-019	G-05-018	C-U-06-015

MODEL SUMMARY (Page 3 of 9)

S1.	S2.	S3.	S4.	S5.	S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.	
														Worst Case (Check One)
		CA Only	#9 State	#9 State										
	LT	X		II	Carb	4.62	0.196	ML	229	6	BBXX3402VL	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	4.62	0.196	ML	381	6	9BXX3402VL	Q-07-019	G-05-018	C-U-06-015
X	LT	X		II	Carb	4.62	0.196	ML	533	6	BBXX3402VL	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	4.62	0.196	ML	229	6	9BXX3402VL	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	4.62	0.196	ML	381	6	BBXX3402VL	Q-07-019	G-05-018	C-U-06-015
X	YT	X		II	Carb	4.62	0.196	ML	533	6	9BXX3402VL	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	11.03	0.466	ML	1092	6	BBXX3402VL	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	11.03	0.466	ML	1245	6	9BXX3402VL	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	11.03	0.466	ML	1397	6	BBXX3402VL	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	11.03	0.466	ML	1549	6	9BXX3402VL	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	11.03	0.466	ML	1092	6	BBXX3402VL	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	11.03	0.466	ML	1245	6	9BXX3402VL	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	11.03	0.466	ML	1397	6	BBXX3402VL	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	11.03	0.466	ML	1549	6	9BXX3402VL	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	15.31	0.524	ML	1092	6	BBXX3402VL	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	15.31	0.524	ML	1245	6	9BXX3402VL	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	15.31	0.524	ML	1397	6	BBXX3402VL	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	15.31	0.524	ML	1549	6	9BXX3402VL	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	15.31	0.524	ML	1092	6	BBXX3402VL	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	15.31	0.524	ML	1245	6	9BXX3402VL	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	15.31	0.524	ML	1397	6	BBXX3402VL	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	15.31	0.524	ML	1549	6	9BXX3402VL	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	15.31	0.524	ML	1092	6	BBXX3402VL	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	15.31	0.524	ML	1245	6	9BXX3402VL	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	15.31	0.524	ML	1397	6	BBXX3402VL	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	15.31	0.524	ML	1549	6	9BXX3402VL	Q-07-019	G-05-018	C-U-06-015

U-U-006-0235

Attachment 4 of 9

MODEL SUMMARY (Page 4 of 9)

S1.	S2.	S3.	S4.	S5.	S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.			
														Worst Case (Check One)	Engine or Equipment Model	Sales Codes (check all appropriate)
	LT	X														
	LT	X														
X	LT	X														
	YT	X														
	YT	X														
X	YT	X														
	LT	X														
	LT	X														
	LT	X														
	LT	X														
	YT	X														
	YT	X														
	YT	X														
	YT	X														
	GT	X														
	GT	X														
	GT	X														
	GT	X														
	GT	X														
	GT	X														
	GT	X														
	GT	X														

Attachment 5 of 9

MODEL SUMMARY (Page 5 of 9)

S1.	S2.	S3.	Sales Codes (check all appropriate)		S4.	S5.	S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
			CA Daily	50-State											
	LT		X		II	Curb	4.62	0.196	ML	279	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	LT		X		II	Curb	4.62	0.196	ML	381	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
X	LT		X		II	Curb	4.62	0.196	ML	533	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	YT		X		II	Curb	4.62	0.196	ML	279	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	YT		X		II	Curb	4.62	0.196	ML	381	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
X	YT		X		II	Curb	4.62	0.196	ML	533	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	LT		X		II	Curb	11.03	0.466	ML	1092	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	LT		X		II	Curb	11.03	0.466	ML	1245	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	LT		X		II	Curb	11.03	0.466	ML	1397	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	LT		X		II	Curb	11.03	0.466	ML	1549	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	YT		X		II	Curb	11.03	0.466	ML	1092	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	YT		X		II	Curb	11.03	0.466	ML	1245	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	YT		X		II	Curb	11.03	0.466	ML	1397	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	YT		X		II	Curb	11.03	0.466	ML	1549	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	GT		X		II	Curb	11.03	0.466	ML	1092	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	GT		X		II	Curb	11.03	0.466	ML	1245	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	GT		X		II	Curb	11.03	0.466	ML	1397	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	GT		X		II	Curb	11.03	0.466	ML	1549	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	LT		X		II	Curb	15.31	0.524	ML	1092	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	LT		X		II	Curb	15.31	0.524	ML	1245	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	LT		X		II	Curb	15.31	0.524	ML	1397	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	LT		X		II	Curb	15.31	0.524	ML	1549	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	YT		X		II	Curb	15.31	0.524	ML	1092	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	YT		X		II	Curb	15.31	0.524	ML	1245	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	YT		X		II	Curb	15.31	0.524	ML	1397	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	YT		X		II	Curb	15.31	0.524	ML	1549	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	GT		X		II	Curb	15.31	0.524	ML	1092	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	GT		X		II	Curb	15.31	0.524	ML	1245	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	GT		X		II	Curb	15.31	0.524	ML	1397	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015
	GT		X		II	Curb	15.31	0.524	ML	1549	6	8BXSK 7242VE 9BAXSK 7242VE	Q-07-019	G-05-018	C-U-06-015

Attachment 6 of 9

MODEL SUMMARY (Page 6 of 9)

S1. Worst Case (Check One)	S2. Engine or Equipment Model	S3. Sales Codes (check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)	S7. Fuel Tank Internal Surface Area (m2)	S8. Fuel Line Type	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Catalyst for Other Year(s) Control Executive Order
		CA Only	48-State											
	LT	X		II	Carb	4.63	0.196	ML	229	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	4.62	0.196	ML	381	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
X	LT	X		II	Carb	4.62	0.196	ML	533	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	4.62	0.196	ML	239	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	4.62	0.196	ML	381	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	4.62	0.196	ML	533	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	11.03	0.466	ML	1092	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	11.03	0.466	ML	1245	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	11.03	0.466	ML	1397	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	11.03	0.466	ML	1549	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	11.03	0.466	ML	1092	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	11.03	0.466	ML	1245	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	11.03	0.466	ML	1397	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	11.03	0.466	ML	1549	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	11.03	0.466	ML	1092	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	11.03	0.466	ML	1245	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	11.03	0.466	ML	1397	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	11.03	0.466	ML	1549	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	15.31	0.524	ML	1092	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	15.31	0.524	ML	1245	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	15.31	0.524	ML	1397	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	15.31	0.524	ML	1549	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	15.31	0.524	ML	1092	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	15.31	0.524	ML	1245	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	15.31	0.524	ML	1397	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	15.31	0.524	ML	1549	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	15.31	0.524	ML	1092	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	15.31	0.524	ML	1245	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	15.31	0.524	ML	1397	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	15.31	0.524	ML	1549	6	8KHXS.5972GD	Q-07-019	G-05-018	C-U-06-015

MODEL SUMMARY (Page 7 of 9)

SI	Worst Case (Check One)	SZ	Engine or Equipment Needs	SS		SE	Fuel System (FT or CARB)	SC	Fuel Tank Vol. (Liter)	SF	Fuel Tank Internal Surface Area (sq. in.)	SL	Nominal Fuel Line Length (mm)	SIO	SII	SIZ	SIL	S1A	S1A
				CA Only	SA State														
		LT	X			Carb	4.62	0.196	ML	229	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		LT	X			Carb	4.62	0.196	ML	381	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
X		LT	X			Carb	4.62	0.196	ML	333	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		YT	X			Carb	4.62	0.196	ML	229	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		YT	X			Carb	4.62	0.196	ML	381	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
X		YT	X			Carb	4.62	0.196	ML	533	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		LT	X			Carb	11.03	0.466	ML	1092	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		LT	X			Carb	11.03	0.466	ML	1245	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		LT	X			Carb	11.03	0.466	ML	1397	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		LT	X			Carb	11.03	0.466	ML	1549	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		YT	X			Carb	11.03	0.466	ML	1092	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		YT	X			Carb	11.03	0.466	ML	1245	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		YT	X			Carb	11.03	0.466	ML	1397	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		YT	X			Carb	11.03	0.466	ML	1549	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		GT	X			Carb	11.03	0.466	ML	1092	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		GT	X			Carb	11.03	0.466	ML	1245	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		GT	X			Carb	11.03	0.466	ML	1397	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		LT	X			Carb	15.31	0.524	ML	1092	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		LT	X			Carb	15.31	0.524	ML	1245	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		LT	X			Carb	15.31	0.524	ML	1397	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		YT	X			Carb	15.31	0.524	ML	1092	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		YT	X			Carb	15.31	0.524	ML	1245	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		YT	X			Carb	15.31	0.524	ML	1397	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		GT	X			Carb	15.31	0.524	ML	1092	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		GT	X			Carb	15.31	0.524	ML	1245	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		GT	X			Carb	15.31	0.524	ML	1397	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				
		GT	X			Carb	15.31	0.524	ML	1549	6	9KHXS 7252GD	Q-07-019	G-05-018	C-U-06-015				

MODEL SUMMARY (Page 8 of 9)

S1.	S2.	S3.			S4.	S5.	S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
		Sales Codes (check all appropriate)													
Worst Case (Check One)	Engine or Equipment Model	CA Only	49-State	50-State	Engine Class (I or II)	Fuel System (FI or CARB)	Fuel Tank Vol. (Liters)	Fuel Tank Internal Surface Area (m2)	Fuel Line Type	Nominal Fuel Line Length (mm)	Fuel Line Inside Diameter (mm)	Exhaust Family	Fuel Tank Executive Order	Fuel Line Executive Order	Carbon Canister or Other Venting Control Executive
	LT	X			II	Carb	4.62	0.196	ML	229	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	LT	X			II	Carb	4.62	0.196	ML	381	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
X	LT	X			II	Carb	4.62	0.196	ML	533	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	YT	X			II	Carb	4.62	0.196	ML	229	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	YT	X			II	Carb	4.62	0.196	ML	381	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
X	YT	X			II	Carb	4.62	0.196	ML	533	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	LT	X			II	Carb	11.03	0.466	ML	1092	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	LT	X			II	Carb	11.03	0.466	ML	1245	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	LT	X			II	Carb	11.03	0.466	ML	1397	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	LT	X			II	Carb	11.03	0.466	ML	1549	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	LT	X			II	Carb	11.03	0.466	ML	1092	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	YT	X			II	Carb	11.03	0.466	ML	1092	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	YT	X			II	Carb	11.03	0.466	ML	1245	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	YT	X			II	Carb	11.03	0.466	ML	1397	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	YT	X			II	Carb	11.03	0.466	ML	1549	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	GT	X			II	Carb	15.31	0.524	ML	1092	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	GT	X			II	Carb	15.31	0.524	ML	1245	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	GT	X			II	Carb	15.31	0.524	ML	1397	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	GT	X			II	Carb	15.31	0.524	ML	1549	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	LT	X			II	Carb	15.31	0.524	ML	1092	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	LT	X			II	Carb	15.31	0.524	ML	1245	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	LT	X			II	Carb	15.31	0.524	ML	1397	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	LT	X			II	Carb	15.31	0.524	ML	1549	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	YT	X			II	Carb	15.31	0.524	ML	1092	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	YT	X			II	Carb	15.31	0.524	ML	1245	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	YT	X			II	Carb	15.31	0.524	ML	1397	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	YT	X			II	Carb	15.31	0.524	ML	1549	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	GT	X			II	Carb	15.31	0.524	ML	1092	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	GT	X			II	Carb	15.31	0.524	ML	1245	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	GT	X			II	Carb	15.31	0.524	ML	1397	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015
	GT	X			II	Carb	15.31	0.524	ML	1549	6	9KHXS.5972GB	Q-07-019	G-05-018	C-U-06-015

Attachment 9 of 9

MODEL SUMMARY (Page 9 of 9)

S1. Worst Case (Check One)	S2. Engine or Equipment Model	S3. Sales Codes (check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)	S7. Fuel Tank Internal Surface Area (m2)	S8. Fuel Line Type	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister or Other Venting Control Executive Order
		CA Only	49-State											
	LT	X		II	Carb	4.62	0.196	ML	229	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	4.62	0.196	ML	381	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
X	LT	X		II	Carb	4.62	0.196	ML	533	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	4.62	0.196	ML	229	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	4.62	0.196	ML	381	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
X	YT	X		II	Carb	4.62	0.196	ML	533	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	11.03	0.466	ML	1092	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	11.03	0.466	ML	1245	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	11.03	0.466	ML	1397	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	11.03	0.466	ML	1549	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	11.03	0.466	ML	1092	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	11.03	0.466	ML	1245	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	11.03	0.466	ML	1397	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	11.03	0.466	ML	1549	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	11.03	0.466	ML	1092	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	11.03	0.466	ML	1245	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	11.03	0.466	ML	1397	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	11.03	0.466	ML	1549	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	15.31	0.524	ML	1092	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	15.31	0.524	ML	1245	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	15.31	0.524	ML	1397	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	LT	X		II	Carb	15.31	0.524	ML	1549	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	15.31	0.524	ML	1092	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	15.31	0.524	ML	1245	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	15.31	0.524	ML	1397	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	YT	X		II	Carb	15.31	0.524	ML	1549	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	15.31	0.524	ML	1092	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	15.31	0.524	ML	1245	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	15.31	0.524	ML	1397	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015
	GT	X		II	Carb	15.31	0.524	ML	1549	6	9KHXS.7252GB	Q-07-019	G-05-018	C-U-06-015