



Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

**IT IS ORDERED AND RESOLVED:** That the following equipment produced by the manufacturer is certified as described below.

ENGINE DESCRIPTION			
MANUFACTURER	ENGINE FAMILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE <small>(CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)</small>
Briggs & Stratton Corporation	8BSXS.4792HH (U-U-002-0468)	479	Gasoline
EQUIPMENT DESCRIPTION			
MODEL YEAR	EQUIPMENT APPLICATION		
2009	Utility Vehicle		
EQUIPMENT MODELS	See Attachment		

**BE IT FURTHER RESOLVED:** That the listed equipment is not subject to the evaporative emission standards in 13 CCR Sections 2754 for the aforementioned model-year pursuant to 13 CCR Section 2766(b) (small production volume tank exemption).

**This Executive Order is only granted to the equipment models and model-year listed above. Equipment that is produced for any other model-year is not covered by this Executive Order.**

Executed at El Monte, California on this 24 day of July 2008.

Annette Hebert, Chief  
Mobile Source Operations Division

**Small Off-Road Evaporative Certification Database Form  
(Supplementary Information)**

**MODEL SUMMARY**

S1. Worst Case (Check One)	S2. Engine or Equipment Model	S3. Sales Codes (check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)	S7. Fuel Tank Internal Surface Area (m <sup>2</sup> )	S8. Fuel Line Type	S9. Nominal Fuel Line Length <sup>(1)</sup> (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister or Other Venting Control Executive Order
		CA Only	49- State											
	KN09	X	X	II	CARB	21.3	0.58	Nitrile/THV with CPE or CSM cover	533	6.35	8BSXS.4792HH	N/A	G-05-18 C-U-06-30	N/A
	KP09	X	X	II	CARB	21.3	0.58	Nitrile/THV with CPE or CSM cover	533	6.35	8BSXS.4792HH	N/A	G-05-018 C-U-06-30	N/A
	KQ09	X	X	II	CARB	21.3	0.58	Nitrile/THV with CPE or CSM cover	533	6.35	8BSXS.4792HH	N/A	G-05-018 C-U-06-30	N/A
	KR09	X	X	II	CARB	21.3	0.58	Nitrile/THV with CPE or CSM cover	533	6.35	8BSXS.4792HH	N/A	G-05-018 C-U-06-30	N/A
	KS09	X	X	II	CARB	21.3	0.58	Nitrile/THV with CPE or CSM cover	533	6.35	8BSXS.4792HH	N/A	G-05-018 C-U-06-30	N/A
	KT09	X	X	II	CARB	21.3	0.58	Nitrile/THV with CPE or CSM cover	533	6.35	8BSXS.4792HH	N/A	G-05-018 C-U-06-30	N/A
*	KU09	X	X	II	CARB	21.3	0.58	Nitrile/THV with CPE or CSM cover	533	6.35	8BSXS.4792HH	N/A	G-05-018 C-U-06-30	N/A

ATTACHMENT (2 OF 2)

KV09	X	X	II	CARB	21.3	0.58	Nitrile/THV with CPE or CSM cover	533	6.35	8BSXS.4792HH	N/A	G-05-018 C-U-06-30	N/A
KW09	X	X	II	CARB	21.3	0.58	Nitrile/THV with CPE or CSM cover	533	6.35	8BSXS.4792HH	N/A	G-05-018 C-U-06-30	N/A
KX09	X	X	II	CARB	21.3	0.58	Nitrile/THV with CPE or CSM cover	533	6.35	8BSXS.4792HH	N/A	G-05-018 C-U-06-30	N/A
KY09	X	X	II	CARB	21.3	0.58	Nitrile/THV with CPE or CSM cover	533	6.35	8BSXS.4792HH	N/A	G-05-018 C-U-06-30	N/A
KZ09	X	X	II	CARB	21.3	0.58	Nitrile/THV with CPE or CSM cover	533	6.35	8BSXS.4792HH	N/A	G-05-018 C-U-06-30	N/A

(1) The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)