

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE	DESCRIPTION		
	MANUFACTURER	ENGINE FAM	IILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleun gas)
BRIGG	S & STRATTON CORPORATION		HH (U-U-002-0529) HH (U-U-002-0585)	479 479	
	HONDA MOTOR CO., LTD.	AHNXS.6712	A5A (U-U-001-0425) 2AA (U-U-001-0466) 2AA (U-U-001-0448)	615, 671 615, 671 688	Gasoline
TBC = To B	Attachment e Certified	FOURMEN	IT DESCRIPTION		
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)		QUIPMENT A	PPLICATION
	EVAPORATIVE FAMILY CO435CW	FUEL TANK SIZE		QUIPMENT A	
<b>YEAR</b> 2010		FUEL TANK SIZE (liters)		Pressure	Washer

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable.

(Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.

*=not applicable	,	DE	SIGN BASED					
	IOSE PERMEATION ams ROG/m²/day)		ANK PERMEATION ams ROG/m²/day)	CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/li				
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER			
15	C-U-05-003, C-U-06-016, G-05-017, G-05-018	2.5	*	1.4	Q-09-027			

BE IT FURTHER RESOLVED: That the listed equipment is in conformance with the evaporative emission requirements specified in 13 CCR Section 2766(b) (small production volume tank exemption).

**BE IT FURTHER RESOLVED:** That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-U-093-0014 dated March 30, 2010.

Executed at El Monte, California on this \_\_\_

23 day of September 2010.

Annette Hebert, Chief

Mobile Source Operations Division

## Small Off-Road Evaporative Certification Database Form (Cold Water Supplementary Information) Page 1 of 3

MODEL SUMMARY

MODI	EL SUMMARY							<del></del>				244	910	G12	G14
S1.	S2.	S3.		S3. S4.		S5.	S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
Worst	Engine or	Sales Codes		Engine	Fuel	Fuel	Fuel	Fuel	Nominal		Exhaust Family		Fuel Line	Carbon	
Case	Equipment	(c	_		Class (I	System	Tank	Tank	Line	Fuel Line	Inside	ŀ	Executive	Executive	Canister o
(Check	Model	apr	propri	ate)	or II)	(FI or	Vol.	Internal	Type	Length	Diameter		Order	Order	Other
One)		• • • • • • • • • • • • • • • • • • • •	•	,	1	CARB)	(Liters)	Surface	l	(mm)	(mm)	ł			Venting
/	•				1	ĺ		Area		l		ł			Control
		CA	49-	50-			ł	(m2)				4			Executive
			State	8				` ′		1		ł	ł		Order
		Only	State	State			<del> </del>							G-05-017	<del></del>
		İ	l	Ì	1		Ì					9HNXS.671A5A		G-05-018 C-U-05-003	
	CWC-3008-			х	II	CARB	43.5			1193.8	6.35	AHNXS.6712AA	N/Â	C-U-06-016	Q-09-027
	2MGH	<del></del>		^	11	CARB	45.5			1100.0	0.00	THEOLOGICAL		G-05-017	
	GWG 2000	ĺ '	•	{	l i					ſ		<b>1</b> "	Ì	G-05-018 C-U-05-003	
	CWC-3008- 3MGH			x	11	CARB	43.5			1193.8	6.35	AHNXS.6882AA	N/A	C-U-06-016	Q-09-027
	JMGII			<del>  ^</del>	,,,	CHAD								G-05-017 G-05-018	
	CWC-4004-			]	]							9BSXS.4792HH		C-U-05-003	ļ
	1MGV			х	п	CARB	43.5			812.8	7.9375	ABSXS.4792HH	N/A	C-U-06-016	Q-09-027
	III.G V													G-05-017 G-05-018	
	CWC-4005-	}										9HNXS.671A5A	•	C-U-05-003	ļ
	1MGH			Х	II	CARB	43.5			1193.8	7.9375	AHNXS.6712AA	N/A	C-U-06-016	Q-09-027
														G-05-017 G-05-018	
	CWC-4005-			ľ	ł į		ļ					9HNXS.671A5A		C-U-05-003 C-U-06-016	
	2MGH			x	II	CARB	43.5			1193.8	7.9375	AHNXS.6712AA	N/A		Q-09-027
												•	}	G-05-017 G-05-018	ŀ
	CWC-4005-	ľ		ì	(					l				C-U-05-003 C-U-06-016	
	3MGH			X	II	CARB	43.5			1193.8	7.9375	AHNXS.6882AA	N/A	G-05-017	Q-09-027
		i								1				G-05-018	
	CWC-5004-	Ì	•	{			ľ			ľ		9HNXS.671A5A		C-U-05-003 C-U-06-016	
	1MGH_			X	II	CARB	43.5			1193.8	7.9375	AHNXS.6712AA	N/A	G-05-017	Q-09-027
							i			į.	ĺ	ľ	ì	G-05-018	ļ
	CWC-5004-				J i		ľ			-	l	9HNXS.671A5A	1	C-U-05-003 C-U-06-016	
	2MGH			X	II	CARB	43.5			1193.8	7.9375	AHNXS.6712AA	N/A	G-05-017	Q-09-027
			} !	)		Ī	ſ	í	ì	1	[	{	1	G-05-018	ĺ
	CWC-5004-		]	]	]		[						N/4	C-U-05-003 C-U-06-016	0.00.027
	3MGH		1	Х	II	CARB	43.5			1193.8	7.9375	AHNXS.6882AA	N/A		Q-09-027

### Attachment Page 20f3

### Small Off-Road Evaporative Certification Database Form (Cold Water Supplementary Information) Page 2 of 3

#### MODEL SUMMARY

MIODI	EL SUMMARY														
S1.	S2.		S3.		S4.	S5.	S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
Worst	Engine or	Sale	es Co	des	Engine	Fuel	Fuel	Fuel	Fuel	Nominal	Fuel Line	Exhaust Family	Fuel Tank	Fuel Line	Carbon
Case	Equipment	(cl	heck	all	Class (I	System	Tank	Tank	Line	Fuel Line	Inside	1	Executive	Executive	Canister or
(Check	Model	app	ropri	ate)	or II)	(FI or	Vol.	Internal	Type	Length	Diameter		Order	Order	Other
One)		, "-			ľ	CARB)	(Liters)	Surface		(mm)	(mm)	ł			Venting
1 1					<u> </u>			Area							Control
[ [		CA	49-	50-	1			(m2)				ł			Executive
] [		Only		4											Order
														G-05-017 G-05-018	
} }	CWC-5005-				l l							9HNXS.671A5A		C-U-05-003 C-U-06-016	
	2MGH			X	II	CARB	43.5			1193.8	7.9375	AHNXS.6712AA	N/A		Q-09-027
1 1														G-05-017 G-05-018	
ł	CWC-5005-													C-U-05-003 C-U-06-016	
<b> </b>	3MGH			X	II	CARB	43.5			1193.8	7.9375	AHNXS.6882AA	N/A	G-05-017	Q-09-027
1										ļ				G-05-018 C-U-05-003	•
ł	CWC-6004- 2MGH			х	II	CARB	43.5			1193.8	7.9375	9HNXS.671A5A AHNXS.6712AA	N/A	C-U-06-016	Q-09-027
	ZWGH			_^	- 11	CARD	43.5			1133.0	1.5313	AIIIVAS.0712AA	N/A	G-05-017	Q-03-021
i i	CWC-6004-									į.				G-05-018 C-U-05-003	
i i	3MGH			х	II	CARB	43.5			1193.8	7.9375	AHNXS.6882AA	N/A	C-U-06-016	Q-09-027
┢╾╌┪														G-05-017 G-05-018	
ìi	CWC-5004-	1			1							9HNXS.671A5A		C-U-05-003	
	1NGH			X	II	CARB	43.5			1193.8	7.9375	AHNXS.6712AA	N/A	C-U-06-016	Q-09-027
														G-05-017 G-05-018	
ĺĺ	CWC-5004-													C-U-05-003 C-U-06-016	
	2NGH			X	II	CARB	43.5			1193.8	7.9375	AHNXS.6882AA	N/A		Q-09-027
ĺĺ		Ì												G-05-017 G-05-018	
( I	CWC-5004-							ŀ				9HNXS.671A5A		C-U-05-003 C-U-06-016	ŀ
┡	<u>APGH</u>			X	II	CARB	43.5			1193.8	7.9375	AHNXS.6712AA	N/A	G-05-017	Q-09-027
( I		ł								}				G-05-018	ŀ
[ ]	CWC-5004-	ľ					40.5			4400.0	7.0075	9HNXS.671A5A	N.7/A	C-U-05-003 C-U-06-016	0.00.022
┝╼╌┼	SWGH			X	II	CARB	43.5			1193.8	7.9375	AHNXS.6712AA	N/A	G-05-017	Q-09-027
ĺĺ												OID IVO (71 / 5 :	i	G-05-018 C-U-05-003	
[ [	GC-5004- 1MGH	ĺ		x	п	CARB	43.5			1193.8	7.9375	9HNXS.671A5A AHNXS.6712AA	N/A	C-U-06-016	Q-09-027
	IMOH			_ ^_	ΤŢ	CARB	40.0			1193.0	1.5313	AIIIVAS.U/12AA	14/A	L	Q-09-02/

### Anachment Page 3 of 3

# Small Off-Road Evaporative Certification Database Form (Cold Water Supplementary Information) Page 3 of 3

#### MODEL SUMMARY

S1.	S2.		S3.		S4.	S5.	S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
Worst	Engine or	Sa	les Co	des	Engine	Fuel	Fuel	Fuel	Fuel	Nominal	Fuel Line	Exhaust Family	Fuel Tank	Fuel Line	Carbon
Case	Equipment	(0	check a	all	Class (I	System	Tank	Tank	Line	Fuel Line	Inside	,	Executive	Executive	Canister or
(Check	Model	apı	propria	ate)	or II)	(FI or	Vol.	Internal	Type	Length	Diameter		Order	Order	Other
One)		1				CARB)	(Liters)	Surface		(mm)	(mm)				Venting
								Area							Control
		CA	49-	50-				(m2)							Executive
		Only	State	State							ŕ				Order
	GC-5004- 2MGH			X	II	CARB	43.5			1193.8	7.9375	AHNXS.6882AA	N/A	G-05-017 G-05-018 C-U-05-003 C-U-06-016	Q-09-027