

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

ENGINE DESCRIPTION			
MANUFACTURER	ENGINE FAMILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)
Kawasaki Heavy Industries, LTD.	See Attachment		Gasoline
Briggs & Stratton Corporation	See Attachment		
Kohler Company	See Attachment		
* TBC = To Be Certified			
EQUIPMENT DESCRIPTION			
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	EQUIPMENT APPLICATION
2012	CC1	See Attachment	Lawn Tractor, Utility Vehicle, Residential and Commercial Turf Mower, Bunker Rake
EMISSION CONTROL SYSTEMS (ECS)		ENGINE and/or EQUIPMENT MODEL	
Canister/Co-extruded		See Attachment	
<small>A. ECS TYPE (Venting Control Type/Tank Barrier Type): 1. Venting Control Type and Code:- Canister=C Sealed Tank=S Other=O 2. Tank Barrier Type and Code:- Metal=M Treated HDPE or PE=P Co-extruded=C Selar=L Nylon=N Acetal=A Other=O B. EVAPORATIVE FAMILY 2-Letter CODE (Venting Control Codes =C, S, O); (Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.</small>			

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

DESIGN BASED					
FUEL HOSE PERMEATION (grams ROG/m ² /day)		FUEL TANK PERMEATION (grams ROG/m ² /day)		CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/liter)	
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER
15	C-U-05-002, C-U-05-006, C-U-05-011, C-U-05-013, C-U-06-030, G-05-016, G-05-017A, G-05-018	2.5	*	1.4	C-U-07-010, C-U-06-015, Q-09-027, Q-08-031

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this 5th day of August 2011.

Annette Hebert
 Annette Hebert, Chief
 Mobile Source Operations Division

4. Engine exhaust families (and executive order) within the evaporative family above:

Engine Exhaust Fam.	Executive Order #	Engine Exhaust Fam.	Executive Order #
ABSXS.5002VV	U-U-002-0575 -2	ABSXS.5402VL	U-U-002-0576
ABSXS.7242VA	U-U-002-0577	ABSXS.7242VN	U-U-002-0609
AKAXS.4012CC	U-U-004-0446		
AKAXS.4012CD	U-U-004-0436	AKAXS.6032CA	U-U-004-0440
AKAXS.7262CA	U-U-004-0419	AKAXS.7262CC	U-U-004-0421
AKAXS.8522CA	U-U-004-0424	AKHXS.7252GC	U-U-005-0316
BBSXS.5002VV	U-U-002-0635 - 1	BBSXS.5402VL	U-U-002-0628 - 1
BBSXS.7242VA	U-U-002-0627	BBSXS.7242VN	U-U-002-0625 - 1
BKAXS.4012CC	U-U-004-0483		
BKAXS.4012CD	U-U-004-0485	BKAXS.6032CA	U-U-004-0475
BKAXS.7262CA	U-U-004-0477	BKAXS.7262CC	U-U-004-0484
BKAXS.8522CA	U-U-004-0480	BKHXS.7252GC	U-U-005-0341 - 1

Confidential

7. California Sales Volume (units):

8. 50-State Sales Volume (units):

Small Off-Road Evaporative Certification Database Form
(Supplementary Information)

MODEL SUMMARY

S1. Worst Case Check One	S2. Engine or Equipment Model	S3. Sales Codes (Check all appropriate)			S4. Engine Class (I or II)	S5. Eng Disp. (cc)	S6. Fuel System (FI or Carb)	S7. Fuel Tank Vol. (Liters)	S8. Fuel Tank Internal Surface Area (m ²)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Dia. (mm)	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister or Other Venting Control EO	
		CA Only	49 State	50 State												
<input type="checkbox"/>	I200A	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	II	352	Carb	13.6	0.41	Multi-Layer	1675	6.35	AKAXS.4012CD BKAXS.4012CD	Exempt-coextruded	C-U-05-006 C-U-05-011 C-U-05-013 G-05-017A G-05-018	C-U-07-010
<input type="checkbox"/>	D110	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	II	500	Carb	9.1	0.35	Multi-Layer	1980	6.35	ABSXS.5002VV BBSXS.5002VV	Exempt-coextruded	C-U-05-002 C-U-05-011 C-U-05-013 C-U-06-030 G-05-016 G-05-017A G-05-018	C-U-06-015
<input type="checkbox"/>	D120	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	II	540	Carb	9.1	0.35	Multi-Layer	1980	6.35	ABSXS.5402VL BBSXS.5402VL	Exempt-coextruded	C-U-05-002 C-U-05-011 C-U-05-013 C-U-06-030 G-05-016 G-05-017A G-05-018	C-U-06-015
<input type="checkbox"/>	D130	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	II	724	Carb	9.1	0.35	Multi-Layer	2215	6.35	ABSXS.7242VA BBSXS.7242VA	Exempt-coextruded	C-U-05-002 C-U-05-011 C-U-05-013 C-U-06-030 G-05-016 G-05-017A G-05-018	C-U-06-015
<input type="checkbox"/>	D140	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	II	724	Carb	9.1	0.35	Multi-Layer	2215	6.35	ABSXS.7242VA BBSXS.7242VA	Exempt-coextruded	C-U-05-002 C-U-05-011 C-U-05-013 C-U-06-030 G-05-016 G-05-017A G-05-018	C-U-06-015
<input type="checkbox"/>	D160	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	II	724	Carb	9.1	0.35	Multi-Layer	2215	6.35	ABSXS.7242VA BBSXS.7242VA	Exempt-coextruded	C-U-05-002 C-U-05-011 C-U-05-013 C-U-06-030 G-05-016	C-U-06-015

SUPERSEDED

U-U-077-0033

ATTACHMENT (page 3 of 4)

<input type="checkbox"/>	D170	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	II	724	Carb	9.1	0.35	Multi-Layer	2215	6.35	ABXS.7242VA BBSXS.7242VA	Exempt-coextruded	G-05-017A G-05-018 C-U-05-002 C-U-05-011 C-U-05-013 C-U-06-030 G-05-016 G-05-017A G-05-018 C-U-05-006 C-U-05-011 C-U-05-013 G-05-017A G-05-018	C-U-06-015
<input type="checkbox"/>	TS GATOR	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	II	352	Carb	18.9	0.54	Multi-Layer	1050	6.35	AKXS.4012CD BKXS.4012CD	Exempt-coextruded	C-U-05-006 C-U-05-011 C-U-05-013 G-05-017A G-05-018	C-U-06-015
<input type="checkbox"/>	TX GATOR	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	II	401	Carb	18.9	0.54	Multi-Layer	1230	6.35	AKXS.4012CC BKXS.4012CC	Exempt-coextruded	C-U-05-006 C-U-05-011 C-U-05-013 G-05-017A G-05-018	C-U-06-015
<input type="checkbox"/>	TX Turf GATOR	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	II	401	Carb	18.9	0.54	Multi-Layer	1230	6.35	AKXS.4012CC BKXS.4012CC	Exempt-coextruded	C-U-05-006 C-U-05-011 C-U-05-013 G-05-017A G-05-018	C-U-06-015
<input type="checkbox"/>	X300	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	II	603	Carb	12.5	0.52	Multi-Layer	1875	6.35	AKXS.6032CA BKXS.6032CA	Exempt-coextruded	C-U-05-006 C-U-05-011 C-U-05-013 G-05-017A G-05-018	C-U-06-015
<input type="checkbox"/>	X304	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	II	603	Carb	12.5	0.52	Multi-Layer	1875	6.35	AKXS.6032CA BKXS.6032CA	Exempt-coextruded	C-U-05-006 C-U-05-011 C-U-05-013 G-05-017A G-05-018	C-U-06-015
<input type="checkbox"/>	X320	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	II	726	Carb	12.5	0.52	Multi-Layer	1900	6.35	AKXS.7262CA BKXS.7262CA	Exempt-coextruded	C-U-05-006 C-U-05-011 C-U-05-013 G-05-017A G-05-018	C-U-06-015
<input type="checkbox"/>	X500	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	II	726	Carb	17	0.86	Multi-Layer	1900	6.35	AKXS.7262CA BKXS.7262CA	Exempt-coextruded	C-U-05-006 C-U-05-011 C-U-05-013 G-05-017A G-05-018	C-U-06-015
<input type="checkbox"/>	Z225	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	II	500	Carb	10.5	0.36	Multi-Layer	900	6.35	ABXS.5002VV BBSXS.5002VV	Exempt-coextruded	C-U-05-002 C-U-05-011 C-U-05-013 C-U-06-030 G-05-016 G-05-017A G-05-018	C-U-06-015

ATTACHMENT (Page 4 of 4)

<input type="checkbox"/>	Z245	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	II	724	Carb	10.5	0.36	Multi-Layer	1170	6.35	ABSXS.7242VA BBSXS.7242VA	Exempt-coextruded	C-U-05-002 C-U-05-011 C-U-05-013 C-U-06-030 G-05-016 G-05-017A G-05-018	C-U-06-015
<input type="checkbox"/>	Z425	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	II	724	Carb	13.2	0.45	Multi-Layer	1170	6.35	ABSXS.7242VA BBSXS.7242VA	Exempt-coextruded	C-U-05-002 C-U-05-011 C-U-05-013 C-U-06-030 G-05-016 G-05-017A G-05-018	C-U-06-015
<input type="checkbox"/>	Z645	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	II	724	Carb	13.2	0.45	Multi-Layer	1170	6.35	ABSXS.7242VN BBSXS.7242VN	Exempt-coextruded	C-U-05-002 C-U-05-011 C-U-05-013 C-U-06-030 G-05-016 G-05-017A G-05-018	C-U-06-015
<input type="checkbox"/>	Z710A	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	II	674	Carb	23.4	0.94	Multi-Layer	1865	6.35	AKHXS.7252GC BKHXS.7252GC	Exempt-coextruded	C-U-05-013 G-05-017A G-05-018	Q-09-027
<input type="checkbox"/>	Z920A	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	II	726	Carb	42.3	1.20	Multi-Layer	1250	6.35	AKAXS.7262CC BKAXS.7262CC	Exempt-coextruded	C-U-05-006 C-U-05-011 C-U-05-013 G-05-017A G-05-018	Q-09-027
<input type="checkbox"/>	Z925A	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	II	852	Carb	42.3	1.20	Multi-Layer	850	6.35	AKAXS.8522CA BKAXS.8522CA	Exempt-coextruded	C-U-05-006 C-U-05-011 C-U-05-013 G-05-017A G-05-018	Q-09-027
<input checked="" type="checkbox"/>	Z930A	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	II	852	Carb	42.3	1.20	Multi-Layer	850	6.35	AKAXS.8522CA BKAXS.8522CA	Exempt-coextruded	C-U-05-006 C-U-05-011 C-U-05-013 G-05-017A G-05-018	Q-09-027