## CHONGQING ZONGSHEN GENERAL POWER MACHINE CO., LTD.

EXECUTIVE ORDER U-U-082-0089
New Off-Road Small Spark-Ignition
Equipment

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003:

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE	DESCRIPTION							
	MANUFACTURER	ENGINE FAI	MILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)					
	IGQING ZONGSHEN GENERAL OWER MACHINE CO., LTD.	CCZHS.159	1V1 (U-U-082-0058-1)	139, 159	Gasoline					
	Be Certified	EQUIPME	NT DESCRIPTION							
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	E	QUIPMENT APPLICATION						
2012	CPXP	1.0		lower, Compressor, Pump, Stump Beater, Brushcutte ck Blower, Pressure Washer, Edger, Tiller, Logsplitter						
EMISSIO	N CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL								
	Canister/HDPE		See Attachment							
	E (Venting Control Type/Tank Barrier Ty		ype and Code:- Canister=C	Sealed Tank=S C	other=0 2. Tank Barrier Type and Code or CODE (Venting Control Codes =C, S, C					

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

(Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.

*=not applicable	PERFORMANCE BASED (grams HC/day)									
STANDARD	EVAPORATIVE FAMILY EMISSION LIMIT DIFFERENTIAL (EFELD)	EVAPORATIVE MODEL EMISSION LIMIT (EMEL)	CERTIFICATION LEVEL							
1.0	*	= (STANDARD) (EFELD)	0.72							

BE IT FURTHER RESOLVED: That the evaporative model emission limit (EMEL), as applicable, is the diurnal emissions level declared by the manufacturer based on diurnal test results for a worst-case engine or equipment model within an evaporative family. No engine or equipment emissions within the evaporative family could be closer to its respective standard than the evaporative family emission limit differential (EFELD) calculated from the declared EMEL for the worst-case engine or equipment.

BE IT FURTHER RESOLVED: That the evaporative family emission limit differential (EFELD), as applicable, is an emission level differential between the effective standard level for a specific model representing the entire evaporative family and the EMEL declared for the specific model. It serves as the applicable evaporative emission standard for determining compliance on a corporate average basis of any equipment within this evaporative family under 13 CCR Sections 2754.1.

**BE IT FURTHER RESOLVED:** That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this

Tourence

Annette Hebert, Chief

Mebile Source Operations Division

day of August 2012.



重庆宗申通用动力机械有限公司 CHONGQING ZONGSHEN GENERAL POWER MACHINE CO., LTD. Zongshen Industry Zone, Banan District, Chongqing 400054, CHINA

## Small Off-Road Evaporative Certification Database Form (Supplementary Information)

## **MODEL SUMMARY**

S1.	S2.		S3.		S4.	S5.	S5. S6.		S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
Worst	Engine or	Sales	s Codes (c	heck all	Engine	Fuel	Fuel Tank Vol.		Fuel	Fuel Line	Nominal	Fuel Line	Exhaust Family	Fuel Tank	Fuel Line	Carbon
Case	Equipment		арргоргіа	te)	Class	System	System (Liters)		Tank	Туре	Fuel Line	Inside		Executive	Executive	Canister or
(Check	Model			(I or	(Fl or			Internal		Length <sup>(1)</sup>	Diameter		Order	Order	Other Venting	
One)		CA	49-State	50-State	II)	CARB)			Surface		(mm)	(mm)				Control
		Only					Total	Nominal	Area (m²)							Executive
															<u> </u>	Order
X	XP160-3 XP140-3 1X65RU 1X65NU 1X65TU 1X65RH 5X65MU 5X65MH			x	_	CARB	1.2	1.0	0.068	Multilayer	330	6.3	CCZHS.1591V1	N/A	G-05-018	N/A

<sup>(1)</sup> The nominal fuel line lengths can be grouped into increment of  $\pm 3$  inches (76 mm)