

ECIFUEL SYSTEMS

EXECUTIVE ORDER U-U-140-0030 New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE	DESCRIPTION							
	MANUFACTURER	ENGINE FAM	ENGINE FAMILY (E.O. NUMBER) ENGINE SIZE (cc) FUEL TY (CNG/LNG=compressed natural gas LPG=liquefigas)							
CUM	MINS POWER GENERATION	CN5XS.6532	GG (U-U-008-0226) 2GI (U-U-008-0227) GL (U-U-008-0228)	653	Gasoline					
TBC = To B	e Certified	EQUIPMEN	T DESCRIPTION							
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	· E	QUIPMENT A	UIPMENT APPLICATION					
2012	CM18	See Attachments	Attachments Generator Set and Refueling/Transfer Pump							
EMISSION	CONTROL SYSTEMS (ECS)		ENGINE and/or	EQUIPMENT I	MODEL					
Cart	oon Canister, Metal Tank	See Attachments								
Metal=M Tr	eated HDPE or PE=P Co-extruded=C \$	Selar=L Nylon=N Acetal=A	Other=O B. EVAPORATIVE	E FAMILY 2-Lette	other=0 2. <u>Tank Barrier Type and Code</u> or CODE (Venting Control Codes =C, S, C Do not use abbreviations for ECS types					

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

*=not applicable PERFORMANCE BASED (grams HC/day)											
STANDARD	EVAPORATIVE FAMILY EMISSION LIMIT DIFFERENTIAL (EFELD)	EVAPORATIVE MODEL EMISSION LIMIT (EMEL)	CERTIFICATION LEVEL								
1.20 + 0.056*Tank Vol. (L)	5.53	= (STANDARD) - (EFELD)	2.2								

BE IT FURTHER RESOLVED: That the evaporative model emission limit (EMEL), as applicable, is the diurnal emissions level declared by the manufacturer based on diurnal test results for a worst-case engine or equipment model within an evaporative family. No engine or equipment emissions within the evaporative family could be closer to its respective standard than the evaporative family emission limit differential (EFELD) calculated from the declared EMEL for the worst-case engine or equipment.

BE IT FURTHER RESOLVED: That the evaporative family emission limit differential (EFELD), as applicable, is an emission level differential between the effective standard level for a specific model representing the entire evaporative family and the EMEL declared for the specific model. It serves as the applicable evaporative emission standard for determining compliance on a corporate average basis of any equipment within this evaporative family under 13 CCR Sections 2754.1.

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this

_ day of January 2012.

Annette Hebert, Chief

Mobile Source Operations Division

AHACUMENT P3 (2+4 Small Off-Road Evaporative Certification Database Form (Supplementary Information)

MODEL SUMMARY

· N	MODEL SUMMA	Kĭ												u-u-	- (40-00)	30								
S1.	S2.		S3.		S4.	S5.	1	S6.	S7.	S7. S8.	S8. S9.	S10.	S11.	S12.	S13.	S14.								
Worst Case (Check	Engine or Equipment Model	1	Codes (appropri		Engine Class (I or	Fuel System (FI or CARB)	Fuel Tank Vol. (Liters)		1 1				1		1		Fuel Tank Internal Surface	ık Line nal Type	Nominal Fuel Line Length ⁽¹⁾	Fuel Line Inside	Exhaust Family	Fuel Tank Executive Order	Fuel Line Executive Order	Carbon Canister or Other Venting
One)		CA Only	49- State	50- State	II)	CARD)	Total	Nominal	Area (m ²)		(mm)	Diameter (mm)		Older		Control Executive Order								
1	ELC36ON5.5			1	II	CARB	138.02	130.74	2.43	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-016								
	FW18AON5.5			1	II	CARB	77.74	73.58	1.37	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016								
	FLW20ON5.5			1	II	CARB	83.4	79	1.59	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016								
	FW30BON5.5			1	II	CARB	127.42	120.75	2.20	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-016								
	FR34ON5.5			1	II	CARB	129.76	122.95	2.06	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-016								
	FR17ON5.5			1	II	CARB	66.85	57.34	1.36	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-016								
	MP30ON5.5			1	II	CARB	127.79	121.01	2.56	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016								

									P9 2	u-y-140-0030				
MP180N5.5		/	II	CARB	63.89	60.49	1.47	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-016
WW300N5.5		1	П	CARB	121.13	114.77	1.99	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-016
WW30SON5.5		/	II	CARB	118.72	112.46	1.91	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-017
WW400N5.5		/	II	CARB	161.52	153.03	2.59	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-016 Q-07-017
IND300N5.5		/	II	CARB	115.03	108.98	2.12	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016
IND180N5.5		/	II	CARB	76.69	72.56.	1.57	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-016
VIN250N5.5		1	II	CARB	96.23	91.15	1.73	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016
NM22ON5.5		/	II	CARB	86.5	81.93	1.21	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016
NM20ON5.5		/	П	CARB	78.01	73.91	1.21	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-017
MR40ON5.5		/	II	CARB	157.57	149.31	2.43	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-017
KS30ON5.5		/	II	CARB	109.77	104.28	1.96	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-016 Q-07-017

					AMAC	NHEN7	R	3044		11-11-(40-0030				
FR20ON5.5	/	II	CARB	75.70	71.91	1.52	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016 Q-07-017	
SF20ON5.5	/	II	CARB	74.30	70.58	1.29	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016 Q-07-017	
MM12AON5.5	/	II	CARB	45.42	43.14	.83	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS*6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016 Q-07-017	
MM12BON5.5	/	II	CARB	45.99	43.69	.94	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016 Q-07-017	
ON7ON5.5	/	II	CARB	26.53	25.20	.55	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-015b	
ON14ON5.5	/	II	CARB	55.72	52.93	.94	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-015b	
ON20aON5.5	/	II	CARB	76.95	73.10	1.21	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-015b	
ON10ON5.5	/	II	CARB	38.98	37.03	.70	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-015b	
ON15ON5.5	/	II	CARB	57.34	54.47	.95	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-015b	
ON20bON5.5	1	II	CARB	75.7	71.91	1.20	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-015b	
ON14TON4.0	/	П	CARB	53.09	50.43	1.16	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-015b	

	AMACMMENT B3 40f4														-0030
ON40ON4.0			>	11	CARB	153.95	146.25	1.76	Multi- layer	10058.4	6.35	CN5XS.6532GG CN5XS.6532GI CN5XS.6532GL	Exempt Metal	Q-09-019 Q-09-022 G-05-018 Q-08-022	Q-07-016