ARIENS COMPANY

EXECUTIVE ORDER U-U-160-0028-1 New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE I	DESCRIPTION						
	MANUFACTURER	ENGINE FAMI	LY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas) Gasoline				
KAWAS	SAKI HEAVY INDUSTRIES, LTD		CA (U-U-004-0475) CA (U-U-004-0520)	603					
MODEL	Attachment e Certified EVAPORATIVE FAMILY	EQUIPMEN FUEL TANK SIZE	T DESCRIPTION	QUIPMENT A	PPI ICATION				
YEAR		(liters)							
2012	CPARNR01	25.93 Walk-Behind Lawnmower							
EMISSION	N CONTROL SYSTEMS (ECS)		ENGINE and/or I	EQUIPMENT N	MODEL				
	Canister/HDPE		See A	ttachment					
Metal=M Tr	eated HDPE or PE=P Co-extruded=C	Selar=L Nylon=N Acetal=A	Other=O B. EVAPORATIVE	FAMILY 2-Lette	other=0 2. <u>Tank Barrier Type and Code</u> or CODE (Venting Control Codes =C, S, C Do not use abbreviations for ECS types				

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable.

*=not applicable		DE	SIGN BASED				
	OSE PERMEATION ams ROG/m²/day)		ANK PERMEATION ams ROG/m²/day)	CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/liter)			
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER		
15	C-U-05-013, G-05-018, Q-08-013	*	*	1.4	Q-09-021		

BE IT FURTHER RESOLVED: That the listed equipment is in conformance with the evaporative emission requirements specified in 13 CCR Section 2766(b) (small production volume tank exemption).

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-U-160-0028 dated November 22, 2011.

Executed at El Monte, California on this

1 -1/2/2

Annette Hebert, Chief

Mobile Source Operations Division

day of September 2012.

Attachment 1 of 2

Small Off-Road Evaporative Certification Database Form (Supplementary Information)

MODEL SUMMARY

SI.	S2.		S3.		S4.	S5.	S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
Worst Case (Check One)	Engine or Equipment Model	all appropris		all appropriate)		lass System Tan	Fuel Tank Vol. (Liters)	nk Tank ol. Internal	Line al Type	ne Fuel	Fuel Line Inside Diameter	Exhaust Family	Fuel Tank Executive Order	Fuel Line Executive Order	Carbon Canister or Other Venting
		CA Only	49- State	50- State	,	(7.11.5)	(2.00.0)	Area (m²)		(mm)	(mm)				Control Executive Order
X	BTC10230 John Deere	Х		Х	11	CARB	25.93	.51	Multi	762	6.35	BKAXS.6032CA CKAXS.6032CA		C-U-05-013 G-05-018 Q-08-013	Q-09-021
	BTC10231 John Deere	х		Х	11	CARB	25.93	.51	Multi	762	6.35	BKAXS.6032CA CKAXS.6032CA		C-U-05-013 G-05-018 Q-08-013	Q-09-021
	BTC10232 John Deere	х		Х	II	CARB	25.93	.51	Multi	762	6.35	BKAXS.6032CA CKAXS.6032CA		C-U-05-013 G-05-018 Q-08-013	Q-09-021
	BTC10233 John Deere	Х		Х	11	CARB	25.93	.51	Multi	762	6.35	BKAXS.6032CA CKAXS.6032CA		C-U-05-013 G-05-018 Q-08-013	Q-09-021
	BTC10234 John Deere	X		Х	II	CARB	25.93	.51	Multi	762	6.35	BKAXS.6032CA CKAXS.6032CA		C-U-05-013 G-05-018 Q-08-013	Q-09-021
	BTC10235 John Deere	X		Х	11	CARB	25.93	.51	Multi	762	6.35	BKAXS.6032CA CKAXS.6032CA		C-U-05-013 G-05-018 Q-08-013	Q-09-021
	988150 Gravely	Х		X	11	CARB	25.93	.51	Multi	762	6.35	BKAXS.6032CA CKAXS.6032CA		C-U-05-013 G-05-018 Q-08-013	Q-09-021
	988151 Gravely	Х		Х	11	CARB	25.93	.51	Multi	762	6.35	BKAXS.6032CA CKAXS.6032CA		C-U-05-013 G-05-018 Q-08-013	Q-09-021
	988152 Gravely	Х		X	11	CARB	25.93	.51	Multi	762	6.35	BKAXS.6032CA CKAXS.6032CA		C-U-05-013 G-05-018 Q-08-013	Q-09-021
	988153 Gravely	Х		Х	-11	CARB	25.93	.51	Multi	762	6.35	BKAXS.6032CA CKAXS.6032CA		C-U-05-013 G-05-018 Q-08-013	Q-09-021

Attachment 2 of 2

988154 Gravely	Х	Х	II	CARB	25.93	.51	Multi	762	6.35	BKAXS.6032CA CKAXS.6032CA	C-U-05-013 G-05-018 Q-08-013	Q-09-021
988155 Gravely	х	Х	H	CARB	25.93	.51	Multi	762	6.35	BKAXS.6032CA CKAXS.6032CA	C-U-05-013 G-05-018 Q-08-013	Q-09-021
988156 Gravely	х	х	II	CARB	25.93	.51	Multi	762	6.35	BKAXS.6032CA CKAXS.6032CA	C-U-05-013 G-05-018 Q-08-013	Q-09-021
988157 Gravely	Х	х	11	CARB	25.93	.51	Multi	762	6.35	BKAXS.6032CA CKAXS.6032CA	C-U-05-013 G-05-018 Q-08-013	Q-09-021
988158 Gravely	x	Х	11	CARB	25.93	.51	Multi	762	6.35	BKAXS.6032CA CKAXS.6032CA	C-U-05-013 G-05-018 Q-08-013	Q-09-021
988159 Gravely	Х	х	H	CARB	25.93	.51	Multi	762	6.35	BKAXS.6032CA CKAXS.6032CA	C-U-05-013 G-05-018 Q-08-013	Q-09-021
988811 Ariens	x	х	11	CARB	25.93	.51	Multi	762	6.35	BKAXS.6032CA CKAXS.6032CA	C-U-05-013 G-05-018 Q-08-013	Q-09-021
988812 Ariens	х	х	H	CARB	25.93	.51	Multi	762	6.35	BKAXS.6032CA CKAXS.6032CA	C-U-05-013 G-05-018 Q-08-013	Q-09-021
988169 Gravely	х	х	II	CARB	25.93	.51	Multi	762	6.35	CKAXS.6032CA	C-U-05-013 G-05-018 Q-08-013	Q-09-021

⁽¹⁾ The nominal fuel line lengths can be grouped into increment of \pm 3 inches (76 mm)