EXECUTIVE ORDER U-U-140-0036 New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE DE	SCRIPTION					
	MANUFACTURER	ENGINE FAMILY	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleu gas)					
CUM	MINS POWER GENERATION	CN5XS.1971BG	(U-U-008-0221)	197	Gasoline			
TBC = To B	e Certified	EQUIPMENT I	DESCRIPTION					
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	EQUIPMENT APPLICATION					
2013	CM21	See Attachments	Generato	r Set and Refu	ueling/Transfer Pump			
EMISSION	CONTROL SYSTEMS (ECS)		ENGINE and/or i	EQUIPMENT I	MODEL			
Carl	oon Canister, Metal Tank		See A	ttachments				

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

*=not applicable	PERFORMANCE BASED (grams HC/day)									
STANDARD	EVAPORATIVE FAMILY EMISSION LIMIT DIFFERENTIAL (EFELD)	EVAPORATIVE MODEL EMISSION LIMIT (EMEL)	CERTIFICATION LEVEL							
0.95 + 0.056*Tank Vol. (L)	*		4.4							

BE IT FURTHER RESOLVED: That the evaporative model emission limit (EMEL), as applicable, is the diurnal emissions level declared by the manufacturer based on diurnal test results for a worst-case engine or equipment model within an evaporative family. No engine or equipment emissions within the evaporative family could be closer to its respective standard than the evaporative family emission limit differential (EFELD) calculated from the declared EMEL for the worst-case engine or equipment.

BE IT FURTHER RESOLVED: That the evaporative family emission limit differential (EFELD), as applicable, is an emission level differential between the effective standard level for a specific model representing the entire evaporative family and the EMEL declared for the specific model. It serves as the applicable evaporative emission standard for determining compliance on a corporate average basis of any equipment within this evaporative family under 13 CCR Sections 2754.1.

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this

day of January 2013.

Annette Hebert, Chief

Mobile Source Operations Division

Small Off-Road Evaporative Certification Database Form (Supplementary Information)

MODEL SUMMARY

														и-и-	140-003	6
S1.	S2.		S3.		S4.	S5.		S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
Worst Case (Check One)	Engine or Equipment Model	1	Codes (appropri		Engine Class (I or II)	Fuel System (FI or CARB)		Fank Vol. Liters)	Fuel Tank Internal Surface Area (m²)	Fuel Line Type	Nominal Fuel Line Length ⁽¹⁾ (mm)	Fuel Line Inside Diameter (mm)	Exhaust Family	Fuel Tank Executive Order	Fuel Line Executive Order	Carbon Canister or Other Venting Control Executive
									()							Order
٥	ELC36ON2.8				II	CARB	138.02	130.74	2.43	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-016
	FW18AON2.8			0	II	CARB	77.74	73.58	1.37	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016
	FLW20ON2.8				II	CARB	83.4	79	1.59	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016
	FW30BON2.8			ο.	II	CARB	127.42	120.75	2.20	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-016
	FR34ON2.8			0	II	CARB	129.76	122.95	2.06	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-016
	FRI7ON2.8			0	П	CARB	66.85	57.34	1.36	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-016
	IND300N2.8			0	II	CARB	115.03	108.98	2.12	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016
	IND180N2.8			0	II	CARB	76.69	72.56.	1.57	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-016

					ATTAC	HMENT	Pg	2of3			4-4	-140-00	536
VIN250N2.8	٥	II	CARB	96.23	91.15	1.73	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016
MR40ON2.8	0	II	CARB	157.57	149.31	2.43	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-017
KS30ON2.8	٥	II	CARB	109.77	104.28	1.96	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-016 Q-07-017
FR20ON2.8	٥	II	CARB	75.70	71.91	1.52	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016 Q-07-017
SF20ON2.8	а	II	CARB	74.30	70.58	1.29	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016 Q-07-017
MM12AON2.8	а	II .	CARB	45.42	43.14	.83	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016 Q-07-017
MM12BON2.8	. п	П	CARB	45.99	43.69	.94	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016 Q-07-017
ON7ON2.8	а	II	CARB	26.53	25.20	.55	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015b
ON14ON2.8	٥	II	CARB	55.72	52.93	.94	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015b
ON20aON2.8	0	II	CARB	76.95	73.10	1.21	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015b
ON10ON2.8	٥	II	CARB	38.98	37.03	.70	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015b

			AT	TACHME	507 F	U-U-140-0036							
ON15ON2.8	0	II	CARB	57.34	54.47	.95	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015b
ON20bON2.8		II.	CARB	75.7	71.91	1.20	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015b
ON14TON2.8		II	CARB	53.09	50.43	1.16	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015b
ON40ON2.8		11	CARB	153.95	146.25	1.76	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-016
ON20cON2.8	0	1I	CARB	74.30	66.87	1.29	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015b
ON2ON2.8	0	11	CARB	7.07	6.35	.26	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-013a
ON3ON2.8		II	CARB	11.46	10.22	.32	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-013a
ON4ON2.8	0	II	CARB	13.36	11.99	.36	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-013a
ON14bON2.8		II	CARB	55.64	50.07	.94	Multi- layer	10058.4	6.35	CN5XS.1971BG	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015b