EXECUTIVE ORDER U-U-140-0037 New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003:

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE DE	SCRIPTION							
	MANUFACTURER	ENGINE FAMILY								
CUM	MINS POWER GENERATION		AMILY (E.O. NUMBER) ENGINE SIZE (cc) (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleu gas) 42CC (U-U-008-0238) 42GG (U-U-008-0239) 304 Gasoline ENT DESCRIPTION	Gasoline						
TBC = To B	e Certified	EQUIPMENT	DESCRIPTION							
MODEL YEAR	EVAPORATIVE FAMILY									
2013	CM22	See Attachments	ee Attachments Generator Set and Refueling/Transfer Pump							
EMISSION	CONTROL SYSTEMS (ECS)		ENGINE and/or	EQUIPMENT !	MODEL					
Cart	oon Canister, Metal Tank	See Attachments								

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

(Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.

*=not applicable	PERFORMANCE BASED (grams HC/day)									
STANDARD	EVAPORATIVE FAMILY EMISSION LIMIT DIFFERENTIAL (EFELD)	EVAPORATIVE MODEL EMISSION LIMIT (EMEL)	CERTIFICATION LEVEL							
1.20 + 0.056*Tank . Vol. (L)	5.53	= (STANDARD) - (EFELD)	1.5							

BE IT FURTHER RESOLVED: That the evaporative model emission limit (EMEL), as applicable, is the diurnal emissions level declared by the manufacturer based on diurnal test results for a worst-case engine or equipment model within an evaporative family. No engine or equipment emissions within the evaporative family could be closer to its respective standard than the evaporative family emission limit differential (EFELD) calculated from the declared EMEL for the worst-case engine or equipment.

BE IT FURTHER RESOLVED: That the evaporative family emission limit differential (EFELD), as applicable, is an emission level differential between the effective standard level for a specific model representing the entire evaporative family and the EMEL declared for the specific model. It serves as the applicable evaporative emission standard for determining compliance on a corporate average basis of any equipment within this evaporative family under 13 CCR Sections 2754.1.

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this

day of January 2013.

Annette Hebert, Chief

Mobile Source Operations Division

Small Off-Road Evaporative Certification Database Form (Supplementary Information)

MODEL SUMMARY

SI.	S2.	S3.		S4.	S5.		S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.	
Worst Case (Check One)	Engine or Equipment	Engine or Equipment	Codes (appropri		Engine Class (I or II)	Fuel System (FI or CARB)	Fuel 7	Tank Vol.	Fuel Tank Internal Surface Area (m²)	Fuel Line Type	Nominal Fuel Line Length ⁽¹⁾ (mm)	Fuel Line Inside Diameter (mm)	Exhaust Family	Fuel Tank Executive Order	Fuel Line Executive Order	Carbon Canister or Other Venting Control Executive
п	EL CZ/ONA A				CARR				Multi-	10058.4	(25	DN5XS.3042GG	Exempt	Q-09-019a Q-09-022	Order Q-07-016	
0	ELC36ON4.0		0	II	CARB	138.02	130.74	2.43	layer	10058.4	6.35	DN5XS.3042CC	Metal	G-05-018 Q-08-022 Q-09-019a	Q-07-016	
	FW18AON4.0		. 0	II	CARB	77.74	73.58	1.37	Multi- layer	10058.4	6.35	DN5XS.3042GG DN5XS.3042CC	Exempt Metal	Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016	
	FLW200N4.0		D	II .	CARB	83.4	79	1.59	Multi- layer	10058.4	6.35	DN5XS.3042GG DN5XS.3042CC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016	
	FW30BON4.0		٥	II	CARB	127.42	120.75	2.20	Multi- layer	10058.4	6.35	DN5XS.3042GG DN5XS.3042CC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-016	
	FR34ON4.0		. 0	II	CARB	129.76	122.95	2.06	Multi- layer	10058.4	6.35	DN5XS.3042GG DN5XS.3042CC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-016	
	FR170N4.0		0	II	CARB	66.85	57.34	1.36	Multi- layer	10058.4	6.35	DN5XS.3042GG DN5XS.3042CC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-016	
	IND300N4.0		0	II	CARB	115.03	108.98	2.12	Multi- layer	10058.4	6.35	DN5XS.3042GG DN5XS.3042CC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016	
	IND180N4.0		0	II	CARB	76.69	72.56.	1.57	Multi- layer	10058.4	6.35	DN5XS.3042GG DN5XS.3042CC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-016	

						AMA	KMMER	JT PS	2013	•		4-4-16	40-003
VIN250N4.0	0	П	CARB	96.23	91.15	1.73	Multi- layer	10058.4	6.35	DN5XS.3042GG DN5XS.3042CC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016
MR40ON4.0	0	П	CARB	157.57	149.31	2.43	Multi- layer	10058.4	6.35	DN5XS.3042GG DN5XS.3042CC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-017
KS30ON4.0	0	II	CARB	109.77	104.28	1.96	Multi- layer	10058.4	6.35	DN5XS.3042GG DN5XS.3042CC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-016 Q-07-017
FR20ON4.0	0	Ш	CARB	75.70	71.91	1.52	Multi- layer	10058.4	6.35	DN5XS.3042GG DN5XS.3042CC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016 Q-07-017
SF20ON4.0	а	II	CARB	74.30	70.58	1.29	Multi- layer	10058.4	6.35	DN5XS.3042GG DN5XS.3042CC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016 Q-07-017
MM12AON4.0		11	CARB	45.42	43.14	.83	Multi- layer	10058.4	6.35	DN5XS.3042GG DN5XS.3042CC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016 Q-07-017
MM12BON4.0	0	П	CARB	45.99	43.69	.94	Multi- layer	10058.4	6.35	DN5XS.3042GG DN5XS.3042CC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015a Q-07-016 Q-07-017
ON7ON4.0	а	II	CARB	26.53	25.20	.55	Multi- layer	10058.4	6.35	DN5XS.3042GG DN5XS.3042CC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015b
ON14ON4.0	а	П	CARB	55.72	52.93	.94	Multi- layer	10058.4	6.35	DN5XS.3042GG DN5XS.3042CC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015b
ON20aON4.0	a	11	CARB	76.95	73.10	1.21	Multi- layer	10058.4	6.35	DN5XS.3042GG DN5XS.3042CC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015b
ON10ON4.0	0	П	CARB	38.98	37.03	.70	Multi- layer	10058.4	6.35	DN5XS.3042GG DN5XS.3042CC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022	Q-07-015b

U-U-140-0037 AMACUMENT PS Zof 3 Q-09-019a Q-09-022 Multi-DN5XS.3042GG Exempt Q-07-015b II CARB 57.34 54.47 .95 10058.4 6.35 ON150N4.0 G-05-018 DN5XS.3042CC Metal layer Q-08-022 O-09-019a DN5XS.3042GG Exempt Q-09-022 Multi-Q-07-015b 10058.4 6.35 ON20bON4.0 II CARB 75.7 71.91 1.20 G-05-018 DN5XS.3042CC Metal layer Q-08-022 Q-09-019a Q-09-022 Exempt Multi-DN5XS.3042GG O-07-015b ON14TON4.0 II CARB 53.09 50.43 1.16 10058.4 6.35 G-05-018 layer DN5XS.3042CC Metal Q-08-022 Q-09-019a Q-09-022 DN5XS.3042GG Exempt Multi-Q-07-016 ON40ON4.0 11 CARB 153.95 146.25 1.76 10058.4 6.35 layer DN5XS.3042CC Metal G-05-018 Q-08-022 Q-09-019a Q-09-022 DN5XS.3042GG Exempt Multi-O-07-015b 1.29 10058.4 6.35 ON20cON4.0 11 CARB 74.30 66.87 layer DN5XS.3042CC Metal G-05-018 Q-08-022 O-09-019a DN5XS.3042GG Q-09-022 Multi-Exempt Q-07-013a 10058.4 6.35 II CARB 7.07 6.35 .26 **ON2ON4.0** Metal G-05-018 layer DN5XS.3042CC O-08-022 O-09-019a DN5XS.3042GG Exempt Q-09-022 Multi-Q-07-013a 0 10058.4 6.35 II CARB 11.46 10.22 .32 ON3ON4.0 G-05-018 DN5XS.3042CC Metal layer O-08-022 Q-09-019a Q-09-022 Multi-DN5XS.3042GG Exempt II **CARB** 13.36 11.99 10058.4 6.35 Q-07-013a .36 **ON40N4.0** G-05-018 DN5XS.3042CC Metal layer Q-08-022 O-09-019a Q-09-022 DN5XS.3042GG Exempt Multi-CARB 55.64 50.07 .94 10058.4 6.35 Q-07-015b ON14bON4.0 II G-05-018 DN5XS.3042CC Metal layer Q-08-022