Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE	EDESCRIPTION						
	MANUFACTURER		MILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)				
	GQING ZONGSHEN GENERAL WER MACHINE CO., LTD.	DCZHS.42 DCZHS.67 DCZHS.29 DCZHS.42 DCZHS.42 DCZHS.27	22H1 (U-U-082-0087) 02H1 (U-U-082-0084) 92H1 (U-U-082-0086) 22H2 (U-U-082-0100) 02H2 (U-U-082-0095) 72HU (U-U-082-0096) S.2922H3 (TBC)	292, 277 420, 383, 357 679 292, 277 420, 383, 357 277 292	Gasoline				
S.A. = See Attachment TBC = To Be Certified EQUIPMENT DESCRIPTION									
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	EQUIPMENT APPLICATION						
2013	CMH2	4.2, 23, 23.5, 26 Compressor, Pump, Stump Beater, Generator Set, Non-Backpack Blower, Pressure Washer, Tiller, Edger, Brusho Other Industrial Equipment							
EMISSION	CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL							
	Canister/Metal	See Attachment							
Metal=M Tr	CVenting Control Type/Tank Barrier Type eated HDPE or PE=P Co-extruded=C S Codes = M. P. C. L. N. A. O). Note: A	Selar=L Nylon=N Acetal=	A Other=O B. EVAPORATIVE	E FAMILY 2-Letter CO	DE (Venting Control Codes =C, S, O				

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

*=not applicable		DE	SIGN BASED				
	OSE PERMEATION ams ROG/m ² /day)		ANK PERMEATION ams ROG/m ² /day)	CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/liter)			
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER		
15	G-05-018, Q-08-005, C-U-05-013	1.5	* .	1.4	C-U-07-021, C-U-06-031, Q-11-002, C-U-06-005, C-U-07-016, C-U-07-022, Q-11-023		

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-U-082-0088 dated July 17, 2012.

Executed at El Monte, California on this ______day of November 2012.

Ven nnette Hebert, Chief Mobile Source Operations Division

Attachment, lof z



重庆宗申通用动力机械有限公司 CHONGQING ZONGSHEN GENERAL POWER MACHINE CO., LTD. Zongshen Industry Zone, Ba'nan District, Chongqing 400054, China

Small Off-Road Evaporative Certification Database Form (Supplementary Information)


MODEL SUMMARY

S1.	S2.		S3.		S4.	S5.	S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
Worst	Engine or Equipment	Sales Codes (check		Engine	Fuel	Fuel	Fuel Tank	Fuel Line	Nominal	Fuel Line	Exhaust Family	Fuel Tank	Fuel Line	Carbon Canister or	
Case			appropr	riate)	Class (I	System	Tank	Internal	Туре	Fuel Line	Inside		Executive	Executive	Other Venting
(Check		CA	49	50	or II)	(FI or	Vol.	Surface		Length ⁽¹⁾	Diameter		Order	Order	Control Executive
One)		Only	State	State		CARB)	(Liters)	Area (m ²)		(mm)	(mm)				Order
x	190F_ 186F_ 183F_ 180F_ 180F_ 178F_ 178-LU_			х	11	CARB	4.2	0.21	multilayer	245 or 270	6.3	DCZHS.4202H1 DCZHS.2922H1 DCZHS.4202H2 DCZHS.2922H2 DCZHS.2772HU DCZHS.2922H3	N/A	G-05-018 or Q-08-005 or C-U-05-013	C-U-07-021 or C-U-06-031 or Q-11-002 or C-U-06-005
	GH420_ GH390_ GH360_ GH300_ GH280_			x	11	CARB	4.2	0.21	multilayer	300	6.3	DCZHS.4202H1 DCZHS.2922H1 DCZHS.4202H2 DCZHS.2922H2 DCZHS.2922H3	N/A	G-05-018 or Q-08-005 or C-U-05-013	C-U-06-005
	ZH420_ ZH390_ ZH360_ ZH300_ ZH280 _			x	11	CARB	4.2	0.21	multilayer	115	6.3	DCZHS.4202H1 DCZHS.2922H1	N/A	G-05-018 or Q-08-005 or C-U-05-013	C-U-07-021 or C-U-06-031 or Q-11-002
	2V78_			x		CARB	23.5	0.57	multilayer	1500	4.0	DCZHS.6792H1	N/A	G-05-018 or Q-08-005 or C-U-05-013	C-U-07-016 or C-U-07-022 or Q-11-023
	QF12_ QF12000_			x	11	CARB	26	0.68	multilayer	1500	4.0	DCZHS.6792H1	N/A	G-05-018 or Q-08-005 or C-U-05-013	C-U-07-016 or C-U-07-022 or Q-11-023

N-N-082-0088-

Attachment, ZofZ

重庆宗申通用动力机械有限公司 CHONGQING ZONGSHEN GENERAL POWER MACHINE CO., LTD. Zongshen Industry Zone, Ba'nan District, Chongqing 400054, China



(1) The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)

(2) Postfix " " is the designator(s) for future non-emission related revision change.