Chongqing Rato Power Manufacturing Corporation

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE D	ESCRIPTION						
	MANUFACTURER	ENGINE FAMIL	Y (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)				
,	Chongqing Rato Power Manufacturing Corporation	DCRPS.2121G	C (U-U-169-0078) A (U-U-169-0077) A (U-U-169-0075)	212 212 179	Gasoline				
S.A. = See A TBC = To B	Attachment e Certified	EQUIPMENT	DESCRIPTION						
YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE EQUIPMENT APPLICATION							
2013	CM2121	3.0, 3.6, 14, 15, 17 Compressor, Pump, Generator Set, Pressure Washer, Til							
EMISSION	CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL							
СМ		See Attachment							

A ECS IMPE (Venting Control Type/Tank Barrier Type): 1. Venting Control Type and Code.- Canister-C. Seared Tank-S Other-O. 2. Tank Barrier Type and Code.-Metal=M. Treated HDPE or PE=P. Co-extruded=C. Selar=L. Nylon=N. Acetal=A. Other=O. B. EVAPORATIVE FAMILY 2-Letter CODE (Venting Control Codes = C, S, O); (Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

*=not applicable		DE	SIGN BASED			
	OSE PERMEATION ams ROG/m <sup>2</sup> /day)		ANK PERMEATION ams ROG/m <sup>2</sup> /day)	CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/liter)		
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	
15	Q-08-005, Q-08-017, Q-10-003, Q-12-003	1.5	*	1.0, 1.4	C-U-06-003, C-U-07-008, Q-07-020, Q-09-005, Q-11-003, Q-07-004, Q-07-005, C-U-07-009, C-U-06-007, Q-07-021, Q-07-008	

**BE IT FURTHER RESOLVED:** That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this day of January 2013.

Annette Hebert, Chief Mobile Source Operations Division

И-И-169-0083

Attachment, 1 of Z

## DRAFT

Small Off-Road Evaporative Certification Database Form (Supplementary Information)

MODEL SUMMARY

6

	MODEL SUMMARY														
S1.	S2.		S3.		S4.	S5.	S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	· S14.
Worst Case (Check One)	Engine or Equipment Model	1	Codes ( appropri 49- State		Engine Class (1 or II)	Fuel System (FI or CARB)	Fuel Tank Vol. (Liters)	Fuel Tank Internal Surface Area (m <sup>2</sup> )	Fuel Line Type	Nominal Fuel Line Length (mm)	Fuel Line Inside Diameter (mm)	Exhaust Family	Fuel Tank Executive Order	Fuel Line Executive Order	Carbon Canister or Other Venting Control Executive Order
	R180-3-III、K180-III R210III、K210III、 R210, R210-III、K210-III RT50ZB26-3.6Q、 RT80ZB26-3.6Q、 RT40YB55-3.6Q、 RT40YB75-3.6Q、 RT50YB50-3.8Q、 RT50HB35-3.8Q、 RT50YB80-3.8Q、 RT50ZB26-3.6Q、 RT80ZB26-3.6Q、 RT40YB55-3.6Q、 RT40YB75-3.6Q			x	l	CARB	3.6 or 3.0	0.15 or 0.12	Multi- layer	160 or 140	4.0	DCRPS.1791GA DCRPS.2121GA DCRPS.2121GC	N/A	Q-08-005 or Q-08-017 or Q-10-003 or Q-12-003	C-U-06- 003 or Q-07-020 or C-U-07- 008 or Q-09-005 or Q-11-003 or Q-07-004 or Q-07-005
	R2000DP, R2000DP-3, R2000DP-E1, R2000DP-E2, R2000P, R2000P-3, R2000P-8, R2000P-9, R2000P-E, R2000P-E, R2000P-E1, R2000PN-E, R2000PN-E,			x	I	CARB	14	0.48	Multi- layer	160 or 140	4.0 or 4.5	DCRPS.1791GA DCRPS.2121GC DCRPS.2121GA	N/A		C-U-07-009 or Q-07-021 or C-U-06-007 or Q-07-008

п-п-169-0083

		Atta	achment, 2 of 2		
			DRAFT		
R2500P, R2500DP,   R2500P-3, R2500DP-3,   R2500P-E,   R2800i, R2800iP;   R3100P, R3100P-3,   R3100P-6,   R3100P-8, R3100P-9,   R3200P, R3100DP-3,   R3100DP,   R3100DP,   R3100DP,   R3100DP,   R3100DP,   R3200DP, R3100DP-E,   R3100DP-E1, R3100DP-E1,   R3100DP-E2; R3100DN-E,   R3100DN-W, R3200DN,   R3200P, PMC103004,   PMC103005, PMC103005, 01,   PMC103007, PMC105007,   PM0103004, 01,   PM0103005, 02,   PM0103005, 02,   PM0103007, 01,   PC0103007;   56352, 56405, 56415	X	1 CARB	17 0.54 Multi- or or layer 120 15 0.5 120 0.5 130	4.0 or 5.0 DCRPS.2121GC DCRPS.2121GA N/A	Q-08-005 or Q-08-017 or Q-10-003 or Q-12-003 C-U-07-009 or Q-07-021 or Q-07-021 or Q-07-008