California Environmental Protection Agency Air Resources Board

CHONGQING YINXIANG MOTORCYCLE (GROUP) CO.,LTD

EXECUTIVE ORDER U-U-208-0003 New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

NUFACTURER LER COMPANY		MILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied		
ER COMPANY	DKHX6 106		(/	natural gas LPG=liquefied petroleum gas)		
		1GA (U-U-005-0383) 1GA (U-U-005-0384)	196, 208	Gasoline		
ent ed	EQUIPME	NT DESCRIPTION				
APORATIVE FAMILY	FUEL TANK SIZE (liters)	EQUIPMENT APPLICATION				
CM2081	15	Generator Set				
EMISSION CONTROL SYSTEMS (ECS)		ENGINE and/or EQUIPMENT MODEL				
ster/Metal	PK3000, SH265, CH270					
	CM2081 ROL SYSTEMS (ECS) ster/Metal	EQUIPME APORATIVE FAMILY	EQUIPMENT DESCRIPTION APORATIVE FAMILY CM2081 TROL SYSTEMS (ECS) Ster/Metal EQUIPMENT DESCRIPTION FUEL TANK SIZE (liters) E ROL SYSTEMS (ECS) ENGINE and/or B PK3000, S	EQUIPMENT DESCRIPTION APORATIVE FAMILY CM2081 TSOL SYSTEMS (ECS) EQUIPMENT AS EQUIPMENT AS Generate TROL SYSTEMS (ECS) ENGINE and/or EQUIPMENT IN TROUBLE TO THE PROPERTY OF THE PROPERTY		

Metal=M Treated HDPE or PE=P Co-extruded=C Selar=L Nylon=N Acetal=A Other=O B EVAPORATIVE FAMILY 2-Letter CODE (Venting Control Codes = C, S, O); (Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day $(g/m^2/day)$ or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

*=not applicable DESIGN BASED								
FUEL HOSE PERMEATION (grams ROG/m²/day)		FUEL TANK PERMEATION (grams ROG/m²/day)		CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/liter)				
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER			
15	Q-08-005	1.5	*	1.4	C-U-07-009			

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Annette Hebert, Chief

Mobile Source Operations Division