O Air Resources Board

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

| | | ENGINE DI | ESCRIPTION | | | |
|----------------------------|---------------------------------|-----------------------------------------|----------------------------------------------------------|--------------|-------------------------------|--|
| | MANUFACTURER | ENGINE FAMIL | ENGINE FAMILY (E.O. NUMBER) ENGINE SIZE (cc) endine | | | |
| | | | B (U-U-004-0610) C (U-U-004-0611) | 726 | | |
| KAWAS | SAKI HEAVY INDUSTRIES, LTD | FKAXS.6032CI | A (U-U-004-0619) B (U-U-004-0620) C (U-U-004-0621) | 603 | Gasoline | |
| C A = C A | Machana | 110-000.000200 | 0 (0-0-004-0021) | | | |
| S.A. = See A TBC = To B | | EQUIPMENT FUEL TANK SIZE | DESCRIPTION | QUIPMENT A | PPLICATION | |
| TBC = To B | e Certified | EQUIPMENT | DESCRIPTION | | PPLICATION ower, Riding Mower | |
| MODEL YEAR 2015 | e Certified EVAPORATIVE FAMILY | EQUIPMENT FUEL TANK SIZE (liters) | DESCRIPTION | ehind Lawnmo | ower, Riding Mower | |

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

(Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.

| *=not applicable | | DE | SIGN BASED | | |
|------------------|----------------------------------------|-------------------------------------------------|-----------------------------------|----------|-------------------------------------------|
| | OSE PERMEATION ams ROG/m²/day) | | ANK PERMEATION ams ROG/m²/day) | | CANISTER BUTANE CAPACITY (grams HC/liter) |
| STANDARD | CERTIFICATION LEVEL OR EXECUTIVE ORDER | STANDARD CERTIFICATION LEVEL OR EXECUTIVE ORDER | | STANDARD | CERTIFICATION LEVEL OR EXECUTIVE ORDER |
| 15 | C-U-06-010 | 1.5 | Q-12-007, Q-08-027A | 1.4 | Q-13-012 |

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

This Executive Order hereby cancels and replaces Executive Order U-U-173-0010-2 dated December 8, 2015.

Executed at El Monte, California on this

day of December 2015.

mur for

Annette Hebelt, Chief

Emissions Compliance, Automotive Regulations and Science Division

| 714 | | | |
|-----|--|--|--|
| | | | |
| | | | |

| To the second | | | |
|---------------|--|---|--|
| | | | |
| | | - | |

THE REPORT OF THE PARTY OF THE

Township of the second

Small Off-Road Evaporative Certification Database Form (Supplementary Information)

MODEL SUMMARY

| S1. | S2. | | S3. | | S4. | . S5. | S6. | S7. | S8. | S9. | S10. | S11. | S12. | S13. | S14. | |
|-----------------------------------------|---------------------------------|------------|--------------|--------------|---------------------------------|-----------------------------------|-------------------------------|-------------------------------------|----------------------|--------------------------------------------------|------------------------------------|----------------|------------------------------------|---------------------------------|-------------------------------------------|-------------------------------|
| Worst Case (Check | Engine or Equipment Model | all : | Codes (| ate) | Engine Class (I or II) | Fuel System (FI or CARB) | Fuel Tank Vol. (Liters) | Fuel Tank Internal Surface | Fuel Line Type | Nominal Fuel Line Length ⁽¹⁾ | Fuel Line Inside Diameter | Exhaust Family | Fuel Tank Executive Order | Fuel Line Executive Order | Carbon Canister or Other Venting | |
| One) | | CA Only | 49- State | 50- State | 11) | CARB) | | Area (m²) | (mm) | | | | | Older | Order | Control Executive Order |
| х | 942532CA (PCAT 52) | | | х | II | CARB | 26.45+26.45 | 1.51 | Multi Layer | 3099 | 6.35 | FKAXS.7262CC | Q-08- 027A | C-U-06- 010 | Q-13-012 | |
| | 942533CA (PCAT 61) | | | х | II | CARB | 26.45+26.45 | 1.51 | Multi Layer | 3099 | 6.35 | FKAXS.7262CC | Q-08- 027A | C-U-06- 010 | Q-13-012 | |
| | 942600CA (CRZ 48) | | | х | II | CARB | 22.7 | .688 | Multi Layer | 1372 | 6.35 | FKAXS.6032CC | Q-12-007 | C-U-06- 010 | Q-13-012 | |
| | 942601CA (CRZ 52) | | | х | II | CARB | 22.7 | .688 | Multi Layer | 1372 | 6.35 | FKAXS.7262CB | Q-12-007 | C-U-06- 010 | Q-13-012 | |
| | 942610CA (XRZ 48) | | | х | 11 | CARB | 22.7 | .688 | Multi Layer | 1372 | 6.35 | FKAXS.7262CB | Q-12-007 | C-U-06- 010 | Q-13-012 | |
| | 942611CA (XRZ 52) | | | х | II | CARB | 22.7 | .688 | Multi Layer | 1372 | 6.35 | FKAXS.7262CB | Q-12-007 | . C-U-06- 010 | Q-13-012 | |
| | 933007CA (MID 36) | | | х | П | CARB | 18.9 | .549 | Multi Layer | 1168 | 6.35 | FKAXS.6032CA | Q-12-007 | C-U-06- 010 | Q-13-012 | |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | WG14-36 (MID 36) | | | х | II | CARB | 18.9 | .6008 | Multi Layer | 853 | 6.35 | FKAXS.6032CA | Q-08- 027A | C-U-06- 010 | Q-13-012 | |
| | WH15-48 (MID 48) | | | х | II | CARB | 18.9 | .6008 | Multi Layer | 853 | 6.35 | FKAXS.6032CA | Q-08- 027A | C-U-06- 010 | Q-13-012 | |
| | WHF19-52 (MID 52) | | | х | 11 | CARB | 18.9 | .6008 | Multi Layer | 853 | 6.35 | FKAXS.6032CB | Q-08- 027A | C-U-06- 010 | Q-13-012 | |

⁽¹⁾ The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)