California Environmental Protection Agency	CHONGQING ZONGSHEN GENERAL	EXECUTIVE ORDER U-U-082-0217-1
OB Air Resources Board	POWER MACHINE CO., LTD.	New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE	DESCRIPTION						
	MANUFACTURER		MILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)				
	IGQING ZONGSHEN GENERAL DWER MACHINE CO., LTD.	GCZHS.292 GCZHS.420 GCZHS.420 GCZHS.679 GCZHS.679 GCZHS.679	2H1 (U-U-082-0203) 2H2 (U-U-082-0196) 02H1 (U-U-082-0204) 02H2 (U-U-082-0205) 02H1 (U-U-082-0205) 02H2 (U-U-082-0206) 02H1 (U-U-082-0221)	292 292 420, 357 420, 357 679 679 625	Gasoline				
	Attachment Se Certified	EQUIPME	NT DESCRIPTION						
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	E	EQUIPMENT APPLICATION					
2016	CMH2	4.0, 21.5, 22, 23, 28, 30, 40, 48							
EMISSIO	N CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL							
	Canister/Metal	See Attachments							
	E (Venting Control Type/Tank Barrier Ty, reated HDPE or PE=P Co-extruded=C \$		ype and Code:- Canister=C S	sealed Tank=S Other≖					

Metal=M Treated HDPE or PE=P Co-extruded=C Selar=L Nylon=N Acetal=A Other=O B. EVAPORATIVE FAMILY 2-Letter CODE (Venting Control Codes = C, S, O); (Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

*=not applicable		DE					
	OSE PERMEATION ams ROG/m ² /day)		ANK PERMEATION ams ROG/m ² /day)	CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/liter)			
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER		
15	G-05-018, Q-14-008, Q-08-005, C-U-05-013, Q-10-003	1.5	*	C-U-06-005, C-U-06-0 C-U-07-016A, C-U-07- C-U-07-022, C-U-07- Q-09-027, Q-11-00 Q-11-023, Q-11-02 Q-12-011, Q-13-00			

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-U-082-0217 dated November 20, 2015.

Executed at El Monte, California on this _____ day of May 2016.

mones Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division

.



重庆宗申通用动力机械有限公司 CHONGQING ZONGSHEN GENERAL POWER MACHINE CO., LTD. Zongshen Industry Zone, Ba'nan District, Chongqing 400054, China

u-u-082-0217-1

Small Off-Road Evaporative Certification Database Form (Supplementary Information)

ATTACHMENT B lof 3

Μ	ODEL SUMMARY				(-		j	monnad	,					
S1. Worst Case (Check One)	S2. Engine or Equipment Model	S3. s Codes approp 49 State		S4. Engine Class (1 or 11)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)	S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type	S9. Nominal Fuel Line Length ⁽¹⁾ (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister or Other Venting Control Executive Order
	2V78_ QF10_ QF12_ QF10000_ QF12000_		х	11	CARB	22	0.54	multilayer	165	6.3 or 4.0	GCZHS.6792H1 GCZHS.6792H2	N/A	Q-08-005 or Q-14-008 or Q-10-003 or C-U-05-013	C-U-07-016A or C-U-07-022 or Q-11-023 or Q-12-011 or Q-13-005
x	2V78_ QF10_ QF12_ QF10000_ QF12000_		x		CARB	40	0.91	multilayer	600	6.3 or 4.0	GCZHS.6792H1 GCZHS.6792H2	N/A	Q-08-005 or Q-14-008 or Q-10-003 or C-U-05-013	Q-11-024 or C-U-07-023 or Q-09-027
	2V78_ QF10_ 10KPRO X-MAN10_ XB12000_ PB12000_ XB12000_		Х	11	CARB	30	0.81	multilayer	165	6.3 or 4.0	GCZHS.6792H1 GCZHS.6792H2	N/A	Q-08-005 or Q-14-008 or Q-10-003 or C-U-05-013	C-U-07-022 or Q-11-023 or Q-13-005
	190F_ 183F_ 180F_ GH420_ GH360_ GH300_		Х	11	CARB	4.0	0.18	multilayer	200 or 210	6.3 or 4.0	GCZHS.4202H1 GCZHS.2922H1 GCZHS.4202H2 GCZHS.2922H2	N/A	G-05-018 or Q-14-008 or Q-08-005 or Q-10-003 or C-U-05-013	C-U-07-021 or C-U-06-031A or Q-11-002 or C-U-06-005
	KH5500_ KH6500_ KH8000_		x	11	CARB	28	0.60	multilayer	565	6.3 or 4.0	GCZHS.4202H1 GCZHS.2922H1 GCZHS.4202H2 GCZHS.2922H2	N/A	Q-08-005 or Q-14-008 or Q-10-003 or C-U-05-013	C-U-07-022 or Q-11-023 or Q-13-005

ATTACHHENT . B Zof 3

重庆宗申通用动力机械有限公司 CHONGQING ZONGSHEN GENERAL POWER MACHINE CO., LTD. Zongshen Industry Zone, Ba'nan District, Chongqing 400054, China

u-u-082-0217-1



重庆宗申通用动力机械有限公司 ATTACHNモンT 了 3。f3 CHONGQING ZONGSHEN GENERAL POWER MACHINE CO., LTD. Zongshen Industry Zone, Ba'nan District, Chongqing 400054, China

190F___ 183F 180F FH420 FH360 FH300 Q-08-005 or GCZHS.4202H1 X-MAN5_ C-U-07-022 or Q-14-008 or GCZHS.2922H1 6.3 or X-MAN6 N/A Q-11-023 or Ш CARB 30 0.81 multilaver 165 Х GCZHS.4202H2 Q-10-003 or X-MAN7 4.0 Q-13-005 GCZHS.2922H2 C-U-05-013 5KPRO 6KPRO_ 7KPRO 8KPRO XH5500 XH6500 XH8000 WH5500 WH7500 WH6500 G-05-018 or C-U-07-016A or GCZHS.4202H1 WH7000 Q-14-008 or C-U-07-022 or 165 or 6.3 or GCZHS.2922H1 GN-5000 23 or 0.57 or Q-08-005 or N/A Q-11-023 or CARB multilayer Х 11 0.70 155 4.0 GCZHS.4202H2 MH8000_ 21.5 Q-10-003 or Q-12-011 or GCZHS.2922H2 PH7500 C-U-05-013 Q-13-005 PH5500 PH6500 PH8000 2V78 G-05-018 or GB680 Q-14-008 or Q-11-024 or PB12000 GCZHS.6792H1 6.3 or 190 or C-U-07-023 or GCZHS.6792H2 1.04 multilayer N/A Q-08-005 or PB15000 Х CARB 48 210 4.0 GCZHS.6252H1 Q-10-003 or Q-09-027 GB620 C-U-05-013 196F PH13500_

u-u-082-0217-1

(1) The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)

(2) Postfix " " is the designator(s) for future non-emission related revision change.