

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

**IT IS ORDERED AND RESOLVED:** That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

ENGINE DESCRIPTION			
MANUFACTURER	ENGINE FAMILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)
CHONGQING AM PRIDE POWER&MACHINERY CO.,LTD	FCPPS.4592GA (U-U-164-0044)	439, 459	Gasoline
	FCPPS.4572GA (U-U-164-0046)	389, 420, 439, 457	
	FCPPS.4592GC (U-U-164-0047)	459	
	GCPPS.4572GA (U-U-164-0056)	389, 420, 457	
	GCPPS.4592GC (U-U-164-0063)	459	
CHONGQING ZONGSHEN GENERAL POWER MACHINE CO., LTD.	FCZHS.6792H1 (U-U-082-0175)	679	
	FCZHS.6792H2 (U-U-082-0179)	679	
	GCZHS.6792H1 (U-U-082-0205)	679	
	GCZHS.6792H2 (U-U-082-0206)	679	
KOHLER COMPANY	FKHXS.4292GA (U-U-005-0443)	429	
	GKHXS.4292GA (U-U-005-0483)	429	

S.A. = See Attachment  
 TBC = To Be Certified

EQUIPMENT DESCRIPTION			
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	EQUIPMENT APPLICATION
2016	CM4572	6.5, 25, 30	Compressor, Pump, Pressure Washer, Generator Set

EMISSION CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL
Canister/Metal	See Attachment

A. ECS TYPE (Venting Control Type/Tank Barrier Type): 1. **Venting Control Type and Code:** Canister=C Sealed Tank=S Other=O 2. **Tank Barrier Type and Code:** Metal=M Treated HDPE or PE=P Co-extruded=C Selar=L Nylon=N Acetal=A Other=O B. **EVAPORATIVE FAMILY 2-Letter CODE** (Venting Control Codes =C, S, O); (Tank Barrier Codes = M, P, C, L, N, A, O). **Note:** Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m<sup>2</sup>/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

*not applicable		DESIGN BASED			
FUEL HOSE PERMEATION (grams ROG/m <sup>2</sup> /day)		FUEL TANK PERMEATION (grams ROG/m <sup>2</sup> /day)		CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/liter)	
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER
15	Q-08-005, G-05-018, Q-14-008, Q-12-016A, Q-15-011, Q-13-013	1.5	*	1.4	C-U-06-031, C-U-07-016, C-U-07-016A, C-U-07-021, C-U-07-022, Q-08-035, Q-08-036, Q-13-005, C-U-06-009


**BE IT FURTHER RESOLVED:** That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-U-164-0062-1 dated April 14, 2016.

Executed at El Monte, California on this 31 day of August 2016.



Annette Hebert, Chief  
 Emissions Compliance, Automotive Regulations and Science Division

# DRAFT

## Small Off-Road Evaporative Certification Database Form (Supplementary Information)

### MODEL SUMMARY

S1. Worst Case (Check One)	S2. Engine or Equipment Model	S3. Sales Codes (check all appropriate)			S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)	S7. Fuel Tank Internal Surface Area (m <sup>2</sup> )	S8. Fuel Line Type	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister or Other Venting Control Executive Order
		CA Only	49-State	50-State											
	AP188F, AP190F, AP192F, AP192FB, AP6500C, SU6500C, AP6500C, SUA6500EC, SU6500EC, AP6500EC, SUA8250EC, SU8250EC, AP8250EC, SUA9000EC, SU9000EC, AP9000EC, SUA10000EC, SU10000EC, AP10000EC, SUA12000EC, EC12000EC, AP12000EC, SUA5000EQC, SUA10000EQC, SC6000-I, SC6000-II, SC8000-I, SC8000-II, SC9000-I, SC9000-II, SC10000-I, SC10000-II, SUA65000EC, SUA9000EC, SUA120000EC, SUA7000C, SC7000C, AP7000C, SUA7000EC, SUA9000EDC			X	II	CARB	6.5	0.32	Multi-layer						C-U-06-031 C-U-07-021 Q-08-035
X				X	II	CARB	25	0.8	Multi-layer	250 or 205 or 420	4.5 or 6.35	FCPPS.4592GA FCPPS.4572GA FCPPS.4592GC GCPPS.4592GC GCPPS.4572GA	N/A	Q-08-005 or G-05-018 or Q-14-008 or Q-12-016A or Q-15-011 or Q-13-013	C-U-07-016 C-U-07-016A C-U-07-022 Q-08-036 Q-13-005 C-U-06-009
	CH440 SC8500E, SC8500EC			X	II	CARB	25	0.8	Multi-layer			FKHXS.4292GA GKHXS.4292GA			

# DRAFT

	SU15000EC, SUA15000EC, AP15000EC, WP6015S, WP4015S, SC11000EC, SUA11000EC, SUA12000EDC, SUA7500C,SUA7500EC			X	II	CARB	30	0.67	Multi- layer	420 450	4.5 or 6.35	FCZHS.6792H2 FCZHS.6792H1 GCZHS.6792H1 GCZHS.6792H2 FCPPS.4572GA GCPPS.4572GA FCPPS.4592GC GCPPS.4592GC	N/A	Q-08-005 or G-05-018 or Q-14-008 or Q-12-016A or Q-15-011 or Q-13-013	Q-13-005 C-U-07-022
--	--	--	--	---	----	------	----	------	-----------------	------------	-------------------	--	-----	---	------------------------