

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

ENGINE DESCRIPTION			
MANUFACTURER	ENGINE FAMILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)
See Attachment A	See Attachment A	See Attachment A	See Attachment A
S.A. = See Attachment TBC = To Be Certified			
EQUIPMENT DESCRIPTION			
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	EQUIPMENT APPLICATION
2017	CO380HW	38	Pressure Washer
EMISSION CONTROL SYSTEMS (ECS)		ENGINE and/or EQUIPMENT MODEL	
Canister/Other		See Attachment B	
A. ECS TYPE (Venting Control Type/Tank Barrier Type): 1. Venting Control Type and Code:- Canister=C Sealed Tank=S Other=O 2. Tank Barrier Type and Code:- Metal=M Treated HDPE or PE=P Co-extruded=C Selar=L Nylon=N Acetal=A Other=O B. EVAPORATIVE FAMILY 2-Letter CODE (Venting Control Codes =C, S, O); (Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.			

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable.

*not applicable		DESIGN BASED			
FUEL HOSE PERMEATION (grams ROG/m ² /day)		FUEL TANK PERMEATION (grams ROG/m ² /day)		CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/liter)	
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER
15	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	*	*	1.4	Q-09-027


BE IT FURTHER RESOLVED: That the listed equipment is in conformance with the evaporative emission requirements specified in 13 CCR Section 2766(b) (small production volume tank exemption).

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this 7 day of March 2017.



Annette Hebert, Chief
Emissions Compliance, Automotive Regulations and Science Division

ENGINE DESCRIPTION

MANUFACTURER	ENGINE FAMILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)
BRIGGS & STRATTON CORPORATION	GBSXS.4792HH (U-U-002-0938-1)	479	Gasoline
	HBSXS.4792HH (U-U-002-0974)	479	
	GBSXS.6272HN (U-U-002-0932-2)	570, 627	
	HBSXS.6272HN (U-U-002-0976)	570, 627	
HONDA MOTOR CO., LTD.	GHNXS.6882AA (U-U-001-0751)	688	
	HHNXS.6882AA (U-U-001-0809)	688	
KOHLER COMPANY	GKHXS.6742GC (U-U-005-0485-1)	674	
	HKHXS.6742GC (U-U-005-0533)	674	
	GKHXS.7252GC (U-U-005-0498-1)	725	
	HKHXS.7252GC (U-U-005-0528)	725	

**Small Off-Road Evaporative Certification Database Form
(Hot Water Supplementary Information)**

ED#U-U-093-0041

Page 1 of 9

MODEL SUMMARY

S1. Worst Case (Check One)	S2. Engine or Equipment Model	S3. Sales Codes (check all appropriate)			S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)	S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister or Other Venting Control Executive Order
		CA Only	49- State	50- State											
	GH-3505- 0MGH			X	II	FI	38	0.632 m ²	Multi- Layer	2254.25	6.35	HHNXS.6882AA GHNXS.6882AA	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	GH-4004- 0MAH			X	II	FI	38	0.632 m ²	Multi- Layer	2254.25	6.35	HHNXS.6882AA GHNXS.6882AA	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HDB-3005- 0K6G			X	II	FI	38	0.632 m ²	Multi- Layer	838.2	6.35	HKHXS.6742GC GKHXS.6742GC	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HDB-3005- 0V6G			X	II	FI	38	0.632 m ²	Multi- Layer	1663.7	6.35	HBSXS.4792HH GBSXS.4792HH	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HDC-3005- 0K6G			X	II	FI	38	0.632 m ²	Multi- Layer	838.2	6.35	HKHXS.6742GC GKHXS.6742GC	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HDC-3005- 0V6G			X	II	FI	38	0.632 m ²	Multi- Layer	1663.7	6.35	HBSXS.4792HH GBSXS.4792HH	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027

Small Off-Road Evaporative Certification Database Form
(Hot Water Supplementary Information)

ED# U-U-093-0041

MODEL SUMMARY

S1. Worst Case (Check One)	S2. Engine or Equipment Model	S3. Sales Codes (check all appropriate)			S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)	S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister or Other Venting Control Executive Order
		CA Only	49-State	50-State											
	HDC-3505-0K6G			X	II	FI	38	0.632 m ²	Multi-Layer	1143	6.35	HKHXS.6742GC GKHXS.6742GC	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HDC-3505-1H6G			X	II	FI	38	0.632 m ²	Multi-Layer	1143	6.35	HHNXS.6882AA GHNXS.6882AA	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HDC-4004-0K6A			X	II	FI	38	0.632 m ²	Multi-Layer	1143	6.35	HKHXS.6742GC GKHXS.6742GC	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HDC-4004-1H6A			X	II	FI	38	0.632 m ²	Multi-Layer	1143	6.35	HHNXS.6882AA GHNXS.6882AA	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HDD-3804-0V6A			X	II	FI	38	0.632 m ²	Multi-Layer	1663.7	6.35	HBSXS.4792HH GBSXS.4792HH	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027

**Small Off-Road Evaporative Certification Database Form
(Hot Water Supplementary Information)**

ED # U-U-093-0041

Page 3 of 9

MODEL SUMMARY

S1. Worst Case (Check One)	S2. Engine or Equipment Model	S3. Sales Codes (check all appropriate)			S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)	S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister or Other Venting Control Executive Order
		CA Only	49- State	50- State											
	HDS-3005- 0K6G			X	II	FI	38	0.632 m ²	Multi- Layer	1917.7	6.35	HKHXS.6742GC GKHXS.6742GC	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HDS-3005- 0V6G			X	II	FI	38	0.632 m ²	Multi- Layer	2768.6	6.35	HBSXS.4792HH GBSXS.4792HH	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HDS-3008- 0K6G			X	II	FI	38	0.632 m ²	Multi- Layer	2692.3	6.35	HKHXS.7252GC GKHXS.7252GC	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HDS-3008- 1H6G			X	II	FI	38	0.632 m ²	Multi- Layer	2692.3	6.35	HHNXS.6882AA GHNXS.6882AA	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HDS-3505- 0K6A			X	II	FI	38	0.632 m ²	Multi- Layer	1917.7	6.35	HKHXS.6742GC GKHXS.6742GC	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HDS-3505- 0K6G			X	II	FI	38	0.632 m ²	Multi- Layer	1917.7	6.35	HKHXS.6742GC GKHXS.6742GC	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027

**Small Off-Road Evaporative Certification Database Form
(Hot Water Supplementary Information)**

ED #U-U-093-0041

MODEL SUMMARY

Page 4 of 9

S1. Worst Case (Check One)	S2. Engine or Equipment Model	S3. Sales Codes (check all appropriate)			S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)	S7. Fuel Tank Internal Surface Area (m2)	S8. Fuel Line Type	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister or Other Venting Control Executive Order
		CA Only	49- State	50- State											
	HDS-3505-0V6A			X	II	FI	38	0.632 m ²	Multi-Layer	2768.6	6.35	HBSXS.6272HN GBSXS.6272HN	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HDS-3505-0V6G			X	II	FI	38	0.632 m ²	Multi-Layer	2768.6	6.35	HBSXS.6272HN GBSXS.6272HN	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HDS-3505-1H6G			X	II	FI	38	0.632 m ²	Multi-Layer	2254.25	6.35	HHNXS.6882AA GHNXS.6882AA	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HDS-3506-0K6A			X	II	FI	38	0.632 m ²	Multi-Layer	1917.7	6.35	HKHXS.7252GC GKHXS.7252GC	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HDS-3506-0K6G			X	II	FI	38	0.632 m ²	Multi-Layer	1917.7	6.35	HKHXS.7252GC GKHXS.7252GC	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HDS-3506-1H6G			X	II	FI	38	0.632 m ²	Multi-Layer	2254.25	6.35	HHNXS.6882AA GHNXS.6882AA	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027

**Small Off-Road Evaporative Certification Database Form
(Hot Water Supplementary Information)**

ED #U-U-093-0041

Page 5 of 9

MODEL SUMMARY

S1. Worst Case (Check One)	S2. Engine or Equipment Model	S3. Sales Codes (check all appropriate)			S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)	S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister or Other Venting Control Executive Order
		CA Only	49- State	50- State											
	HDS-3506- HZ01			X	II	FI	38	0.632 m ²	Multi- Layer	3301.9	6.35	HHNXS.6882AA GHNXS.6882AA	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HDS-3506- VZ01			X	II	FI	38	0.632 m ²	Multi- Layer	3301.9	6.35	HBSXS.6272HN GBSXS.6272HN	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HDS-4005- 0K6A			X	II	FI	38	0.632 m ²	Multi- Layer	927.1	6.35	HKHXS.7252GC GKHXS.7252GC	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HDS-4005- 1K6G			X	II	FI	38	0.632 m ²	Multi- Layer	927.1	6.35	HKHXS.7252GC GKHXS.7252GC	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HDS-4005- 2H6G			X	II	FI	38	0.632 m ²	Multi- Layer	3301.9	6.35	HHNXS.6882AA GHNXS.6882AA	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HS-3005- OMGV			X	II	FI	38	0.632 m ²	Multi- Layer	2768.6	6.35	HBSXS.4792HH GBSXS.4792HH	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027

**Small Off-Road Evaporative Certification Database Form
(Hot Water Supplementary Information)**

ED # U-U-093-0041

MODEL SUMMARY

Page 6 of 9

S1. Worst Case (Check One)	S2. Engine or Equipment Model	S3. Sales Codes (check all appropriate)			S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)	S7. Fuel Tank Internal Surface Area (m2)	S8. Fuel Line Type	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister or Other Venting Control Executive Order
		CA Only	49- State	50- State											
	HS-3505-1MGH			X	II	FI	38	0.632 m ²	Multi-Layer	2254.25	6.35	HHNXS.6882AA GHNXS.6882AA	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HS-3506-0BEG0H			X	II	FI	38	0.632 m ²	Multi-Layer	2254.25	6.35	HHNXS.6882AA GHNXS.6882AA	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HS-3506-0MBE			X	II	FI	38	0.632 m ²	Multi-Layer	2254.25	6.35	HHNXS.6882AA GHNXS.6882AA	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HS-3506-1MGH			X	II	FI	38	0.632 m ²	Multi-Layer	2254.25	6.35	HHNXS.6882AA GHNXS.6882AA	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HS-4004-1MAH			X	II	FI	38	0.632 m ²	Multi-Layer	1257.3	6.35	HHNXS.6882AA GHNXS.6882AA	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HVS-3005-0K6G			X	II	FI	38	0.632 m ²	Multi-Layer	1917.7	6.35	HKHXS.6742GC GKHXS.6742GC	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027

**Small Off-Road Evaporative Certification Database Form
(Hot Water Supplementary Information)**

ED # U-U-093-0041

Page 7 of 9

MODEL SUMMARY

S1. Worst Case (Check One)	S2. Engine or Equipment Model	S3. Sales Codes (check all appropriate)			S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)	S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister or Other Venting Control Executive Order
		CA Only	49- State	50- State											
	HVS-3005- 0V6G			X	II	FI	38	0.632 m ²	Multi- Layer	2768.6	6.35	HBSXS.4792HH GBSXS.4792HH	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HVS-3008- 0K6G			X	II	FI	38	0.632 m ²	Multi- Layer	2692.3	6.35	HKHXS.7252GC GKHXS.7252GC	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HVS-3008- 1H6G			X	II	FI	38	0.632 m ²	Multi- Layer	2692.3	6.35	HHNXS.6882AA GHNXS.6882AA	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HVS-3504- 0K6G			X	II	FI	38	0.632 m ²	Multi- Layer	1917.7	6.35	HKHXS.6742GC GKHXS.6742GC	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HVS-3504- 0V6G			X	II	FI	38	0.632 m ²	Multi- Layer	2768.6	6.35	HBSXS.4792HH GBSXS.4792HH	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	HVS-3505- 0K6G			X	II	FI	38	0.632 m ²	Multi- Layer	1917.7	6.35	HKHXS.6742GC GKHXS.6742GC	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027

**Small Off-Road Evaporative Certification Database Form
(Hot Water Supplementary Information)**

ED# U-U-093-0041

Page 9 of 9

MODEL SUMMARY

S1. Worst Case (Check One)	S2. Engine or Equipment Model	S3. Sales Codes (check all appropriate)			S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)	S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister or Other Venting Control Executive Order
		CA Only	49- State	50- State											
	JM-2512- 0GH			X	II	FI	38	0.632 m ²	Multi- Layer	1257.3	6.35	HHNXS.6882AA GHNXS.6882AA	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	JM-2512- 0GHS			X	II	FI	38	0.632 m ²	Multi- Layer	1257.3	6.35	HHNXS.6882AA GHNXS.6882AA	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	AGW-SH22- 20M			X	II	FI	38	0.632 m ²	Multi- Layer	2158.9	6.35	HHNXS.6882AA GHNXS.6882AA	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	AC2- CW5220H			X	II	FI	38	0.632 m ²	Multi- Layer	2158.9	6.35	HHNXS.6882AA GHNXS.6882AA	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027
	CC2- CW5220H			X	II	FI	38	0.632 m ²	Multi- Layer	2158.9	6.35	HHNXS.6882AA GHNXS.6882AA	LVTE	G-05-017-A, G-05-018, C-U-05-003, C-U-06-016	Q-09-027