ECI FUEL SYSTEMS

EXECUTIVE ORDER U-U-140-0056 New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE DE	ESCRIPTION						
	MANUFACTURER	ENGINE FAMIL	ENGINE FAMILY (E.O. NUMBER) ENGINE SIZE (cc)						
CUM	MINS POWER GENERATION		C (U-U-008-0281) C (U-U-008-0282)	653	gas) Gasoline				
TBC = To B	e Certified	EQUIPMENT	DESCRIPTION						
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	E	EQUIPMENT APPLICATION					
2017	CM2HT	See Attachments	Pump, Generator Set and Cab Heater						
EMISSION	CONTROL SYSTEMS (ECS)		ENGINE and/or E	EQUIPMENT I	MODEL				
Cart	oon Canister, Metal Tank	See Attachments							
Code:- Meta		led=C Selar=L Nylon=N Acet	al=A Other=O B. EVAPO	RATIVE FAMILY	Other=O 2. <u>Tank Barrier Type and</u> 7.2-Letter CODE (Venting Control Codes pe or code. Do not use abbreviations for				

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

*=not applicable	PERFORMANCE BASED (grams HC/day)									
STANDARD	EVAPORATIVE FAMILY EMISSION LIMIT DIFFERENTIAL (EFELD)	EVAPORATIVE MODEL EMISSION LIMIT (EMEL)	CERTIFICATION LEVEL							
1.20 + 0.056*Tank Vol. (L)	*	*	1.7							

BE IT FURTHER RESOLVED: That the evaporative model emission limit (EMEL), as applicable, is the diurnal emissions level declared by the manufacturer based on diurnal test results for a worst-case engine or equipment model within an evaporative family. No engine or equipment emissions within the evaporative family could be closer to its respective standard than the evaporative family emission limit differential (EFELD) calculated from the declared EMEL for the worst-case engine or equipment.

BE IT FURTHER RESOLVED: That the evaporative family emission limit differential (EFELD), as applicable, is an emission level differential between the effective standard level for a specific model representing the entire evaporative family and the EMEL declared for the specific model. It serves as the applicable evaporative emission standard for determining compliance on a corporate average basis of any equipment within this evaporative family under 13 CCR Sections 2754.1.

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this _______

day of January 2017.

nnette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

RCI IZ/ZI/17

ATTACHMENT By lof 3

Small Off-Road Evaporative Certification Database Form (Supplementary Information)

MODEL SUMMARY

u-u-140-0056

S1.	S2.		S3.		S4.	S5.	5. S6.		S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
Worst Case (Check One)	Engine or Equipment Model	Sales Codes (chec all appropriate)		•	Engine Class (I or	Fuel System (FI or CARB)	I	Tank Vol. iters)	Fuel Tank Internal Surface	Fuel Line Type	Nominal Fuel Line	Fuel Line Inside	Exhaust Family	Fuel Tank Executive Order	Fuel Line Executive Order	Carbon Canister or Other
		CA Only	49- State	50- State	II)	CARB)	Total	Nominal	Area (m ²)		Length ⁽¹⁾ (mm)	Diameter (mm)		Oluci		Venting Control Executive Order
1	ECI40ON5.5			1	11	CARB	151.41	136.27	2.44	Multi- layer	10058.4	6.35	HN5XS.6532CC HN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-10-004	Q-07-016
	IND300N5.5			1	II	CARB	115.03	103.53	2.12	Multi- layer	10058.4	6.35	HN5XS.6532CC HN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-10-004	Q-07-016
	IND18ON5.5			/	II	CARB	76.69	69.02	1.57	Multi- layer	10058.4	6.35	HN5XS.6532CC HN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-10-004	Q-07-016
	VIN25ON5.5			1	11	CARB	96.23	86.61	1.73	Multi- layer	10058.4	6.35	HN5XS.6532CC HN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-10-004	Q-07-016
	MR40ON5.5			/	II	CARB	157.57	141.23	2.43	Multi- layer	10058.4	6.35	HN5XS.6532CC HN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-10-004	Q-07-017
	KS300N5.5			1	II	CARB	109.77	98.79	1.96	Multi- layer	10058.4	6.35	HN5XS.6532CC HN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-10-004	Q-07-016 Q-07-017
	FR20ON5.5			1	II	CARB	75.70	68.13	1.52	Multi- layer	10058.4	6.35	HN5XS.6532CC HN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-10-004	Q-07-015b Q-07-016 Q-07-017

ATTACHMENT B 2043

RCl 12/21/17 U-U-140-0056

											-	~~ (~ () -~ (
ON7ON5.5	/	II	CARB	26.53	23.88	.55	Multi- layer	10058.4	6.35	HN5XS.6532CC HN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-10-004	Q-07-015b
ON14ON5.5	1	II	CARB	55.72	50.15	.94	Multi- layer	10058.4	6.35	HN5XS.6532CC HN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-10-004	Q-07-015b
ON20aON5.5	/	II	CARB	76.95	69.26	1.21	Multi- layer	10058.4	6.35	HN5XS.6532CC HN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-10-004	Q-07-015b
ON10ON5.5	/	II	CARB	38.98	35.08	.70	Multi- layer	10058.4	6.35	HN5XS.6532CC HN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-10-004	Q-07-015b
ON15ON5.5	/	. II	CARB	57.34	51.61	.95	Multi- layer	10058.4	6.35	HN5XS.6532CC HN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-10-004	Q-07-015b
ON20bON5.5	/	II	CARB	75.7	68.13	1.20	Multi- layer	10058.4	6.35	HN5XS.6532CC HN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-10-004	Q-07-015b
ON14TON5.5	/	II	CARB	53.09	47.78	1.16	Multi- layer	10058.4	6.35	HN5XS.6532CC HN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-10-004	Q-07-015b
ON40ON5.5	/	II	CARB	153.95	138.56	1.76	Multi- layer	10058.4	6.35	HN5XS.6532CC HN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-10-004	Q-07-016
ON20cON5.5	/	II	CARB	74.30	66.87	1.29	Multi- layer	10058.4	6.35	HN5XS.6532CC HN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-10-004	Q-07-015b
ON14bON5.5	/	II	CARB	55.64	50.08	.94	Multi- layer	10058.4	6.35	HN5XS.6532CC HN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-10-004	Q-07-015b
FB100N4.0	1	II	CARB	38.27	34.44	.74	Multi- layer	10058.4	6.35	HN5XS.6532CC HN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-10-004	Q-07-015b

AMACUMENT B 3. 63

RC1 12/21/17

												レノーし	1-140 00	56
ON20ABON5.5		•	11	CARB	77.96	70.16	1.40	Multi- layer	10058.4	6.35	HN5XS.6532CC HN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-10-004	