CHONGQING AM PRIDE POWER&MACHINERY CO..LTD

EXECUTIVE ORDER U-U-164-0071 New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE	DESCRIPTION	J					
	MANUFACTURER	ENGINE FAMILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)				
	HONGQING AM PRIDE ER&MACHINERY CO.,LTD	GCPPS.0981GA (GCPPS.2231GA (HCPPS.2231GA (HCPPS.0981GA (U-U-164-0055) U-U-164-0065)	98 196, 208, 223 196, 208, 212, 223 98	Gasoline				
S.A. = See Attachment TBC = To Be Certified EQUIPMENT DESCRIPTION									
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	PLICATION						
2017	CM2081	3.2, 3.5, 14.5, 5.8	Washer, Generator Set						
EMISSIO	N CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL							
	Canister/Metal	See Attachment							
Metal=M T	E (Venting Control Type/Tank Barrier Ty reated HDPE or PE=P Co-extruded=C S r Codes = M, P, C, L, N, A, O). <u>Note</u> : Al	Selar=L Nylon=N Acetal=A	Other=O B. EVAPO	ORATIVE FAMILY 2-Letter	ner=O 2. Tank Barrier Type and Code:- CODE (Venting Control Codes =C, S, O); Do not use abbreviations for ECS types.				

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

*=not appli	cable		DESIGN BASED							
FUE		DSE PERMEATION ms ROG/m²/day)		ANK PERMEATION ams ROG/m²/day)	CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/liter)					
STANDA	RD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER				
15		Q-08-005, G-05-018, Q-14-008, Q-12-016A, Q-15-011, Q-13-013	1.5	Q-16-027, Q-16-019	1.0, 1.4	C-U-06-003, Q-07-020, C-U-07-008, C-U-06-007, C-U-06-007A, C-U-06-008, Q-07-021, C-U-07-009, Q-08-031,Q-08-035, C-U-07-021				

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this day of April 2017.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

Attachment, 1 of 1

Small Off-Road Evaporative Certification Database Form (Supplementary Information)

MODEL SUMMARY

S1.	S2.		S3.		S4.	S5.		S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
Worst Case (Check One)	Engine or Equipment Model		Sales Codes (check all appropriate)		Engine Class (I or	Fuel System (FI or	Fuel Tank Vol. (Liters)		Fuel Tank Internal Surface	Fuel Line Type	Nominal Fuel Line	Fuel Line Inside	Exhaust Family	Fuel Tank Executive	Fuel Line Executive Order	Carbon Canister or Other
		CA Only	49- State	50- State	II)	CARB)	Total	Nominal	Area (m ²)		Length ⁽¹⁾ (mm)	Diameter (mm)		Order		Venting Control Executive Order
	AP156F, SC200, SV200, SC230, SV230, SV212, SC212,AP168FB,AP170F, AP170FB, SU1500C, AP1500C,AP2500C,SUA4500C,SUA4500C,SUA4500C,SUA550C,AP4500C,SU5250C,AP5250C,SU5250C,AP5250C,SU5250C,AP5250C,SU5250C,AP5250C,SU5250C,AP5250C,SU5250C,AP5250C,SU5250C,AP5250C,SU5250C,AP5250C,SU5250C,AP5250C,SU5250C,AP5250C,SU5250C,AP5250C,SU5250C,AP5250C,SU5250C,AP5250C,SU5250C,AP52500C,SU52500-II,SC4000-II,SC4000-II,SC4000-II,SC4000-II,GP3250,AP3250,AG3250 RTPG-4500C,SUA5000C SUPW50,SUPW80,APW2700,APW3200 SU5000C,AP5000C.			X	I	CARB	3.6	3.2	0.15	Multi- layer	125			CPPS.0981GA	Q-08-005 G-05-018 Q-14-008 Q-12-016A Q-15-011 Q-13-013	C-U-06-003 Q-07-020 C-U-07-008
				X	I	CARB	3.8	3.5	0.15	Multi- layer	125					Q-07-020
				X	I	CARB	15	14.5	0.53	Multi- layer	105	4.5	GCPPS.0981GA GCPPS.2231GA			C-U-06-007 C-U-06-007A Q-07-021 C-U-07-009
	SU3000EC, SU5000EC, AP5000EC, SU5000EC, AP5000EC, SU41500C, X4200PS, BE4200PS, X3500PS, BE3500PS, MBE3500PS, MX4200PS, MBE4200PS, MX3500PS, SC1200C, SUA1200C, SUA4000i, SUWP50C, APW3100C, APW80C, BE3500PS, X4200PS, BE4200PS, X3500PS, SU4500EC, AWP50, AP5000, AP5000COM, AP4800, SUA7000, SC2000, AK4KSE, AKGPW3500, AKPW3000, SC4000i			X		CARB	6	5.8	0.31	Multi- layer	125	0.33	HCPPS.0981GA			Q-08-035 C-U-07-021 C-U-06-008 Q-08-031

⁽¹⁾ The nominal fuel line lengths can be grouped into increment of ± 3 inches (76mm)