Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENG	SINE DESCRIPTION					
	MANUFACTURER	ENGINE	E FAMILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleun gas)  Gasoline			
	HONDA MOTOR CO., LTD.	ال ال ال	HNXS.1191AA (TBC) HNXS.1631AB (TBC) HNXS.1961AA (TBC) HNXS.1961SA (TBC) HNXS.1961SA (TBC) HNXS.1631AA (TBC)	119 163 196 196 163				
TBC = To I	Be Certified	EQUIF	PMENT DESCRIPTION					
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE EQUIPMENT APPLICATION						
2018	CMHNX12A	2.0, 3.1			tor Set, Snowblower, other OEM Product			
EMISSIC	ON CONTROL SYSTEMS (ECS)		ENGINE and/or EQ	UIPMENT MO	DEL			
	Canister / Metal		See Atta	chment				
Metal=M T	PE (Venting Control Type/Tank Barr Treated HDPE or PE=P Co-extrude or Codes = M, P, C, L, N, A, O). No	d=C Selar=L Nylon=N A	cetal=A Other=O B. EVAPORATIVE	FAMILY 2-Lette	ther=O 2. <u>Tank Barrier Type and Code</u> r CODE (Venting Control Codes =C, S, (			

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

*=not applicable	PERFORMANCE BASED (grams HC/day)						
STANDARD	EVAPORATIVE FAMILY EMISSION LIMIT DIFFERENTIAL (EFELD)	EVAPORATIVE MODEL EMISSION LIMIT (EMEL)	CERTIFICATION LEVEL				
0.95 + 0.056*Tank Vol. (L)	0.18	= (STANDARD) - (EFELD)	0.74				

BE IT FURTHER RESOLVED: That the evaporative model emission limit (EMEL), as applicable, is the diurnal emissions level declared by the manufacturer based on diurnal test results for a worst-case engine or equipment model within an evaporative family. No engine or equipment emissions within the evaporative family could be closer to its respective standard than the evaporative family emission limit differential (EFELD) calculated from the declared EMEL for the worst-case engine or equipment.

BE IT FURTHER RESOLVED: That the evaporative family emission limit differential (EFELD), as applicable, is an emission level differential between the effective standard level for a specific model representing the entire evaporative family and the EMEL declared for the specific model and it's for use in the averaging and banking program. It serves as the applicable evaporative emission standard for determining compliance on a corporate average basis of any equipment within this evaporative family under 13 CCR Sections 2754.1(e).

**BE IT FURTHER RESOLVED:** That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_\_\_ day of September 2017.

Annètte Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division Attachment 1 of 2

Issued: 04/06/17 Revised:

Executive Order: N-U-001-0841

## Small Off-Road Evaporative Certification Database Form (Supplementary Information)

## **MODEL SUMMARY**

ſ	S1.		S2. S3.			S4.	C.F.	S5. S6.			S8.	S9.	S10.	S11.	S12.	S13.	S14.
	S1.	32,		33.		34.	35.	30.		S7.	30.	39.	310.	311.	012.	313.	014.
	Worst Case (Check One)	Engine or Equipment <b>M</b> odel	(	ales Co check a propria	all	Engine Class (I or II)	System	m (Liters)		Fuel Tank Internal Surface	Fuel Line Type	Nominal Fuel Line Length	Inside t Diameter	Exhaus t Family	Fuel Tank Executive Order	Fuel Line Executive Order	Carbon Canister or Other Venting
One)			CA 49- 50- Only State State			Total Nominal		Area (m²)		(mm)	(mm)				Control Executive Order		
	X	J1CH01B1-C J1CH02B1-C J1CH03B1-C J1CH04B1-C J1CH05B1-C J1CH06B1-C J1CH07B1-C J1CH09B1-C J1CH10B1-C J1CH11B1-C J1CH13B1-C J1CH20B1-C J1CH21B1-C J1CH22B1-C J1CH23B1-C J1CH23B1-C J1CH24B1-C J1CH27B1-C (GX120)			x	1	CARB	2.4	2.0	0.112	FKM	140	4.5	JHNXS. 1191AA	N/A	N/A	N/A

Attachment 2 of 2

Issued: 04/06/17

Revised: Executive Order: U-U-001-0841

. 1	MODEL SUMMARY (Cont'd)														0011									
S1.	S2.	S3.			S4.	S5.	S5. S6.		S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.								
Worst Case (Check One)	Case Equipment (Check Model		Sales Codes (check all appropriate)		(check all		(check all		(check all		(check all appropriate)		Engin e Class (I or II)	Fuel System (FI or CARB)	Fuel Tank Vol. (Liters)				Nominal Fuel Line	Fuel Line Inside	Exhaust Family	Fuel Tank Executive Order	Fuel Line Executive Order	Carbon Canister or Other
		CA Only	49- State	50- State	(10111)		Total	Nomi nal	Area (m²)		Length (mm)	Diamete r (mm)				Venting Control Executive Order								
	J1FJ01B2-C J1FJ02B2-C J1FJ03B2-C J1FJ05B2-C J1FJ06B2-C J1FJ07B2-C J1FJ109B2-C J1FJ10B2-C J1FJ11B2-C J1FJ14B2-C J1FJ15B2-C J1FJ16B2-C (GX160)			×	1	CARB	3.5	3.1	0.141	FKM	140	4.5	JHNXS. 1631AB	N/A	N/A	N/A								
	J1GH01B3-C J1GH03B3-C J1GH05B3-C J1GH13B3-C J1GH15B3-C J1GH16B3-C J1GH18B3-C J1GH19B3-C J1GH20B3-C (GX200)			X	1	CARB	3.5	3,1	0.141	FKM	140	4.5	JHNXS. 1961AA	N/A	N/A	N/A								
	JSBH01B4-C JSBH02B4-C (GX200HS)			X		CARB	3.5	3.1	0.141	FKM	140	4.5	JHNXS. 1961SA	N/A	N/A	N/A								
	J1FH01B5-C (GX160)			Х	1	CARB	3.5	3.1	0.141	FKM	140	4.5	JHNXS. 1631AA	N/A	N/A	N/A								