

#### HONDA MOTOR CO., LTD.

EXECUTIVE ORDER U-U-001-0848-1 New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE	DESCRIPTION							
	MANUFACTURER	ENGINE FAM	IILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)					
ŀ	HONDA MOTOR CO., LTD.		IAA (U-U-001-0836) IAB (U-U-001-0837)	161, 187 161, 187	Gasoline					
TBC = To B	e Certified	EQUIPMEN	IT DESCRIPTION	•						
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	EQUIPMENT APPLICATION							
2018	CCHNXW1A	0.91 Walk-Behind Lawnmower, Compressor, Pump, Generator Set, Pressure Washer, Other OEM Product								
EMISSION	N CONTROL SYSTEMS (ECS)		ENGINE and/or l	EQUIPMENT I	MODEL					
(	Canister / Coextruded	See Attachment								
Metal=M Tr	eated HDPE or PE=P_Co-extruded=C_S	Selar=L Nylon=N Acetal=A	Other=O B. EVAPORATIVE	FAMILY 2-Lette	other=O 2. <u>Tank Barrier Type and Code</u> or CODE (Venting Control Codes =C, S, O Do not use abbreviations for ECS types.					

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

*=not applicable	PERFORMANCE BASED (grams HC/day)									
STANDARD	EVAPORATIVE FAMILY EMISSION LIMIT DIFFERENTIAL (EFELD)	EVAPORATIVE MODEL EMISSION   LIMIT (EMEL)	CERTIFICATION LEVEL							
1.0	0.01	0.99	0.79							

BE IT FURTHER RESOLVED: That the evaporative model emission limit (EMEL), as applicable, is the diurnal emissions level declared by the manufacturer based on diurnal test results for a worst-case engine or equipment model within an evaporative family. No engine or equipment emissions within the evaporative family could be closer to its respective standard than the evaporative family emission limit differential (EFELD) calculated from the declared EMEL for the worst-case engine or equipment.

BE IT FURTHER RESOLVED: That the evaporative family emission limit differential (EFELD), as applicable, is an emission level differential between the effective standard level for a specific model representing the entire evaporative family and the EMEL declared for the specific model and it's for use in the averaging and banking program. It serves as the applicable evaporative emission standard for determining compliance on a corporate average basis of any equipment within this evaporative family under 13 CCR Sections 2754.1(e).

**BE IT FURTHER RESOLVED:** That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

### HONDA MOTOR CO., LTD.

EXECUTIVE ORDER U-U-001-0848-1 New Off-Road Small Spark-Ignition Equipment

This Executive Order hereby cancels and replaces Executive Order U-U-001-0848 dated September 6, 2017.

Executed at El Monte, California on this \_\_\_\_\_ day of December 2018.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

HTTAGHMENT PLOFZ

Issued: 04/06/17 Revised: 05/21/18

Revised: U

Executive Order: U-U-001-0848--/

## EQUIPMENT FUELED BY ON-ROAD VEHICLE/MARINE VESSEL FUEL TANK (Section 2766(c)) Small Off-Road Evaporative Certification Summary Sheet

# Small Off-Road Evaporative Certification Database Form (Supplementary Information)

### **MODEL SUMMARY**

S1. Worst Case (Check One)	S2. Engine or Equipment Model		S3. Sales Codes (check all appropriate)		S4. Engine Class (I or II)	ngine Fuel Blass System	S6. Fuel Tank Vol. (Liters)		S7. Fuel Tank Internal Surface	S8. Fuel Line Type	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diamet	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executiv e Order	S14. Carbon Canister or Other Venting
,		CA Only	49- State	50- State		,	Total	Nomin al	Area (m²)			er (mm)				Control Executive Order
х	J1HV04H1-C (GCV160)			х	ı	CARB	0.93	0.91	0.075	FKM	180 150	4.5 5.3	JHNXS .1871AA	N/A	N/A	N/A
	J1HV01H1-C J1HV02H1-C J1HV03H1-C J1HV12H1-C J1HV13H1-C J1HV15H1-C J1HV19H1-C (GCV160)			×	I	CARB	0.93	0.91	0.075	FKM	180 150	4.5 5.3	JHNXS .1871AA	N/A	N/A	N/A 
	J1HV06H2-C J1HV09H2-C J1HV11H2-C J1HV16H2-C J1HV18H2-C J1HV20H2-C (GCV160)			x	l	CARB	0.93	0.91	0.075	Flourother moplastic	110 160	4.5 7.3	JHNXS .1871AA	N/A	N/A	N/A
	J1HV07H3-C J1HV08H3-C J1HV17H3-C (GCV160)			x	l	CARB	0.93	0.91	0.075	Flourother moplastic	140 145	4.5 7.3	JHNXS .1871AA	N/A	N/A	N/A

HTTHCHINENT PZ OFZ

Issued: 04/06/17 Revised: 05/21/18 Executive Order: U-U-001-0848 - /

	MODEL SUMMARY (Cont'd) S1. S2. S3. S4. S5. S6. S7. S8. S9. S10. S11. S12. S13. S14.														
S1. Worst Case (Check	S2. Engine or Equipment Model	•			S5. Fuel System (FI or	S6. Fuel Tank Vol. (Liters)		S7. Fuel Tank Internal Surface	Type	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister or Other
One)					CARB)	Total	Nominal	Area (m²)			(mm)				Venting Control Executive Order
·	J1HW01H1-C J1HW02H1-C J1HW05H1-C J1HW08H1-C J1HW10H1-C (GCV190)		×	1	CARB	0.93	0.91	0.075	FKM	180 150	4.5 5.3	JHNXS .1871AA	N/A	N/A	N/A
	J1HW03H2-C J1HW05H2-C J1HW09H2-C J1HW10H2-C (GCV190)		x	l	CARB	0.93	0.91	0.075	Flourotherm oplastic	110 160	4.5 7.3	JHNXS .1871AA	N/A	N/A	N/A
	J1HW04H3-C J1HW06H3-C J1HW07H3-C J1HW09H3-C (GCV190)		x	l	CARB	0.93	0.91	0.075	Flourotherm oplastic	140 145	4.5 7.3	JHNXS .1871AA	N/A	N/A	N/A
	J1JV01H1-C (GSV160) J1JW01H1-C (GSV190)		x	ı	CARB	0.93	0.91	0.075	FKM	180 150	4.5 5.3	JHNXS .1871AB	N/A	N/A	N/A
	J1JW02H1-C (GSV190)		x	I	CARB	0.93	0.91	0.075	Flourotherm oplastic	110 160	4.5 7.3	JHNXS .1871AB	N/A	N/A	N/A