

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012:

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

	•	ENGINE	DESCRIPTION						
	MANUFACTURER	ENGINE FAM	MILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)				
Lif	an Industry (Group) Co., Ltd.	JCLGS.212	1GM (U-U-074-0211)	196, 212	Gasoline, CNG-LPG Dual Fuel Gasoline-CNG-LPG Triple Fue				
S.A. = See A TBC = To B	Attachment e Certified	EQUIPME	NT DESCRIPTION						
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	E	EQUIPMENT APPLICATION					
2018	CM2121GM	See Attachment	Compressor, Pump, Stump Beater, Generator Set, Snowblower, Non-Backpack Blower, Pressure Washer, Tiller, Edger, Brushcutter, Leaf Blower/Vacuum, Other Industrial Equipment						
EMISSION	N CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL							
	Canister/Metal	See Attachment							
Metal=M Tr	eated HDPE or PE=P Co-extruded=C	Selar=L Nylon=N Acetal=A	Other=O B. EVAPORATIVE	FAMILY 2-Lette	other=O 2. <u>Tank Barrier Type and Code</u> or CODE (Venting Control Codes =C, S, C Do not use abbreviations for ECS types.				

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

*=not applicable		DESIGN BASED										
	OSE PERMEATION ams ROG/m²/day)		ANK PERMEATION ams ROG/m²/day)	CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/liter)								
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER							
15	Q-08-037, Q-08-005, C-U-05-012, Q-12-016A	1.5	Q-16-015A, Q-16-019A, Q-17-022	1.0, 1.4	Q-07-021, Q-07-020, Q-08-007, C-U-07-008, C-U-07-009, C-U-06-003, C-U-06-007A, C-U-06-008, Q-08-035, C-U-07-021, C-U-06-031A, Q-13-004							

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this ______ day of February 2018.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

Attachment, 1 of 3

Small Off-Road Evaporative Certification Database Form (Supplementary Information)

MODEL SUMMARY

S1.	S2.	S3.		S4.		S5.	S6.		S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
Worst Case (Check One)	Engine or Equipment Model	(check all		eck all Cl		Fuel Syste m (FI or	yste Vol. (Liters) (FI or		Tank Internal Surface		uel Line Type al Fuel Line Length	Insjde Diameter	Exhaust Family	Fuel Tank Executive Order	Fuel Line Executive Order	Carbon Canister or Other Venting Control Executive Order
		CA Only	49- State	50- State		CARB	NOMI NAL	TOTA L	Area (m²)		(mm)					
x	168F, 168F-A, 168F-B, 168F-C 170F, 170F-A, 170F-B, 170F-C, 170F-T			x	1	CA RB	3.5	4.0	0.14	multila yer	145	4.5	JCLGS.2121GM	Q-17-022	Q-08-037, Q-08-005, C-U-05-012 Q-12-016A	Q-07-020, C-U-07-008, C-U-06-003
	168F, 168F-A, 168F-B, 168F-C 170F, 170F-A, 170F-B, 170F-C, 170F-T			X	ı	CA RB	3.5	3.6	0.15	multila yer	145	4.5	JCLGS.2121GM	Q-16-019A	Q-08-037, Q-08-005, C-U-05-012 Q-12-016A	Q-07-020, C-U-07-008, C-U-06-003
	168F, 168F-A, 168F-B, 168F-C 170F, 170F-A, 170F-B, 170F-C, 170F-T	-		X	I	CA RB	3.6	4.0	0.15	multila yer	145	4.5	JCLGS.2121GM	Q-17-022 Q-16-015A	Q-08-037, Q-08-005, C-U-05-012 Q-12-016A	Q-07-020, C-U-07-008, C-U-06-003

Attachneut, 2 d 3

168F, 168F-A, 168F-B, 168F-C 170F, 170F-A, 170F-B, 170F-C, 170F-T		х		CA RB	3.8	4.0	0.15	multila yer	145	4.5	JCLGS.2121GM	Q-16-019A	Q-08-037, Q-08-005, C-U-05-012 Q-12-016A	Q-08-035, C-U-07-021, C-U-06-031A
168F, 168F-A, 168F-B, 168F-C 170F. 170F-A, 170F-B, 170F-C, 170F-T		Х	l	CA RB	9.2	10	0.35	multila yer	130	4.5	JCLGS.2121GM	Q-17-022 Q-16-019A	Q-08-037, Q-08-005, C-U-05-012 Q-12-016A	C-U-06-008 Q-08-007 C-U-07-009, C-U-06-007A Q-07-021
168F, 168F-A, 168F-B, 168F-C 170F, 170F-A, 170F-B, 170F-C, 170F-T		х		CA RB	9.8	10	0.35	multila yer	130	4.5	JCLGS.2121GM	Q-17-022 Q-16-019A	Q-08-037, Q-08-005, C-U-05-012 Q-12-016A	Q-08-007 C-U-07-009, C-U-06-007A Q-07-021
168F, 168F-A, 168F-B, 168F-C 170F, 170F-A, 170F-B, 170F-C, 170F-T		×	1	CA RB	10.0	12.0	0.36	multila yer	130	4:5	JCLGS 2121GM	Q-16-019A Q-16-015A	Q-08-037, Q-08-005, C-U-05-012 Q-12-016A	Q-08-007 C-U-07-009, C-U-06-007A Q-07-021

168 168 16 17 170 170 170	68F, 8F-A, 8F-B, 8F-C 70F, 0F-A, 0F-B, 0F-C,	×	I	CA RB	15	16	0.46	multila yer	130	4.5	JCLGS.2121GM	Q-16-019A	Q-08-037, Q-08-005, C-U-05-012 Q-12-016A	C-U-07-009, C-U-06-007A Q-07-021 Q-13-004
16/ 16/ 16/ 17/ 17/ 17/	68F, 8F-A, 8F-B, 8F-C 70F, 0F-A, 0F-B, 0F-C,	×	I	CA RB	14.5	15	0.47	multila yer	130	4.5	JCLGS.2121GM	Q-16-019A	Q-08-037, Q-08-005, C-U-05-012 Q-12-016A	C-U-07-009, C-U-06-007A Q-07-021 Q-13-004
16 16 16 16 17 17 17 17	68F, 8F-A, 8F-B, 8F-C 70F, 0F-A, 0F-B, 0F-C,	x	ı	CA RB	15	17	0.47	multila yer	130	4.5	JCLGS.2121GM	Q-17-022	Q-08-037, Q-08-005, C-U-05-012 Q-12-016A	C-U-07-009, C-U-06-007A Q-07-021 Q-13-004
16 16 16 16 16 17 17 17 17	68F, 8F-A, 8F-B, 68F-C 70F, 0F-A, 0F-B, 0F-C, 70F-T	x	ı	CA RB	17	18	0.62	multila yer	130	4.5	JCLGS.2121GM	Q-17-022	Q-08-037, Q-08-005, C-U-05-012 Q-12-016A	C-U-07-009, Q-07-021

⁽¹⁾ The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)