

CHONGQING DAJIANG POWER EQUIPMENT CO., LTD

EXECUTIVE ORDER U-U-105-0188-1 New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in Calif Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE	DESCRIPTION							
	MANUFACTURER	ENGINE FAM	MILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)					
Chongqin	g Dajiang Power Equipment Co.,	Ltd JCDPS.212	1DJ (U-U-105-0178)	180, 196, 208, 212	Gasoline					
S.A. = See TBC = To B	Attachment De Certified	EQUIPME	NT DESCRIPTION							
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	PPLICATION							
2018	CM2121	15, 16 Compressor, Pump, Pressure Washer, Generator Set, Tiller, Brushcutter								
EMISSIO	N CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL								
Car	bon Canister, Metal Tank	See Attachment								
Metal=M Tr	reated HDPE or PE=P Co-extruded=C S	Selar=L Nylon=N Acetal=A	A Other=O B. EVAPORATIVE	FAMILY 2-Lette	other=O 2. Tank Barrier Type and Code- or CODE (Venting Control Codes =C, S, O); Do not use abbreviations for ECS types.					

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The manufacturer has demonstrated the running loss emissions control.

*=not applicable		DESIGN BASED											
	OSE PERMEATION ams ROG/m²/day)		ANK PERMEATION ams ROG/m²/day)	CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/liter)									
STANDARD	CERTIFICATION LEVEL OR EXCUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	OR EXECUTIVE ORDER								
15	Q-13-013, Q-08-005, Q-10-003	1.5	Q-16-019, Q-17-021	1.4	Q-11-001, C-U-06-007, C-U-07-009								

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-U-105-0188 dated July 17, 2017.

Executed at El Monte, California on this day of November 2018.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

Small Off-Road Evaporative Certification Database Form (Supplementary Information)

MODEL SUMMARY

S1.	S2.		S3.		S4.	S5.		86.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
Worst Case (Check	Engine or Equipment Model	Sales Codes (check all appropriate)			Engine Class (I or II)	Fuel System (FI or CARB)			Fuel Tank Internal Surface	Fuel Line Type	Nominal Fuel Line Length ⁽¹⁾	Fuel Line Inside Diameter	Exhaust Family	Fuel Tank Executive Order	Fuel Line Executive Order	Carbon Canister or Other Venting
One)		CA Only	49- State	50- State	11)	CARB)	Total	Nominal	Area (m²)		(mm)	(mm)				Control Executive Order
	DJ170F- 1,170F-1, DH212, FE212; DJ170F,170F, DH208, FE208; DJ168F,168F, DH196, FE196; DJ165F,165F, DH180,FE180			x	l	CARB	18	15	0.4957	multilayer	120	4.5 or greater	JCDPS.2121DJ	Q-16-019 Q-17-021	Q-08-005 Q-13-013 Q-10-003	C-U-07-009 C-U-06- 007; Q-11-001
	DJ170F- 1,170F-1. DH212, FE212; DJ170F,170F, DH208, FE208; DJ168F,168F, DH196, FE196; DJ165F,165F, DH180,FE180			x	1	CARB	19.25	15	0.4858	multilayer	120	4.5 or greater	JCDPS.2121DJ	Q-16-019 Q-17-021	Q-08-005 Q-13-013 Q-10-003	C-U-07-009 C-U-06- 007; Q-11-001
	DJ170F- 1,170F-1, DH212, FE212; DJ170F,170F, DH208, FE208; DJ168F,168F, DH196, FE196; DJ165F,165F, DH180,FE180			x	1	CARB	19.25	15	0.4860	multilayer	120	4.5 or greater	JCDPS.2121DJ	Q-16-019 Q-17-021	Q-08-005 Q-13-013 Q-10-003	C-U-07-009 C-U-06- 007; Q-11-001
	DJ170F- 1,170F-1, DH212, FE212; DJ170F,170F, DH208, FE208; DJ168F,168F, DH196, FE196; DJ165F,165F, DH180,FE180			x	I	CARB	18	15	0.4957	multilayer	120	4.5 or greater	JCDPS.2121DJ	Q-16-019 Q-17-021	Q-08-005 Q-13-013 Q-10-003	C-U-07-009 C-U-06- 007; Q-11-001

ATTACHMENT (page 2 of 2)

DJ170F- 1,170F-1, DH212, FE212; DJ170F, 170F, DH208, FE208; DJ168F, 168F, DH196, FE196; DJ165F, 165F, DH180, FE180	X	l	CARB	17.55	15	0.4695	multilayer	120	4.5 or greater	JCDPS.2121DJ	Q-16-019 Q-17-021	Q-08-005 Q-13-013 Q-10-003	C-U-07-009 C-U-06- 007; Q-11-001
DJ170F- 1,170F-1, DH212, FE212; DJ170F,170F, DH208, FE208; DJ168F,168F, DH196, FE196; DJ165F,165F, DH180,FE180	x	ı	CARB	17.67	15	0.4731	multilayer	120	4.5 or greater	JCDPS 2121DJ	Q-16-019 Q-17-021	Q-08-005 Q-13-013 Q-10-003	C-U-07-009 C-U-06- 007; Q-11-001
DJ170F- 1,170F-1, DH212, FE212; DJ170F,170F, DH208, FE208; DJ168F, 168F, DH196, FE196; DJ165F,165F, DH180,FE180	x	I	CARB	16.09	15	0.4732	multilayer	120	4.5 or greater	JCDPS 2121DJ	Q-16-019 Q-17-021	Q-08-005 Q-13-013 Q-10-003	C-U-07-009 C-U-06- 007; Q-11-001
DJ170F- 1,170F-1, DH212, FE212; DJ170F,170F, DH208, FE208; DJ168F,168F, DH196, FE196; DJ165F,165F, DH180,FE180	x	ı	CARB	16	15	0.4820	multilayer	120	4.5 or greater	JCDPS 2121DJ	Q-16-019 Q-17-021	Q-08-005 Q-13-013 Q-10-003	C-U-07-009 C-U-06- 007; Q-11-001
DJ170F- 1,170F-1. DH212, FE212; DJ170F,170F, DH208, FE208, DJ168F, 168F, DH196, FE196; DJ165F,165F, DH180,FE180	x	1	CARB	18	16	0.5283	multilayer	144	4.5 or greater	JCDPS.2121DJ	Q-16-019 Q-17-021	Q-08-005 Q-13-013 Q-10-003	C-U-07-009 C-U-06- 007; Q-11-001

⁽¹⁾ The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)